

Body Assembly




REV 251224-R00

See Parts List for a complete listing of optional accessories.

Completed Assembly (view from top)



Completed Assembly (view from bottom)




Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

www.modellmarkt24.ch

SLASH

Chassis Assembly




REV 251224-R00

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

See Parts List for a complete listing of optional accessories.

TRAXXAS

www.modellmarkt24.ch




Front Assembly

REV 251224-R00

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

See Parts List for a complete listing of optional accessories.

www.modellmarkt24.ch



Rear Assembly

SLASH

See Parts List for a complete listing of optional accessories.


REV 251224-R00

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

www.modellmarkt24.ch

Transmission Assembly

Available fully assembled as part #3695



REV 251224-R00

See Parts List for a complete listing of optional accessories.


Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing.; however, Traxxas cannot be held responsible for typographical or other errors.

www.modellmarkt24.ch


SLASH

Wheel and Tire Chart


TRAXXAS




Traxxas SCT Tires with Foam Inserts




BFGoodrich® Mud Terrain™ T/A® Tires with Foam Inserts



Kumho Road Venture MT tires with Foam Inserts



Traxxas SCT Wheels



Split Spoke Wheels

Wheels*		5871	S1 Ultra-Soft Racing Compound 5871R	6871	S1 Ultra-Soft Racing Compound 6871R	6870	S1 Ultra-Soft Racing Compound 6870R
		Assembled Wheels and Tires		Assembled Wheels and Tires		Assembled Wheels and Tires	
Satin Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	5872	5873†	-	-	-	5880X	-
Satin Beadlock/ Satin Wheel - Slash Front	5874	5875	-	-	-	5881X	-
Red Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	-	5873A	5873R	-	-	-	-
Red Beadlock/ Satin Wheel - Slash Front	5874A	-	-	-	-	-	-
Black Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	5872X	5873X	-	5878	-	5880	-
Black Beadlock/ Satin Wheel - Slash Front	5874X	5875X	-	-	-	5881	-
Red Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	5868	5887†	5887R	5867	-	-	-
Red Beadlock/ Chrome Wheel - Slash Front	-	5888	-	5869	-	-	-
Blue Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	5868A	-	-	5867A	-	-	-
Blue Beadlock/ Chrome Wheel - Slash Front	5870A	-	-	5869A	-	-	-
Green Beadlock/ Chrome Wheel - Slash Front	5866	-	-	5865	-	-	-
Green Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	6875	-	-	6876	-	-	-
Orange Beadlock/ Black Wheel - Slash Front	5870X	5864	-	-	-	-	-
Orange Beadlock/ Black Wheel -Slash Rear or Slash 4X4 Front/Rear	5868X	5863†	5863R†	-	-	-	-
Black Beadlock/ Black Wheel - Slash Front	-	-	-	5879-BLK	-	-	-
Black Beadlock/ Black Wheel -Slash Rear or Slash 4X4 Front/Rear	-	-	-	5878-BLK	-	-	-
Black Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	6872	6892†	6892R	6873†	6873X	6874	6874R
Black Beadlock/ Satin Wheel - Slash Front	5876	-	-	5877	-	5882	5882R
Black Chrome Beadlock/ Black Wheel - Slash Rear or Slash 4X4 Front/Rear	-	-	-	-	6873T†	-	-
Red Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	6872A	6891†	6891R†	6873A	6873R	-	-
Red Beadlock/ Chrome Wheel - Slash Front	-	-	-	5877A	5877R	-	-
Green Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear Front	6872X	-	-	-	-	-	-
Satin Beadlock/ Black Wheel - Slash Front	5886	5890	-	5885	-	-	-
Satin Beadlock/ Black Wheel - Slash Rear or Slash 4X4 Front/Rear	5884	5889†	5889R	5883	-	-	-
Blue Beadlock/ Black Wheel - Slash Front	5886A	-	-	5885A	-	-	-
Blue Beadlock/ Black Wheel - Slash Rear or Slash 4X4 Front/Rear	5884A	-	-	5883A	-	-	-
Gray Beadlock/ Gray Wheel - Slash Rear or Slash 4X4 Front/Rear	-	6964†	-	-	-	-	-
Orange Beadlock/ Orange Wheel - Slash Rear or Slash 4X4 Front/Rear	-	5892†	-	-	-	-	-
Green Beadlock/ Green Wheel - Slash Rear or Slash 4X4 Front/Rear	-	5892G†	-	-	-	-	-

* Wheels and/or tires sold in pairs †TSM rated

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors. See Parts List for a complete listing of optional accessories.

BFGoodrich and all associated names are trademarks used with permission.
Distributed under license by Traxxas LP. Copyright © 2025 MNA, Inc. All rights reserved.

REV 251224-R00

www.modellmarkt24.ch

Slash® 2WD Unassembled Kit (Model 58214-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116A	**Ball bearings, black rubber sealed (5x11x4mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6934	**Body conversion kit, Slash 2WD/Slash 4X4 (includes front & rear latch mounts, latches, hardware) (for clipless mounting)**
5851-BLUE	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-GRN	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5924-GRN	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-ORNG	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-PINK	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-RBLU	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5924-RED	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-RED	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5924	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
5855	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
6965	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
6946-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6928-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6844-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5849-HWN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Hawaiian graphics (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5824-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Keegan Kincaid (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6928-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5850-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6844-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6928-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5824-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5848-RNR	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Rock n' Roll (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6932-GRN	**Body, Slash® 4X4, green (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6965R	**Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
6933	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
5855X	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
6932L	**Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
6932-RED	**Body, Slash® 4X4, red (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6849	**Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)**
6849-FOX	**Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6812-GRN	**Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6812-ORNG	**Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6812-RED	**Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5915	**Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
6929	**Chassis & body conversion kit, Slash 2WD (includes front & rear body mounts, latches, hardware) (for clipless mounting)**
2514	**Decal sheet, racing sponsors**
5813	**Decal Sheet, Slash**
6966	Latch mounts/ retainers (front & rear, left & right)
6967	Latch, body mounts (front & rear)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
5846	Paint masks, body

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	**Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
9463X	**Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463	**Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463G	**Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463A	**Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**

www.modellmarkt24.ch

9463P **Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463R **Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
6940 Body mounts (front & rear) (for clipless body mounting)
5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5835X **Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
5835 Bumper, front/ bumper mount, front (black)
5835P **Bumper, front/ bumper mount, front (pink)**
5838 **Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
5836 Bumper, rear/ bumper mount, rear (black)
5836P **Bumper, rear/ bumper mount, rear (pink)**
5830 **Chassis conversion kit, low CG (Slash®)**
5832 **Chassis, low CG (black)**
5832A **Chassis, low CG (blue)**
5832G **Chassis, low CG (grey)**
5822 Chassis, Slash
5822A **Chassis, Slash (black)**
5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
5831 **Lower chassis, low CG (black)**
5831A **Lower chassis, low CG (blue)**
5831G **Lower chassis, low CG (grey)**
5823 Nerf bars, chassis (black)
5833 **Nerf bars, low CG (black)**
5833A **Nerf bars, low CG (blue)**
5833G **Nerf bars, low CG (grey)**
5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X **Side plates, wheelie bar, blue (aluminum) (2)**
9462 **Side plates, wheelie bar, charcoal gray (aluminum) (2)**
9462G **Side plates, wheelie bar, green (aluminum) (2)**
9462A **Side plates, wheelie bar, orange (aluminum) (2)**
9462P **Side plates, wheelie bar, pink (aluminum) (2)**
9462R **Side plates, wheelie bar, red (aluminum) (2)**
5837 Skidplates, front & rear (black)
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X **Wheelie bar mount (1) / hardware (blue)**
3677A **Wheelie bar mount (1) / hardware (green)**
3677P **Wheelie bar mount (1) / hardware (pink)**
3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
9464 **Wheelie bar mount (heavy duty)**
3678 **Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678X **Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A **Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T **Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P **Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R **Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
9460 **Wheelie bar, black (assembled)/ wheelie bar mount**
9460X **Wheelie bar, black chrome (assembled)/ wheelie bar mount**
4976 **Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
9461X **Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461T **Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461G **Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461A **Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461P **Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461R **Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461 **Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

2380 **Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)

Driveline Components

3637 Axles (front) (2)
5116A **Ball bearings, black rubber sealed (5x11x4mm) (2)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9059X **Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X **Differential output shafts, steel-splined constant-velocity (2)**
6828A Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
9052X **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6750 **Half shaft, external splined (steel-spline constant velocity) (1)**
9055X **Half shaft, external splined (steel-spline constant velocity) (1)**
9056X **Half shaft, internal splined (steel-spline constant velocity) (1)**
6751 **Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
9053X **Stub axle, rear, steel-splined constant velocity (1)**
6753 **Stub axle, rear, steel-splined constant velocity (1)**
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

Extreme HD Upgrade Kit

9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch

9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9181 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)**
9181-BLUE **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)**
9181-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)
9181-GRN **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)**
9181-ORNG **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)**
9181-RED **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)**
3638R Shock tower (rear) (for clipless body mounting)
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**

Front Suspension & Steering

3637 Axles (front) (2)
5116A **Ball bearings, black rubber sealed (5x11x4mm) (2)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545 Bushings (plastic) (5x8x2.5mm) (4)
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
5347 Rod ends, Revo® (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3639 Shock tower (front)
3638R Shock tower (rear) (for clipless body mounting)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3631X Suspension arms, black, front, heavy duty (2)
3631A **Suspension arms, blue, front, heavy duty (2)**
3631G **Suspension arms, green, front, heavy duty (2)**
3631T **Suspension arms, orange, front, heavy duty (2)**
3631R **Suspension arms, red, front, heavy duty (2)**
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2640 Suspension pins, 44mm (2) w/ E-clips
2532 Tie bar, fiberglass
1935 **Turnbuckles, 36mm (2)**
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
4859 CS 3x10 flathead (hex drive)
1589 Double-sided adhesive tape (25mm x 25mm)
1633 E-clips/ C-rings
2745 Nuts, 3mm nylon locking (12)
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18 button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch

2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)

LED Lights

3690 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)
5893 LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
5894 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)
2263 Y-harness, BEC to LED light set

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
3785 Motor, Titan® 12T (12-Turn, 550 size)
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2923X 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2940X 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2941X 3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
2950X 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2951X 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
2960X 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
2961X 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC adapter
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module
3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6537 Wire retainers, gear cover/ 3x4mm BCS (2)
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Rear Suspension

5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch

9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638R Shock tower (rear) (for clipless body mounting)
2555X Suspension arms, black, rear, heavy duty (2)
2555A **Suspension arms, blue, rear, heavy duty (2)**
2555G **Suspension arms, green, rear, heavy duty (2)**
2555T **Suspension arms, orange, rear, heavy duty (2)**
2555R **Suspension arms, red, rear, heavy duty (2)**
3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (Pro-level Aluminum)

5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662 **Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (2) (Big Bore Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Shocks (Ultra Shocks)

3765A Body, Ultra Shock (long) (grey) (2)
3766A Body, Ultra Shock (XXL) (grey) (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T **Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 **Shock shafts, steel, chrome finish (long) (2)**
2656 Shock shafts, steel, chrome finish (xx-long) (2)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
1765 Silicone diaphragms (4)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458P **Springs (front) (pink) (2)**
2458A **Springs (front) (white) (2)**
3757T **Springs, blue (rear) (2)**
2458 **Springs, front (black) (2)**
5857P **Springs, front (pink) (progressive rate) (2)**
5857 Springs, front (white) (progressive rate) (2)
3757A **Springs, green (rear) (2)**
3757P **Springs, pink (rear) (2)**
3757 **Springs, rear (black) (2)**
5858P **Springs, rear (pink) (progressive rate) (2)**
5858 Springs, rear (white) (progressive rate) (2)
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3757X **Springs, white (rear) (2)**
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
2554 Screws, 3x6mm caphead machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
2423 **Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2426 **Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4728 **Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2431 **Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2545 Bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744X Servo saver w/ adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 **Washers, 3x6mm metal (12)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2640	Suspension pins, 44mm (2) w/ E-clips
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916	**Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514	**Decal sheet, racing sponsors**
9917	**Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	**Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
5882R	**Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)**
6874R	**Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)**
5877R	**Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)**
6873R	**Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
6873X	**Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5869	**Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)**
5867	**Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2)(4WD front/rear, 2WD rear only)**
5881X	**Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)**
5880X	**Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5881	**Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)**
5880	**Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5875X	**Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)**
5878	**Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)**
6873A	**Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5882	**Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)**
6874	**Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5885A	**Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)**
5883A	**Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5885	**Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)**
5883	**Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)**
5877A	**Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)**
5877	**Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front)**
5864	**Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front)**
5863	**Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5865	**Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)**
6876	**Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5873X	**Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5869A	**Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)**
5867A	**Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)**
5891	**Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
6873	**Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)**
5875	**Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)**
5873	**Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)**
5873A	**Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)**
5873R	**Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)**
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6871R	**Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)**
6870	**Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)**
6870R	**Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)**
5871	**Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)**
5871R	**Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch

3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5868A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5870A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)
5872X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5874A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)
5886A Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5870X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5868X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)

Transmission Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
3790 Gear adapter, fixed
3691 Gearbox halves (L&R) (black) w/ idler gear shaft
3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
5148 Grease, white lithium
9492 Idler gear, 30-tooth/ idler gear shaft (steel)
3696 Idler gear, steel (30-tooth)
9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
2554 Screws, 3x6mm caphead machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)
3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

www.modellmarkt24.ch