INSTRUCTION MANUAL
AX90053-I001

BUILDER'S KIT

RR10™ BOMBER

1/10th SCALE ELECTRIC 4WD - KIT



axial®

www.axialracing.com

www.modellmarkt24.ch; www.modellmarkt24.de

CAUTIONS

⚠ To prevent serious personal injury and/or property damage, operate all remotely controlled models in a responsible manner as outlined herein.

CHOOSE THE RIGHT PLACE TO OPERATE YOUR R/C MODEL.

- Do not run on public streets or highways. This could cause serious accidents, personal injuries, and/or property damage.
- Never run R/C models near people or animals.
- To avoid injury, do not run in confined spaces.
- Do not run where loud noises can disturb others, such as hospitals and residential areas.
- Never run indoors. There is a high risk of fire and/or damage.

INSPECT YOUR MODEL BEFORE OPERATION.

- Make sure that all screws and nuts are properly tightened. It is also a good idea to use removable thread lock wherever metal screws go into metal, especially for engine mounts and the engine pilot shaft.
- Always use fresh batteries for your transmitter and for your receiver to avoid losing control of the model.
- Always test the brakes and throttle before starting your engine to avoid losing control of the model.
- Make sure no one else is using the same radio frequency as you are using.

AFTER OPERATION OF YOUR R/C MODEL

- Disconnect the battery from the ESC, then turn off the transmitter. This will prevent runaways.
- Be careful when handling batteries, they will be hot after running.
- Replace any batteries that have been dented or have frayed wires, short circuits can cause fire.
- Be sure to keep your R/C model clean and free of excess dirt and grease, this will increase the life.

VORSICHT!

⚠ Um Verletzungen an Personen und/oder Sachschäden zu vermeiden, sollten alle ferngesteuerten Modelle sorgfältig und verantwortungsbewusst bedient werden,wie nachfolgend beschrieben.

Wählen Sie den richtigen Platz zum Fahren

- Fahren Sie niemals auf öffentlichen Straßen. Dies könnte Verkehrsunfälle, Personen schäden oder Sachschäden verursachen.
- Fahren Sie niemals in der Nähe von anderen Personen oder Tieren.
- Fahren Sie niemals auf belebten Straßen.
- Fahren Sie nie in der Nähe von Wohnhäusern oder Krankenhäusern. Der Lärm könnte andere Personen stören.
- Fahren Sie niemals in Innenräumen. Dort könnte etwas beschädigt werden.

Überprüfen Sie Ihr Modell, bevor Sie es in Betrieb nehmen.

- Gehen Sie sicher, dass alle Schrauben und Muttern festgezogen sind. Verwenden Sie überall dort Schrauben-Sicherungslack, wo Metallschrauben in ein Metallgewinde greifen, besonders bei den Motorhaltern.
- Um Störungen zu vermeiden, benutzen Sie immer voll geladene Akkus in Ihrem Sender und Empfänger.
- Bevor Sie den Motor starten, sollten Sie immer die Funktion der Bremse und des Gashebels testen.
- Gehen Sie sicher, dass niemand mit der gleichen Frequenz fährt wie Sie.

Nach Betrieb des RC Modells:

- Zuerst den Empfänger abdrehen, dann den Sender abdrehen um unkontrolliertes Durchgehen zu vermeiden.
- Seien Sie vorsichtig mit gebrauchten Akkus, sie können nach dem Gebrauch heiß sein.
- Ersetzten Sie Akkus/Batterien die beschädigt sind oder schadhafte Kabel aufweisen, sie können Kurzschlüsse oder Feuer verursachen.
- Halten Sie Ihr Fahrzeug sauber und entfernen Sie Schmutz und Schmierfett, damit erhöhen Sie die Lebensdauer Ihres Modells.

PRECAUTIONS

⚠ Afin d'éviter toutes blessures corporelles et/ou dommages environnants, veuillez procéder en toute responsabilité comme indiqué ci-dessous

Choisir le lieu adéquat pour faire rouler votre modèle.

- Ne jamais rouler dans les rues ou sur les routes ouvertes au publique. Ceci peut provoquer de graves accidents.
- Ne jamais rouler près de personnes ou d'animaux.
- Pour éviter les blessures, ne pas rouler dans des espaces confinés.
- Ne jamais rouler où le bruit peut déranger, comme aux abords des hôpitaux ou des quartiersrésidentiels.
- Ne jamais rouler à l'intérieur: les gaz d'échappement sont nocifs.

Controler votre modèle avant chaque utilisation.

- Vérifier que les vis et les écrour sont bien serrés. Il est trés fortement conseillé d'utiliser du frein filet pour bloquer les vis qui sont en contact avec du métal et tout particulierer ment les vis du moteur.
- Toujours utiliser des batteries bien chargées pour l'émission et la réception.
- Toujours vérifier les freins et la commande des gaz avant de démarrer.
- Vérifier qu'aucune autre personne n'utilise votre fréquence radio.

Après l'Opération De Votre Modèle de R/C

- Le virage du récepteur premier, alors virage de l'émetteur, ceci empêchera des fugitifs.
- Faire attention en contrôlant des piles, ils auront chaud après avoir couru.
- Remplacer n'importe quelles piles qui ont été cabossées ou a éraillé des fils, les court-circuits peuvent causer le feu.
- Etre sûr de garder votre modèle de R/C nettoie et libère de terre et la graisse supplémen taires, ceci augmentera la vie.

www.modellmarkt24.ch; www.modellmarkt24.de

Equipment needed / Benötigtes Zubehör / Equipement nécessaire

Radio Gear / Fernsteueranlage / Equipement Radio

Radio control system


• You will need a 2-Channel radio system with one servo, receiver, an electronic speed control with an ON/OFF switch.

Fernsteueranlage


• Sie werden ein 2-kanal Radio System mit einem Servo, Empfänger, eine elektronische Geschwindigkeisteuer-ung mit einem Netzschalter brauchen.

Ensemble radiocommande

• Vous aurez besoin d'un système de radio de 2 Chaînes avec un servo, lerécepteur, un contrôle de vitesse électronique avec un interrupteur(on-off).



Wheel & Trigger Type
Pistolen-Griff Typ
Type Volant et gachette




On/Off Switch
An/Aus-Schalter
Interrupteur M/A

Receiver
Empfänger
Révepteur


Steering servo
Lenkservo
Servo de direction

- 4AA Alkaline Dry Batteries.
- 4 St. AA Trockenbatterien.
- 4 piles type R6 pour votre radio commande.

4x



Motor / Motoren / Moteur




540 Size

Battery / Akku / Batterie


Battery / Akku / Batterie

Recommended Battery:
Standard 6-cell NiMh
Standard 2S-3SLipo

Max Size: 149mmx35mmx52mm




Tools Recommended / Benötigte Werkzeuge / Outillage




Hex wrench
Inbusschlüssel
Clé Allen


Socket driver
Steckdosezieher
Clé Douille



Side cutter
Seitenschneider
Pinces coupantes




Curved scissors
Schere
Ciseaux




Long nose pliers
Flachzange
Pinces à becs longs

Modeling knife
Modelliermesser
Couteau de modéliste




www.modellmarkt24.ch; www.modellmarkt24.de


Parts Reference / Übersicht aller Teile / Référence des pièces




AX80006 x1
Servo Set




AX80018 x3
Hardware Parts Tree




AX31301 x2
10mm Shock Caps Parts Tree (Blue)




AX31300 x2
10mm Shock Parts Tree 2 (Blue)




AX80069 x2
Offset Axle Housing




AX31114 x2
WB8 Driveshaft




AX31049 x2
Helmet Mold (Black)




AX80033 x1
10mm Shock Set 1




AX80072 x1
Offset Axle 4 link mount




AX80071 x1
Straight Axle Adapter Rear




AX80062 x1
XR10 C Hub Carrier Set




AX31186 x3
M4 Rod End Set




AX80002 x 2
Diff Case -Small




AX31118 x5
Walker Evans Wheel face




AX31118 x5
Inner Ring



AX31118 x5
Back Half Beadlock




AX31065 x1
Spur Gear 32P 64T




AX31316 x1
AR60 Dual Shear Steering Knuckle Set


www.modellmarkt24.ch; www.modellmarkt24.de




AX31113 x1
IFS Racer Rear Sway Bar




AX31108 x1
2-Speed Hi/Lo Transmission Case







AX31324 x1
RR10 Transfer Case Mold




AX31323 x1
RR10 Electronics Box Mold




AX31109 x1
IFS Racer
4 Link Set




AX31106 x1
2-Speed Hi/Lo Transmission Motor Mount




AX31332 x1
RR10 Battery Tray Chassis Components 2






AX31107 x1
Shifter Spur Cover


AX31317 x2
AR60 Differentail Cover and PTO






AX31333 x1
RR10 Skid Plate


www.modellmarkt24.ch; www.modellmarkt24.de




AX31322 x1
RR10 Cage Sides




AX31321 x1
RR10 Cage Lower Rails




AX31319 x1
RR10 Center Cage Mold



AX31320 x1
RR10 Rear Cage Components Mold




AX31125 x1
Yeti™ Fuel Cell




AX31318 x1
RR10 Battery Tray
Chassis Components

www.modellmarkt24.ch; www.modellmarkt24.de



AX31131 x1
T-Case Gear Set




AX31131 x1
T-Case Gear Set




A X31131 x1
T-Case G ear Set



AX31131 x1
T-Case Gear Set




AX31130 x1
28T 48P 2 Speed Gear
(High Speed Option)



AX31130 x1
26T 48P 2 Speed Gear



AX30113 x4
Rubber Bump Stop 3.6x7x4



AX31083 x1
Radio Box Seals



AX31148 x4
WB8-HD Joint Male Universal




AX30463 x4
4.5x6.5mm Join Pin




AX30413 x1
Slipper spring



AX30112 x4
Shock Diaphragm 13x4.5mm




AX31148 x4
WB8-HD Joint 10X15mm




AX30500 x2
Heavy Duty Locker




AX31430 x4
King Shock Cap



AX31430 x4
King Preload Collar




AX30429 x4
12mm Aluminum Hub




AX31266 x4
Narrow Hub




AX30438 x4
Axial Delrin 10mm
Machined Piston-1.2




AX31314 x4
Aluminum Shock Body 12x47.5mm




AX30723 x1
Pinion 32DP 12T




AX31315 x2
Spring 14x70mm 1.43 lbs/in - Purple (2pcs) (Blue Springs)




AX30395 x2
Heavy Duty Bevel Gear - 38T







AX30385 x2
Diff Gasket 16x25x0.5mm




AX31336 x2
Spring 14x70mm 3.27 lbs/in - Yellow (2pcs) (Blue Springs)




AX30395 x2
Heavy Duty Bevel Gear - 13T



AX31067 x1
Slipper Plate




AX31068 x2
Slipper Pad




AX31059 x2
Slipper Plate


www.modellmarkt24.ch; www.modellmarkt24.de




AX30776 x1
Straight Axle Shaft 6x104.2mm




AX30776 x1
Straight Axle Shaft 6x160.2mm



AX30780 x1
Axle Shaft Long



AX30780 x1
Axle Shaft Short




AX31328 x1
AR60 Steering Kit



AX31328 x1
AR60 Steering Kit




AX31340 x2
7x83.5mm M4 Bent Link




AX31340 x2
7x101mm M4 Bent Link



AX31341 x2
7x87.5mm M4 Bent Link




AX31245 x4
Lower Link Plate




AX31129 x1
2-Speed Hi/Lo Transmission Bottom Shaft 5x75mm




AX31127 x1
2-Speed Hi/Lo Transmission Top Shaft 5x91mm



AX31313 x1
Transfer Case Output Shaft 5x68mm



AX30155 x4
Shock Shaft 3x59.5



AX31058 x1
Rear Sway Bar 2.7mm

www.modellmarkt24.ch; www.modellmarkt24.de




AX31028 x8
Pin 2x11




AX30163 x3
Pin 2x10



AXA1391 x3
E4 e-clip



AX31250 x4
M4 Nylon Locking Nut



AXA1045 x1
M4 Nylon Lock Nut



AXA1041 x4
M2.5 Thin Nylon Lock Nut



AXA1052 x11
M3 Thin Nylon Locking Nut



AXA1053 x4
M3 Nylon Locking Nut



AX30450 x4
Flange Pipe 3x4.5x5.5



AXA1069 x8
Washer 2.7x6.7x0.5 mm



AXA1070 x1
Washer 3x6x0.5mm




AXA1071 x2
Washer 4x8x0.5mm



AXA1202 x8
O-Ring 3.5x2mm




AXA1184 x4
O-Ring 7.5x1.5mm




AXA1188 x4
O-Ring 12x1.5mm



AXA1221 x20
Bearing 5x11x4mm



AXA1230 x6
Bearing 10x15x4mm



AXA1059 x2
6mm Body Clip



AXA180 x10
M3x3mm



AXA291 x1
M4x4mm



AXA185 x2
Set Screw M3x10mm




AXA186 x8
Set Screw M3x16mm



AXA0187 x4
Set Screw M3x20mm




AX31343 x16
M4x20mm Set Screw



AXA0286 x4
M4x12mm



AXA0109 x4
M3x10mm
Oversize Flat Hex Socket



AX31121 x2
M4x12mm Cap Head



AXA015 x16
M2x10mm Cap Head



AXA0023 x28
M2.6X8mm Cap Head



AXA087 x8
M3x16mm Cap Head



AXA091 x2
M3x30mm Cap Head



AX31280 x16
M2.6x6mm Hex Socket Button Head



AXA0113 x9
M3x6mm Hex Socket Button Head



AXA114 x6
M3x8mm Hex Socket Button Head



AXA115 x16
M3x10mm Hex Socket Button Head



AXA116 x44
M3x12mm Hex Socket Button Head



AXA117 x15
M3x15mm Hex Socket Button Head



AXA118 x53
M3x18mm Hex Socket Button Head



AXA119 x2
M3x20mm Hex Socket Button Head



AXA120 x1
M3x25mm Hex Socket Button Head

AXA121 x4
M3x30mm Hex Socket Button Head

AXA144 x11
M3x8mm Hex Socket Flat Head

AX31185 x2
M3x10mm Hex Socket Flat Head

AXA146 x16
M3x12mm Hex Socket Flat Head

AXA0147 x1
M3x16mm Hex Socket Flat Head

AXA148 x8
M3x18mm Hex Socket Flat Head

AXA150 x3
M3x25mm Hex Socket Flat Head

AXA0413 x2
M2.6x8mm Hex Socket Tapping Flat Head

AXA441 x4
M3x30mm Hex Socket Tapping Button Head


www.modellmarkt24.ch; www.modellmarkt24.de

A **Open Bag A**


1 **Open Plastic Bag 1**




AXA015 **x8**
M2x10mm Cap Head




AXA1230 **x4**
Bearing 10x15x4mm



AX30385 **x2**
Diff Gasket 16x25x0.5mm




AX30500 **x2**
Heavy Duty Locker



AX30395 **x2**
38T Bevel Gear

1

x2



www.modellmarkt24.ch; www.modellmarkt24.de




AXA115
M3x10mm Hex Socket Button Head **x8**



AXA015
M2x10mm **x8**





AXA1221
Bearing 5x11x4mm **x4**




AX30395
Heavy Duty Bevel Gear - 13T **x2**


2





x2





www.modellmarkt24.ch; www.modellmarkt24.de

3 Front

AXA0113 x4
M3x6mm

AXA115 x4
M3x10mm


AXA30450 x4
Flange Pipe 3x4.5x5.5

AXA1221 x4
Bearing 5x11x4mm

AXA1230 x2
Bearing 10x15x4mm

AX30780 x1
Axle Shaft Long

AX30780 x1
Axle Shaft Short



www.modellmarkt24.ch; www.modellmarkt24.de


4 Rear




AXA0113 x4
M3x6mm



AXA1221 x2
Bearing 5x11x4mm



AX30776 x1
Straight Axle Shaft 6x160.2mm



AX30776 x1
Straight Axle Shaft 6x104.2mm

www.modellmarkt24.ch; www.modellmarkt24.de



AXA144
M3x8mm Hex Socket Flat Head
x2




AXA087
M3x16mm Cap Head
x4



AXA119
M3x20mm Hex Socket Button Head
x1

AXA180
M3x3mm
x2

5





AXA144
M3x8mm Hex Socket Flat Head
x2




AXA087
M3x16mm Cap Head
x4



AXA119
M3x20mm Hex Socket Button Head
x1

AXA180
M3x3mm
x2

6



www.modellmarkt24.ch; www.modellmarkt24.de

B Open Bag B



AX31343
Set Screw M4x20mm **x4**

7



AX31343
Set Screw M4x20mm **x4**


8

www.modellmarkt24.ch; www.modellmarkt24.de



AXA117
M3x15mm Hex Socket Button Head **x2**

9





AXA117
M3x15mm Hex Socket Button Head **x2**




AXA091
M3x30mm Cap Head **x1**



AXA1053
M3 Nylon Locking Hex Nut (BLACK) **x1**

10




www.modellmarkt24.ch; www.modellmarkt24.de

AXA144
M3x8mm Hex Socket Flat Head
x2

AXA0109
M3x10mm Oversized Flat Hex Socket
x4

11



AXA0113
M3x6mm
x1

AXA118
M3x18mm Hex Socket Button Head
x2

AXA120
M3x25mm Hex Socket Button Head
x1


AX31343
Set Screw M4x20mm
x4

AXA1052
M3 Thin Nylon Locking Hex Nut (BLACK)
x2

AXA1053
M3 Nylon Locking Hex Nut (BLACK)
x1

AXA1070
Washer 3x6x0.5mm
x1

12



AX31328
AR60 Steering Kit

www.modellmarkt24.ch; www.modellmarkt24.de




AXA118
M3x18mm Hex Socket Button Head **x6**




AXA1052
M3 Thin Nylon Locking Hex Nut (BLACK) **x6**


13





AX31343
Set Screw M4x20mm **x4**






www.modellmarkt24.ch; www.modellmarkt24.de



AXA117
M3x15mm Hex Socket Button Head **x2**

15







AXA091
M3x30mm Cap Head **x1**



AXA1053
M3 Nylon Locking Hex Nut (BLACK) **x1**

16





www.modellmarkt24.ch; www.modellmarkt24.de

C Open Bag C

AX30163
Pin 1.5x8mm **x2**

AXA1391
E4 e-clip **x2**

AX31130
26T 48P 2 Speed Gear **x1**

AX31130
28T 48P 2 Speed Gear (High Speed Option) **x1**

AXA1221
Bearing 5x11x4mm **x4**


AX31129
2-Speed Hi/Lo Transmission Bottom Shaft 5x75mm **x1**


AX31127
2-Speed Hi/Lo Transmission Top Shaft **x1**


AXA144
M3x8mm Hex Socket Flat Head **x1**

AXA148
M3x18mm Hex Socket Flat Head **x4**

17







www.modellmarkt24.ch; www.modellmarkt24.de

AX30163
Pin 1.5x8mm **x1**

AXA1391
E4 e-clip **x1**

AXA1221
Bearing 5x11x4mm **x6**

AX31131
T-Case Gear Set **x1**

AXA0147
M3x16mm Hex Socket Flat Head **x1**

AX31313
Transfer Case Output Shaft 5x68mm **x1**


AX31131
T-Case Gear Set **x1**


AX31131
T-Case Gear Set **x1**

AX31131
T-Case Gear Set **x1**

AXA150
M3x25mm Hex Socket Flat Head **x2**

18







www.modellmarkt24.ch; www.modellmarkt24.de



AXA148
M3x18mm Hex Socket Flat Head **x4**

19






AXA1045
M4 Nylon Lock Nut (Black) **x1**




AX30413
Slipper spring **x1**


20

! Peel off adhesive backing






AX31059
Slipper Plate Washer 33x1mm **x2**



AX31068
Slipper Pad 32.8x15.2x1mm **x2**



AX31067
Slipper Plate **x1**


www.modellmarkt24.ch; www.modellmarkt24.de



AXA291
M4x4mm **x1**




AXA146
M3x12mm Hex Socket Flat Head **x2**




AX30723
Pinion 32DP 12T **x1**

21





AXA0413
M2.6x8mm Hex Socket Tapping Flat Head **x2**




AX31121
M4x12mm Cap Head **x2**



AXA1071
Washer 4x8x0.5mm **x2**

22



TIP:
Use a small piece of paper to slip between the gears to help set the proper gear mesh.

www.modellmarkt24.ch; www.modellmarkt24.de

D Open Bag D

AX31028
Pin 2x11mm
x2


AX30463
4.5x6.5mm joint Pin
x2

AXA144
M3x8mm
x2

AX31148
WB8-HD Driveshaft Coupler Set
x2

AX31148
WB8-HD Driveshaft Coupler Set
x2

23 Front



AX31114 5
WB8 Driveshaft
x2

AX31028
Pin 2x11mm
x2


AX30463
4.5x6.5mm joint Pin
x2

AXA144
M3x8mm
x2


AX31148
WB8-HD Driveshaft Coupler Set
x2

AX31148
WB8-HD Driveshaft Coupler Set
x2

24 Rear




AX31114 7
WB8 Driveshaft
x1




AX31114 9
WB8 Driveshaft
x1

www.modellmarkt24.ch; www.modellmarkt24.de



AXA0286
Screw Shaft M4x2.5x12mm **x2**


25





AXA146
M3x12mm Hex Socket Flat Head **x6**

26




www.modellmarkt24.ch; www.modellmarkt24.de



AXA118
M3x18mm Hex Socket Button Head **x2**





AXA0187
Set Screw M3x20mm **x2**



AXA0286
Screw Shaft M4x2.5x12mm **x1**

27






www.modellmarkt24.ch; www.modellmarkt24.de



AXA118
M3x18mm Hex Socket Button Head **x2**




AXA0187
Set Screw M3x20mm **x2**



AXA0286
Screw Shaft M4x2.5x12mm **x1**

28




www.modellmarkt24.ch; www.modellmarkt24.de



AXA146
M3x12mm Hex Socket Flat Head **x2**


29





AXA146
M3x12mm Hex Socket Flat Head **x4**

30



www.modellmarkt24.ch; www.modellmarkt24.de



AXA1041
M2.5 Thin Nylon Lock Nut **x4**




AX30113
Rubber Bump Stop 3.6x7x4 **x4**



AXA1202
O-Ring 3.5x2mm **x8**



AXA1184
O-Ring 7.5x1.5mm **x4**



AXA1188
O-Ring 12x1.5mm **x4**




AXA1069
WASHER 2.7x6.7x0.5 **x8**



AX30438
Machined Shock Piston 10mm 1.2x2 **x4**




AX30112
Shock Diaphragm 13x4.5mm **x4**




AX31314
Aluminum Shock Body 12x47.5mm **x4**


31



32



33




www.modellmarkt24.ch; www.modellmarkt24.de



AXA117
M3x15mm Hex Socket Button Head **x2**

34






AXA118
M3x18mm Hex Socket Button Head **x2**




AXA1052
M3 Thin Nylon Locking Hex Nut (BLACK) **x2**


35



www.modellmarkt24.ch; www.modellmarkt24.de


36






www.modellmarkt24.ch; www.modellmarkt24.de

37






15

E Open Bag E


3 Open Plastic Bag 3


38





AXA115
M3x10mm Hex Socket Button Head **x2**






www.modellmarkt24.ch; www.modellmarkt24.de

AXA114
M3x8mm Hex Socket Button Head
x2

AXA117
M3x15mm Hex Socket Button Head
x4


AXA186
Set Screw M3x16mm
x2

39



AX31280
M2.6x6mm Hex Socket Button Head
x4

40



www.modellmarkt24.ch; www.modellmarkt24.de



AXA116
M3x12mm Hex Socket Button Head **x3**




AXA118
M3x18mm Hex Socket Button Head **x4**



AXA0023
M2.6X8mm Cap Head **x2**

41





AXA116
M3x12mm Hex Socket Button Head **x3**




AXA118
M3x18mm Hex Socket Button Head **x4**



AXA0023
M2.6X8mm Cap Head **x2**

42



www.modellmarkt24.ch; www.modellmarkt24.de



AXA186
Set Screw M3x16mm **x2**



AXA115
M3x10mm Hex Socket Button Head **x2**



AXA118
M3x18mm Hex Socket Button Head **x4**





AXA146
M3x12mm Hex Socket Flat Head **x2**




AXA1053
M3 Nylon Locking Hex Nut (BLACK) **x1**

43








www.modellmarkt24.ch; www.modellmarkt24.de

44




AXA116 x2
M3x12mm Hex Socket Button Head

AXA118 x14
M3x18mm Hex Socket Button Head

AXA121 x4
M3x30mm Hex Socket Button Head

AXA441 x4
M3x30mm Hex Socket Tapping Button Head


45



www.modellmarkt24.ch; www.modellmarkt24.de


AX31280
M2.6x6mm Hex Socket Button Head **x8**

46



AX31280
M2.6x6mm Hex Socket Button Head **x4**

47



www.modellmarkt24.ch; www.modellmarkt24.de





AXA116
M3x12mm Hex Socket Button Head **x2**



AX31185
M3x10mm Hex Socket Flat Head **x2**

48





AXA1059
6mm Body Clip **x2**




AXA114
M3x8mm Hex Socket Button Head **x4**



AXA118
M3x18mm Hex Socket Button Head **x4**

49




www.modellmarkt24.ch; www.modellmarkt24.de

F Open Bag F

AXA116
M3x12mm Hex Socket Button Head **x2**

AXA185
Set Screw M3x10mm **x2**

50




AXA116
M3x12mm Hex Socket Button Head **x2**

AXA118
M3x18mm Hex Socket Button Head **x2**

AXA180
M3x3mm **x2**

51




www.modellmarkt24.ch; www.modellmarkt24.de


52

AXA186
Set Screw M3x16mm **x4**

AXA118
M3x18mm Hex Socket Button Head **x8**



AXA117
M3x15mm Hex Socket Button Head **x8**




www.modellmarkt24.ch; www.modellmarkt24.de

G Open Bag G

AXA116
M3x12mm Hex Socket Button Head **x30**


53



AXA0023
M2.6X8mm Cap Head **x24**

54

x5




! Do Not Over Tighten

www.modellmarkt24.ch; www.modellmarkt24.de




AXA150
M3x25mm Hex Socket Flat Head
x1



AX30429
12mm Aluminum Hub
x4


AXA180
M3x3mm
x4

AX31028
Pin 2x11
x4




AX31250
M4 Nylon Locking Nut
x4

55




www.modellmarkt24.ch; www.modellmarkt24.de

Exploded View / Explosionsansicht / Vue éclatée



AX31280
AX31327
AXA116
AXA121
AXA118
AXA441
AXA118
AXA116
AXA118
AXA118
AXA121
AXA116
AXA118
AXA441
AX31322
AXA118
AX31320
AXA180
AXA118
AXA118
AXA118
AXA118
AXA118
AXA118
AXA118
AXA114
AXA114
AXA114
AX31332
AXA1059
AX31332
AXA114
AX31319
AX31332
AXA1059
AX31320
AXA117
AXA117
AX31280
AX31280
AX31280
AX31280
AX31327
AXA115
AXA115
AX31125
AXA118
AXA118
AXA118
AXA118
AX31320
AX31320
AX31320
AXA150
AXA146
AXA146
AX31125
AXA1053
AX31320
AX31320
AX31319
AX31320
AXA117
AXA117
AXA114
AXA114
AX31327
AX31049
AX31320
AXA115
AX31280
AX31320
AXA115
AX31280
AX31280
AX31280
AX31328
AX31280
AX31321
AXA121
AXA180
AXA116
AXA118
AXA118
AXA118
AXA118
AXA118
AXA118
AXA118

www.modellmarkt24.ch

Exploded View / Explosionsansicht / Vue éclatée




Exploded View / Explosionsansicht / Vue éclatée




www.modellmarkt24.ch


www.modellmarkt24.de


Exploded View / Explosionsansicht / Vue éclatée



Exploded View / Explosionsansicht / Vue éclatée








Gear Ratio / Getriebeübersetzung

Use this equation to calculate the final drive ratio.
Final Drive Gear Ratio = (Spur/Pinion)x5.67

Mit dieser Gleichung können Sie die Gesamtübersetzung berechnen.
Gesamtubersetzung = (Spur/Pinion)x5.67



Slower - More Torque
Langsamer - Mehr Kraft

Faster - Less Torque
Schneller - Weniger Kraft

32 Pitch 38T/13T (Stock Gearing AX30392 or HD AX30395)

	Spur Gear			
Pinion	**56**	**60**	**64**	**68**
11	28.85	30.91	32.97	35.03
12	26.44	28.33	30.22	32.11
13	24.41	26.15	27.90	29.64
14	22.67	24.88	25.90	27.52
15	21.15	22.67	24.18	25.69
16	19.83	21.25	22.67	24.08
17	18.67	20.00	21.33	22.67

32 Pitch 36T/14T (Overdrive HD Gearing AX30401)


	Spur Gear			
Pinion	**56**	**60**	**64**	**68**
11	25.38	27.19	29.00	30.81
12	23.26	24.92	26.58	28.25
13	21.47	23.01	24.54	26.07
14	19.94	21.36	21.94	22.60
15	19.61	19.94	21.27	22.60
16	17.45	18.69	19.94	21.18
17	16.42	17.59	18.77	19.94

32 Pitch 43T/13T (Underdrive HD Gearing AX30402)

	Spur Gear			
Pinion	**56**	**60**	**64**	**68**
11	32.64	34.97	37.31	39.64
12	29.92	32.06	34.20	36.33
13	27.62	29.59	31.57	33.54
14	25.65	27.48	29.31	31.14
15	23.94	25.65	27.36	29.07
16	22.44	24.04	25.65	27.25
17	21.12	22.63	24.14	25.65


Shock Tuning / Stossdämpferabstimmung

Installation




Pistons

Standard Pistons
Provides the same dampening rate on both compression and extension



Variable Rate Pistons
Provides a different dampening rate depending on which direction you install.





Install this direction for faster rebound and slower compression

Install this direction for Slower rebound and faster compression

Springs/Oil



Springs

Depending on the application you may want a firmer spring than what is included. Selecting a spring rate is based on each vehicles weight and handling and usually will require some trial and error.

For rock crawling applications it is recommended to use a stiffer spring on which ever corner is exhibiting torque twist.

Oil

Oils are another element you can use to tune the handling of your vehicle. You want an oil that allows the vehicle to handle the terrain well, but not too thin as to exhibit a springy bounce while driving.

We recommend starting with a good 30 wt. silicone oil. If you are looking for a faster rebound/compression rate use a lower weight oil. If you are looking for a slower rebound compression rate use a higher weight oil.

10wt. **100wt.**

Dampening

Faster ⟷ **Slower**


www.modellmarkt24.ch; www.modellmarkt24.de


Suspension Tuning - Upper Link Adjustments

•Moving the upper links at the chassis will change the anti-squat characteristics of the vehicle under power.

•RTR Stock: Front upper hole, rear middle hole.

•Optional holes, will create more or less Anti-Squat for the rear traction under power.






Gear Mesh Adjustment

•Remove X2 M2.6x8mm AXA0413 Flatheads from AX31107 Spur Cover to gain access to spur and pinion

•Loosen X2 M4x12mm AX31121 Capheads from AX31106 Motor Mount Clamp

•Rotate the motor and motor mount assembly to fine tune gear mesh



www.modellmarkt24.ch; www.modellmarkt24.de

Parts List

Part #	Description
AX30112	Shock Diaphragm 13x4.5mm (6pcs)
AX30113	Rubber Bump Stop 3.6x7x4 (6pcs)
AX30155	Shock Shaft 3x59.5 (2pcs)
AX30163	Pin 2.0x10mm (6pcs.)
AX30385	Diff Gasket 16x25x0.5mm (2pcs)
AX30395	Heavy Duty Bevel Gear Set - 38T/13T
AX30413	Slipper spring 8.5x12 165 lbs/in - Black (2pcs)
AX30429	12mm Aluminum Hub (Black) (4pcs)
AX30438	Machined Shock Piston 10mm - 1.2x2 (4pcs)
AX30450	Flange Pipe 3x4.5x5.5 (4pcs)
AX30463	WB8 Universal Joint Rebuild Kit (2pcs)
AX30500	Heavy Duty Locker (2pcs)
AX30723	Pinion Gear 32P 12T (3mm shaft)
AX30776	AR60 OCP Rear Axle Set (2pcs)
AX30780	AR60 OCP Universal Axle Set
AX31028	Pin 2.0x11mm (6pcs)
AX31049	Helmet Set (Black)
AX31058	Yeti™ Rear Sway Bar (3pcs) (Soft, Medium, Firm)
AX31059	Slipper Plate Washer 33x1mm (2pcs)
AX31065	Spur Gear 32P 64T
AX31067	Slipper Plate (2pcs)
AX31068	Slipper Pad 32.8x15.2x1mm (2pcs)
AX31083	Radio Box Seals
AX31106	2-Speed Hi/Lo Transmission Motor Mount
AX31107	2-Speed Hi/Lo Transmission Spur Gear Cover
AX31108	2-Speed Hi/Lo Transmission Case
AX31109	Yeti™ Rear 4 Link Set
AX31113	Yeti™ Rear Sway Bar Mount Set
AX31114	WB8-HD Driveshaft
AX31118	2.2 Walker Evans Wheels - IFD™ Wheels - Black(2pcs)
AX31121	M4x12mm Cap Head (Black) (10pcs)
AX31125	Yeti™ Fuel Cell
AX31127	2-Speed Hi/Lo Transmission Top Shaft (5x91mm)
AX31129	2-Speed Hi/Lo Transmission Bottom Shaft (5x75mm)
AX31130	High Speed Transmission Gear Set (48P 26T, 48P 28T)
AX31131	T-Case Gear Set (32P 15T, 32P 15T, 32P 27T)
AX31148	WB8-HD Driveshaft Coupler Set
AX31185	M3x10mm Hex Socket Flat Head (Black) (10pcs)
AX31186	M4 Rod End Set
AX31245	Lower Link Plate Set (Aluminum) (4pcs)
AX31250	M4 Serrated Nylon Lock Nut (Black) (10pcs)
AX31266	IFD™ Hex Hub Adapter (2pcs Narrow, 2pcs Wide)
AX31280	M2.6x6mm Hex Socket Button Head (Black) (10pcs)
AX31300	10mm Shock Parts Tree 2 (Blue)
AX31301	10mm Shock Caps Parts Tree (Blue)
AX31313	Transfer Case Output Shaft (5x69mm)
AX31314	Aluminum Shock Body 12x47.5mm (Clear Anodized) (2pcs)
AX31315	Spring 14x70mm 1.43 lbs/in - Purple (2pcs) (Blue Springs)
AX31316	AR60 Double Shear Steering Knuckle Set
AX31317	RR10 AR60 Axle Component Set
AX31318	RR10 Battery Tray Chassis Components
AX31319	RR10 Center Cage
AX31320	RR10 Rear Cage Components
AX31321	RR10 Cage Lower Rails
AX31322	RR10 Cage Sides (Left and Right)
AX31323	RR10 Electronics Box
AX31324	RR10 Transfer Case
AX31325	2.2 BFGoodrich Baja T/A KR2 Tires - R35 Compound (2pcs)
AX31327	RR10 Bomber Body - .040" (Clear)
AX31328	AR60 Steering Kit
AX31332	RR10 Battery Tray Chassis Components 2
AX31333	RR10 Skid Plate
AX31336	Spring 14x70mm 3.27 lbs/in - Yellow (2pcs) (Blue Springs)
AX31340	RR10 Aluminum Links Set
AX31341	Threaded Aluminum Link 7x87.5mm - Hard Anodized (2pcs)
AX31343	M4x20mm Set Screw (Black) (10pcs)
AX31428	AR60 Steering Upgrade Kit (Aluminum)
AX31430	King Shocks Aluminum Caps and Collars Set - 12mm (Blue) (4pcs)
AX80002	Diff Case -Small
AX80006	Servo Set
AX80018	Hardware Parts Tree
AX80033	10mm Shock Parts Tree 1
AX80062	XR10 C Hub Carrier Set
AX80069	AR60 OCP Axle Housing
AX80071	AR60 OCP Straight Axle Adapter
AX80072	AR60 OCP 4-Link Mount
AXA0023	M2.6x8mm Cap Head (Black) (10pcs)
AXA0109	M3x10mm Oversized Flat Hex Socket (Black) (10pcs)
AXA0113	M3x6mm Hex Socket Button Head (Black) (10pcs)
AXA0147	M3x16mm Hex Socket Flat Head (Black) (10pcs)
AXA015	M2x10mm Cap Head (Black) (10pcs)
AXA0187	M3x20mm Set Screw (Black) (10pcs)
AXA0286	Screw Shaft M4x2.5x12mm (6pcs)
AXA0413	M2.6x8mm Hex Socket Tapping Flat Head (Black) (10pcs)
AXA087	M3x16mm Cap Head (Black) (10pcs)
AXA091	M3x30mm Cap Head - Black (10pcs)
AXA1041	M2.5 Nylon Locking Hex Nut - Silver (10pcs)
AXA1045	M4 Nylon Lock Nut (Black) (10pcs)
AXA1052	M3 Thin Nylon Locking Hex Nut (Black)
AXA1053	M3 Nylon Locking Hex Nut (Black) (10pcs)
AXA1059	6mm Body clip (Black) (10pcs)
AXA1069	Washer 2.7x6.7x0.5 (10pcs)
AXA1070	Washer 3x6x0.5 (10pcs)
AXA1071	Washer 4x8x0.5mm (10pcs)
AXA114	M3x8mm Hex Socket Button Head (Black) (10pcs)
AXA115	M3x10mm Hex Socket Button Head (Black) (10pcs)
AXA116	M3x12mm Hex Socket Button Head - Black (10pcs)
AXA117	M3x15mm Hex Socket Button Head (Black) (10pcs)
AXA118	M3x18mm Hex Socket Button Head - Black (10pcs)
AXA1184	O-Ring 7.5x1.5mm (S8) - (10pcs)
AXA1188	Axial O-Ring 12x1.5mm (S12.5)
AXA119	M3x20mm Hex Socket Button Head (Black) (10pcs)
AXA120	M3x25mm Hex Socket Button Head (Black) (10pcs)
AXA1202	O-Ring 3.5x2mm (10pcs)
AXA121	M3x30mm Hex Socket Button Head (Black) (10pcs)
AXA1221	Bearing 5x11x4mm (2pcs)
AXA1230	Bearing 10x15x4mm
AXA1391	E4 e-clip (10pcs)
AXA144	M3x8mm Hex Socket Flat Head (Black) (10pcs)
AXA146	M3x12mm Hex Socket Flat Head - Black (10pcs)
AXA148	M3x18mm Hex Socket Flat Head (Black) (10pcs)
AXA150	M3x25mm Hex Socket Flat Head (Black) (10pcs)
AXA180	M3x3mm Set Screw (Black) (10pcs)
AXA185	M3x10mm Set Screw (Black) (10pcs)
AXA186	M3x16mm Set Screw (Black) (10pcs)
AXA291	M4x4mm Set Screw (Black) (6pcs.)
AXA441	M3x30mm Hex Socket Tapping Button Head (Black) (10pcs)

www.modellmarkt24.ch; www.modellmarkt24.de

Option Parts

Part #	Description
AX31069	Metal Spur Gear 32P 68T
AX31077	2.2 Falken Wildpeak M/T - R35 Compound (2pcs)
AX31097	3 Port High Output LED Controller
AX31098	8 LED Light String (White LED)
AX31118	2.2 Walker Evans Wheels - IFD™ Wheels - Black(2pcs)
AX31136	Icon 87-125mm Aluminum Shock Set - 10mm Piston (2pcs)
AX31144	AE-5 Waterproof Forward/Reverse ESC w/Drag Brake
AX31152	Universal Rigid Light Bar Set
AX31156	Machined Adjustable Motor Mount (Hard Anodized)
AX31160	Steel Spur Gear 32P 68T
AX31161	Steel Spur Gear 32P 64T
AX31162	Steel Spur Gear 32P 60T
AX31163	Steel Spur Gear 32P 56T
AX31164	Machined Slipper Plate (Hard Anodized) (2pcs)
AX31171	Icon 72-103mm Aluminum Shock Set - 10mm Piston (2pcs)
AX31172	Icon 67-90mm Aluminum Shock Set - 10mm Piston (2pcs)
AX31173	Icon 93-137mm Aluminum Shock Damper Set - 10mm Piston (2pcs)
AX31178	2.2 Method Beadlock Wheels - IFD™ Wheels - Black(2pcs)
AX31181	Yeti Transmission 2-Speed Hi/Lo Components
AX31184	Hi/Lo Transmission Gear Set
AX31188	Icon Aluminum Shock Body 12x47.5mm (2pcs)
AX31191	Icon Shock Cap (12mm) (2pcs)
AX31244	Upper Link Plate Set (Aluminum) (4pcs)
AX31245	Lower Link Plate Set (Aluminum) (4pcs)
AX31250	M4 Serrated Nylon Lock Nut (Black) (10pcs)
AX31329	35T Trail Breaker Electric Motor (Rebuildable)
AX31330	55T Trail Breaker Electric Motor (Rebuildable)
AX31331	RR10 Rear Sway Bar Set (Soft)
AX80045	Axial Light Bucket Set (Black)
AX80047	Interior Details Parts Tree - Chrome
AX80049	Axial LED Lens Set - Yellow/Clear (4pcs)
AX80085	Universal Mount 5 Bucket Light Bar (Black)
AX80086	Light Bar Lenses (Clear) (5pcs)
AX80131	Helmet Set
AX8091	Axial 2.2 Rockster Beadlocks (Black)
AX8092	Axial 2.2 Rockster Beadlocks (Chrome)
AX8095	Axial 2.2 Rockster Beadlocks (Black Chrome)
AX8097	2.2 8 Hole Beadlocks (Black)
AX8112	2.2 Beadlock Ring - Grey (2pcs)
AX8117	2.2 Rock Beadlock Ring - Grey (2pcs)
AXA1076	Cap Head Washer M3x10mm (4pcs)
AXA1101	Cone Washer 3x6.9x2mm (6pcs)
AXA1104	Cone Washer 3x6.9x2mm - Orange (6pcs)
AXA1105	Cone Washer 3x6.9x2mm - Grey (6pcs)
AXA1331	Flanged Ball 3x5.8x7mm (6pcs)
AXA1412	0.5x6mm Spacer - Grey (6pcs)
AXA1413	1x6mm Spacer - Grey (6pcs)
AXA1414	2x6mm Spacer - Grey (6pcs)
AXA1415	3x6mm Spacer - Grey (6pcs)
AXA1416	4x6mm Spacer - Grey (6pcs)
AXA1417	5x6mm Spacer - Grey (6pcs)
AXA1418	6x6mm Spacer - Grey (6pcs)
AXA1419	7x10mm Post - Grey (2pcs)
AXA1420	7x15mm Post - Grey (2pcs)
AXA1421	7x20mm Post - Grey (2pcs)
AXA1422	7x25mm Post - Grey (2pcs)
AXA1423	7x30mm Post - Grey (2pcs)
AXA1424	7x35mm Post - Grey (2pcs)
AXA1425	7x40mm Post - Grey (2pcs)
AXA1426	7x45mm Post - Grey (2pcs)
AXA1427	7x50mm Post - Grey (2pcs)
AXA1428	7x55mm Post - Grey (2pcs)
AXA1429	7x60mm Post - Grey (2pcs)
AXA1430	7x65mm Post - Grey (2pcs)
AXA1431	7x70mm Post - Grey (2pcs)

Warranty Info

AXIAL LIMITED WARRANTY

Your Axial product is warranted to be free of defects in materials and workmanship when new in the factory sealed box. This warranty does not cover damages due to normal wear and tear, users' failure to perform routine maintenance, error of assembly or installation, modifications or addition of aftermarket parts or option parts. This warranty lasts as long as the original purchaser owns the product and is not transferable (verified by dated itemized sales receipt accompanied with product). In the event of a defect under this warranty, Axial will, at our discretion, repair or replace the product, provided our inspection indicates that an original defect exists. Axial provides a 10-day warranty from the date of purchase on electronics (i.e. servo, esc, radio). Axial reserves the right to replace any product which is no longer available with a product of comparable value and function. If Axial determines the repair is not covered under warranty guidelines, there could be a charge applied for the repair and return shipping charges. Note: Purchasing products from unauthorized distributors may void warranty and prevent support and service.

INTERNATIONAL CUSTOMER WARRANTY

Please return product to the dealer where the purchase was made. If your Axial product purchase was made through an on-line retailer, any warranty issues must be taken care of by that retailer. Axial assumes no responsibility for Axial products sold internationally by on-line retailers.

REPAIR

For warranty repair, please contact Axial Customer Service at (877) 64-AXIAL (877-642-9425).

HOURS AVAILABLE:

8:00 am - 5:00 pm Monday through Friday, Central Time.

www.modellmarkt24.ch; www.modellmarkt24.de

NOTES

www.modellmarkt24.ch;

www.modellmarkt24.de

NOTES

THE NEXT CHAPTER AWAITS

SCX10™



BUILDER'S KIT

SCX10 II™ 2000 JEEP® CHEROKEE

1:10 | ELECTRIC | 4WD | #AX90046

© 2016 Axial R/C Inc. A subsidiary of Hobbico, Inc.

OFFICIALLY LICENSED BY: Jeep, Currie Enterprises, BFGoodrich Tires, CRC, Rigid Industries, MagnaFlow, Method Race Wheels, JCR Offroad, Notch Customs, PSC, SPOD, ICON Vehicle Dynamics, EATON

KEY FEATURES:

AR44 HI-PINION AXLES | **AR44 UNIVERSAL AXLE SET** | **SCX10 II™ TRANSMISSION**

CHASSIS MOUNTED SERVO (CMS) | ICON ALUMINUM SHOCKS | ALL ALUMINUM SUSPENSION LINKS

BFGOODRICH® ALL-TERRAIN T/A® KO2 TIRES (R35) | METHOD MESH WHEELS (BLACK)

ALL ALUMINUM SUSPENSION LINKS | WB8 HD WILD BOAR™ DRIVESHAFTS | DUAL SLIPPER CLUTCH

JCR OFFROAD VANGUARD BUMPERS, ADVENTURE ROOFRACK & XJ ROCK SLIDERS

axial®

www.axialracing.com

facebook.com/axialinc

youtube.com/axialvideos

instagram.com/axialracing

twitter.com/axialrc

Jeep, the Jeep grille and related logos, vehicle model names and trade dress are trademarks of FCA US LLC and used under license by Axial Inc. © 2016 FCA US LLC.

BFGoodrich Tires and All-Terrain T/A® KO2 Tires are used under License from Michelin

www.modellmarkt24.ch; www.modellmarkt24.de





EXPLORE

facebook.com/axialinc | twitter.com/axialrc | youtube.com/axialvideos | flickr.com/axialrc

axial®

www.axialracing.com

BFGoodrich® Tires and Baja T/A® KR2 Trademarks are used under License from Michelin
Odyssey Battery trademark(s) is/are the property of EnerSys and affiliates

AX90053-I001
2003935

www.modellmarkt24.ch; www.modellmarkt24.de