Bearings & Bushings

4607	**Ball bearings (5x11x4mm) (8)**
2728	**Ball bearings (5x8x2.5mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	**Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675	**Bushings, self-lubricating (5x11x4mm) (14)**
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearinc

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3934	Body clips, heavy duty (12)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mr 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
1815	Body washers (8)
6716	**Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
6811	**Body, Slash 4X4 (clear, requires painting)/ window masks sheet**
6817	**Body, Slash 4X4, Amsoil (painted, decals applied)**
6831	**Body, Slash 4X4, Chad Hord (painted, decals applied)**
6818	**Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, deca applied)**
6820	**Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
6825X	**Body, Slash 4X4, Mark Jenkins #25 (painted, decals appli**
6826R	**Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, applied)**
6811X	Body, Slash 4X4, ProGraphix (Graphics are printed, requires final color application)/ decal sheet
6889	**Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
6849	**Body, Slash 4X4/Slash, Fox Edition (painted, decals appli**
2514	**Decal sheet, racing sponsors**
5813	**Decal Sheet, Slash**
9950	**Official Team Traxxas racing decal set (flag logo/ 6-color)**

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut to
5526R	**Antenna crimp nut, aluminum (red-anodized)/ antenna nu**
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mr 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BC 2.5x8mm CS (2)/ 3x6mm BCS (2)
5835	Bumper, front/ bumper mount, front (black)
5835P	**Bumper, front/ bumper mount, front (pink)**
5836	Bumper, rear/ bumper mount, rear (black)
5836P	**Bumper, rear/ bumper mount, rear (pink)**
5830	**Chassis conversion kit, low CG (Slash)**
5832	**Chassis, low CG (black)**
5832A	**Chassis, low CG (blue)**
5832G	**Chassis, low CG (grey)**
5822	Chassis, Slash
5822A	**Chassis, Slash (black)**
5827	Hold down, battery/ hold down retainer/ battery post/ foam spa angled body clip
5827X	**Hold down, battery/ hold down retainer/ battery post/ foar spacer/ angled body clip (allows for installation of taller, r cell batteries)**
5831	**Lower chassis, low CG (black)**
5831A	**Lower chassis, low CG (blue)**
5831G	**Lower chassis, low CG (grey)**
5823	Nerf bars, chassis (black)
5833	**Nerf bars, low CG (black)**
5833A	**Nerf bars, low CG (blue)**
5833G	**Nerf bars, low CG (grey)**
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grea
5837	Skidplates, front & rear (black)
5185	**Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
4974	**Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	Wheelie bar mount (1)/ hardware (black)
3677X	**Wheelie bar mount (1)/ hardware (blue)**
3678	**Wheelie bar, assembled (black) (fits Slash, Stampede, Ru Bandit series)**
3678X	**Wheelie bar, assembled (blue) (fits Slash, Stampede, Rust Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Stampede, Rustler, B series)**
3678P	**Wheelie bar, assembled (pink) (fits Stampede, Rustler, Ba series)**
4976	**Wheels (4)/ Axles (2), for Maxx wheelie bar**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearin axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearing axles (2)/ rubber tires (2)**

Differential Components

2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alig shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Stampede, Rustler)
5169	Screws, 2.6x8mm countersunk machine (6)
1647	Silicone grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screw screw pin (2)
4628X	**Differential output yokes, hardened steel (w/ U-joints) (2)**
6828X	**Differential output yokes, heavy duty (2)/ screw pin (2)**
6852X	**Driveshaft assembly, rear, heavy duty (1) (left or right) (ful assembled, ready to install)/ screw pin (1)**
6852R	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
1953	**Half shaft pro-pack (internal-splined (6)/ external-splined ((plastic shafts only)**
6850X	**Half shafts, heavy duty (external splined (2)/ internal splin metal u-joints (4)**
1951	Half shafts, long truck (external-splined (2) & internal-splined (metal U-joints (4)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	**Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G	**Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P	**Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P	**Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X	**Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754	Stub axle pins (4)
2753X	Stub axles, rear (2)
6853X	**Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

3637	Axles (front) (2)
2728	**Ball bearings (5x8x2.5mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	**Bulkhead (front) (black)**
2530A	Bulkhead (front) (grey)
3632	Caster blocks (l&r) (30-degree)
3632A	**Caster blocks, 30-degree, blue-anodized 6061-T6 aluminu & right)/ suspension screw pin (2)**
3632G	**Caster blocks, 30-degree, green-anodized 6061-T6 alumin & right)/ suspension screw pin (2)**
3632P	**Caster blocks, 30-degree, pink-anodized 6061-T6 aluminu & right)/ suspension screw pin (2)**
3632X	**Caster blocks, 30-degree, red-anodized 6061-T6 aluminum right)/ suspension screw pin (2)**
5347	Rod ends, Revo (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
3743A	**Steering bellcranks, drag link (blue-anodized 6061-T6 alur 5x8mm ball bearings (4)/ hardware (assembled)**
3743P	**Steering bellcranks, drag link (pink-anodized 6061-T6 alur 5x8mm ball bearings (4)/ hardware (assembled)**

www.modellmarkt24.ch; www.modellmarkt24.de

3743X **Steering bellcranks, drag link (red-anodized 6061-T6 alun 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ ser spring retainer/servo horn, steering**
3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 alu (blue-anodized)/ 5x11mm ball bearings (4)**
3636G **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 alu (green-anodized)/ 5x11mm ball bearings (4)**
3636P **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 alu (pink-anodized)/ 5x11mm ball bearings (4)**
3636X **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 alu (red-anodized)/ 5x11mm ball bearings (4)**
3631 Suspension arms (front) (2)
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #26 complete suspension pin set) (Rustler, Stampede, Bandit)
2532 Tie bar, fiberglass
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (assembled w/ rod ends & hollow balls) (requires 5mm al wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm ((assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (as with rod ends and hollow balls) (1 left, 1 right) (fits front & rea Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (ass with rod ends and hollow balls)

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
1633 E-clips/ C-rings
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodize**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearin
5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head ma (2)/ draglink shoulder screws (chrome) (2)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
2754 Stub axle pins (4)
2746 **Washers, 3x6mm metal (12)**

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3790 Gear adapter, fixed
2072 Gear set (for 2070, 2075 servos)
3785 Motor, Titan 12T (12-Turn, 550 size)
3351R **Motor, Velineon 3500, brushless (assembled with 12-gaug and gold-plated bullet connectors)**
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
3350R **Velineon VXL-3s Brushless Power System, waterproof (in VXL-3s waterproof ESC, Velineon 3500 motor, and speed mounting plate (part #3725))**
3355R **Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low- detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut to
5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4**
2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8**
2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4**
2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4**
2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8**
2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Bat Identification**
2971 **Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Bat Identification**
2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Ba Identification**
2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072 Gear set (for 2070, 2075 servos)
6535 **Mount, temperature sensor (electric motors)/ wire tie/ ther pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6518 **Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
6521 **Sensor, temperature and voltage (long)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
6550 **Telemetry expander, TQi radio system**
6551 **Telemetry GPS module, TQi radio system**
6540 **Telemetry trigger magnet, 5X2mm (1)**
6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Tra Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high outpu channel (transmitter only)**
6529 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high outpu channel (transmitter only)**
6530 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high outpu channel (transmitter only)**
3355R **Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low- detection, fwd/rev/brake)

Ready-To-Race Model

58024 Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2. radio system

Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
1951 Half shafts, long truck (external-splined (2) & internal-splined (metal U-joints (4)
3638 Shock tower (rear)
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**

www.modellmarkt24.ch; www.modellmarkt24.de

3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2753X Stub axles, rear (2)
2555 Suspension arms, (rear) (2)
3640 Suspension screw pin set, steel (hex drive) (requires part #264 complete suspension pin set) (Rustler, Stampede, Bandit)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (ass with rod ends and hollow balls) (1 left, 1 right) (fits front & rear Slash)

Shocks (Aluminum)

1965 **Piston head set, (2 sets of 3 types)/ shock collars (2)/ spri retainers (2)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X Rod ends, short (6)/ hollow balls (6)
2760 **Shock caps, aluminum (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (lon**
2765T **Shock shafts, hardened steel, titanium nitride coated (X-l**
1664 Shock shafts, steel, chrome finish (long) (2)
2765 **Shock shafts, steel, chrome finish (X-long) (2)**
4760 **Shocks, long (hard-anodized & PTFE-coated T6 aluminum springs (front) (2)**
4761 **Shocks, X-long (hard-anodized & PTFE-coated T6 aluminu springs (rear) (2)**
1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664 **Big Bore shock cylinder (long) (1)**
2666 **Big Bore shock cylinder (XX-long) (1)**
5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 alumi (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (fron**
2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated aluminum) (assembled with TiN shafts) w/o springs (rear)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bu & washers (2) (Big Bore Shocks)**
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (lon**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-l (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 **Spring retainers, upper & lower (2)/ spring pre-load space 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (fits #5862 alu Big Bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 alun Big Bore shocks)**

Shocks (Ultra Shocks)

3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Sh**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra S**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Sh**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Sh**
1664T **Shock shafts, hardened steel, titanium nitride coated (lon**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-l (2)**
1664 **Shock shafts, steel, chrome finish (long) (2)**
2656 Shock shafts, steel, chrome finish (xx-long) (2)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2) (2))

2458 **Springs, front (black) (2)**
2458P **Springs, front (pink) (2)**
5857P **Springs, front (pink) (progressive rate) (2)**
2458A **Springs, front (white) (2)**
5857 Springs, front (white) (progressive rate) (2)
3757 **Springs, rear (black) (2)**
3757T **Springs, rear (blue) (2)**
3757A **Springs, rear (green) (2)**
3757P **Springs, rear (pink) (2)**
5858P **Springs, rear (pink) (progressive rate) (2)**
3757X **Springs, rear (white) (2)**
5858 Springs, rear (white) (progressive rate) (2)
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load s & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-loa spacers & springs) (rear) (2)**
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacer springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spa springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
2423 **Gear, 23-T pinion (48-pitch) / set screw**
2426 **Gear, 26-T pinion (48-pitch)/set screw**
2431 **Gear, 31-T pinion (48-pitch) / set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4728 **Gear, pinion (28-tooth) (48-pitch)/ set screw**
4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque-Co slipper clutch)**
4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Co slipper clutch)**
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control clutch)

Steering Components

2728 **Ball bearings (5x8x2.5mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo (large) with hollow balls (12)
3744 Servo saver w/adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head mac (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 alun 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 alun 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized 6061-T6 alum 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ serv spring retainer/servo horn, steering**
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm ((assembled w/ rod ends & hollow balls) (requires 5mm alu wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2 (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (asse with rod ends and hollow balls)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo (large) with hollow balls (12)
3739 Screw pin set (Rustler/ Bandit/ Stampede)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow captured (4)
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #264 complete suspension pin set) (Rustler, Stampede, Bandit)

www.modellmarkt24.ch; www.modellmarkt24.de

3737A Turnbuckle, aluminum (blue-anodized), 39mm (1)(assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737 Turnbuckle, aluminum (red-anodized), 39mm (1) (assembl w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A Turnbuckles, aluminum (blue-anodized), camber links, fro 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm ((assembled w/ rod ends & hollow balls) (requires 5mm alu wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, fror 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollov balls)/wrench
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2 (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (ass with rod ends and hollow balls) (1 left, 1 right) (fits front & rear Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (asse with rod ends and hollow balls)

Team Traxxas Items

2514 Decal sheet, racing sponsors
6160X DVD, Maxx Power! Full Throttle Action (sleeve)
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, # #6469)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing
1647 Silicone grease
2754 Stub axle pins (4)
5880X Tires & wheels, assembled, glued (SCT satin chrome, beadlo wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD r only)
5880 Tires & wheels, assembled, glued (SCT satin chrome, bla beadlock style wheels, Kumho tires, foam inserts) (2) (4W front/rear, 2WD rear only)
5882 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam i (2) (2WD front)
6873X Tires & wheels, assembled, glued (S1 ultra-soft off-road ra compound) (SCT Split-Spoke satin chrome, black beadloc wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD fro 2WD rear only)
5882R Tires & wheels, assembled, glued (S1 ultra-soft off-road ra compound) (SCT Split-Spoke satin chrome, black beadloc wheels, Kumho tires, foam inserts) (2) (2WD front)
6874R Tires & wheels, assembled, glued (S1 ultra-soft off-road ra compound) (SCT Split-Spoke satin chrome, black beadloc wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2W only)
5877R Tires & wheels, assembled, glued (S1 ultra-soft, off-road r compound) (SCT Split-Spoke chrome, red beadlock style BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD fro
6873R Tires & wheels, assembled, glued (S1 ultra-soft, off-road r compound) (SCT Split-Spoke chrome, red beadlock style BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts (4WD f/r, 2WD rear)
5869 Tires & wheels, assembled, glued (SCT chrome, red beadl style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires inserts) (2) (2WD front)
5867 Tires & wheels, assembled, glued (SCT chrome, red beadl style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires inserts) (2)(4WD front/rear, 2WD rear only)
5873R Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing inserts) (2) (2WD rear, 4WD f/r)
5881X Tires & wheels, assembled, glued (SCT satin chrome, beadloc wheels, Kumho tires, foam inserts) (2) (2WD front)
5875 Tires & wheels, assembled, glued (SCT satin chrome, bea style wheels, SCT off-road racing tires, foam inserts) (2) (2 front)
5873 Tires & wheels, assembled, glued (SCT satin chrome, bea style wheels, SCT off-road racing tires, foam inserts) (2) (4 front/rear, 2WD rear only) (TSM rated)
5878 Tires & wheels, assembled, glued (SCT satin chrome, blac beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5881 Tires & wheels, assembled, glued (SCT satin chrome, blac beadlock style wheels, Kumho tires, foam inserts) (2) (2WI front)
5875X Tires & wheels, assembled, glued (SCT satin chrome, blac beadlock style wheels, SCT off-road racing tires, foam ins (2) (2WD front)
5873X Tires & wheels, assembled, glued (SCT satin chrome, blac beadlock style wheels, SCT off-road racing tires, foam ins (2) (4WD front/rear, 2WD rear only)
5873A Tires & wheels, assembled, glued (SCT satin chrome, red- beadlock style wheels, SCT off-road tires, foam inserts) (2 front/rear, 2WD rear only)
6873A Tires & wheels, assembled, glued (SCT Split-Spoke chrom beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2) (4WD f/r, 2WD rear)
5891 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (4WD front/rear, 2WD rear only) (TSM rated)
6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD (TSM rated)
6874 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam i (2) (4WD front/rear, 2WD rear only)
5885 Tires & wheels, assembled, glued (SCT Split-Spoke, black, chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/ KM2 tires, foam inserts) (2) (2WD Front)
5883 Tires & wheels, assembled, glued (SCT Split-Spoke, black, chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/ KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
5877A Tires & wheels, assembled, glued (SCT Split-Spoke, chron beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2) (2WD front)
5877 Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrai T/A® KM2 tires, foam inserts) (2) (2WD front)
5865 Tires & wheels, assembled, glued (SCT, chrome, green be wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam i (2) (2WD front only)
6876 Tires & wheels, assembled, glued (SCT, chrome, green be wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam i (2) (4WD front/rear, 2WD rear only)
6871 Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4 2.2/3.0") (2)/ foam inserts (2)
6871R Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ f inserts (2)
6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (
6870R Tires, Kumho, ultra-soft (S1 off-road racing compound) (du profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2) inserts (2)
5871R Tires, ultra-soft, S1 compound for off-road racing, SCT dua profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654 Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle p (2.5x10mm) (2)
5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4) pin (4)/wrench, 5mm
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5870 Wheels, SCT chrome, red beadlock style, dual profile (2.2" 3.0" inner) (2WD front) (2)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" o 3.0" inner) (2WD front)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" o 3.0" inner) (4WD front/rear, 2WD rear only)
5872X Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear or
5874X Wheels, SCT satin chrome, black beadlock style, dual prof (2.2" outer, 3.0" inner) (2WD front) (2)
5874A Wheels, SCT satin chrome, red beadlock style, dual profile outer, 3.0" inner) (2WD front) (2)
5872A Wheels, SCT satin chrome, red beadlock style, dual profile outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock st dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

www.modellmarkt24.ch; www.modellmarkt24.de

5884	**Wheels, SCT Split-Spoke, black, satin chrome beadlock s dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)**
6872X	**Wheels, SCT Split-Spoke, chrome, green beadlock style, profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear)**
5876A	**Wheels, SCT Split-Spoke, chrome, red beadlock style, du profile (2.2" outer, 3.0" inner) (2WD front) (2)**
6872A	**Wheels, SCT Split-Spoke, chrome, red beadlock style, du profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear)**
5876	**Wheels, SCT Split-Spoke, satin chrome, black beadlock s dual profile (2.2" outer, 3.0" inner) (2WD front) (2)**
6872	**Wheels, SCT Split-Spoke, satin chrome, black beadlock s dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD r only) (2)**
5866	**Wheels, SCT, chrome, green beadlock style, dual profile outer, 3.0" inner) (2) (2WD front only)**
6875	**Wheels, SCT, chrome, green beadlock style, dual profile outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)**

Transmission Components

1552	**Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
4607	**Ball bearings (5x11x4mm) (8)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Dust cover/rubber plug (w/ screws) (telemetry ready)
3790	Gear adapter, fixed
3691	**Gearbox halves (l&r) (black) w/ idler gear shaft**
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alig shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Stampede, Rustler)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo (large) with hollow balls (12)
3737A	**Turnbuckle, aluminum (blue-anodized), 39mm (1)(assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)**
3737	**Turnbuckle, aluminum (red-anodized), 39mm (1) (assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)**
3741A	**Turnbuckles, aluminum (blue-anodized), camber links, fr 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollo wrench**
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (assembled w/ rod ends & hollow balls) (requires 5mm al wrench #5477)**
3741X	**Turnbuckles, aluminum (red-anodized), camber links, fro 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollo balls)/wrench**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm ((assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	Turnbuckles, camber link, 39mm (69mm center to center) (as with rod ends and hollow balls) (1 left, 1 right) (fits front & rea Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (ass with rod ends and hollow balls)

www.modellmarkt24.ch; www.modellmarkt24.de