E-Revo VXL Brushless (Model 86086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5101	Ball bearings, blue rubber sealed (12x21x5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	**Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
8614	Body posts, clipless, front & rear (1 each)
8613	Body support/ 3x12mm CS (4)
8611	**Body, E-Revo (clear, requires painting)/window, grill, lights decal sheet**
8611G	Body, E-Revo, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
8611A	Body, E-Revo, orange/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
2514	**Decal sheet, racing sponsors**
9950	**Official Team Traxxas racing decal set (flag logo/ 6-color)**
8617	Skid plate, roof (body)/ 3x12mm CS (4)
5185	**Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
4974	**Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
5473	**Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**
5472	**Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
4976	**Wheels (4)/ Axles (2), for wheelie bar**
5413	Wing mount, center / wing washers (for Revo)
8616	Wing mounts, low profile
5446	Wing, Revo (black)/ decal sheet
5446G	**Wing, Revo (Exo-Carbon finish)/ decal sheet**
5412	**Wing, Revo (white)/ decal sheet**

Bumpers & Skidplates

5335X	Bumpers, front and rear (black chrome)
5315	Guards, steering servo (2)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover

Chassis & Attachments

8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	**Bulkhead tie bars, front & rear (red-anodized aluminum)**
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8620	Chassis supports, front & rear/ 3x12mm BCS (4)/ 3x15mm CS (4)/ 4x14mm BCS (1)
8622	Chassis, E-Revo (requires #8629 & 8630 bulkheads)
5627	Door, battery compartment (2) (fits right or left side)
5315	Guards, steering servo (2)
5629	Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover
5185	**Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
5628	Vent, battery compartment (includes latch) (1 pair, fits left or right side)
4974	**Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
5473	**Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**
5472	**Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
4976	**Wheels (4)/ axles (2), for Maxx wheelie bar**

Cush Drive Components

6465	Cush drive key/ pin/ elastomer damper
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6494X	**Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
7793X	Housing, cush drive (front & rear halves)
6447	**Spur gear, 46-tooth (1.0 metric pitch)**
6448	**Spur gear, 50-tooth (1.0 metric pitch)**
6449	Spur gear, 54-tooth (1.0 metric pitch)

Differential Components

5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
8681X	Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8681	Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 PTW
8680	Differential gasket/ x-rings (2)/ 12.2x18x0.5 MW (1)/ 12.2x18x0.5 PTW (1)
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
8682	Gear set, differential (spider gears (4), spider gear shaft (2))
5130	**Oil, differential (100K weight) (.7 oz (20cc))**
5135	**Oil, differential (10K weight)**
5040	Oil, differential (20M weight) (standard)
5136	**Oil, differential (30K weight)**
5137	Oil, differential (50K weight)
8684	Output gear, center differential, hardened steel (2)
8683	Output gears, differential, hardened steel (2)
8679	Ring gear, differential/ pinion gear, differential

Driveline Components

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
8652	Drive cup, machined steel (2)/ 4x17mm screw pins (2)
8650	Driveshaft, steel constant-velocity (heavy duty, shaft only, 122.5mm)
5150	E-clips, 1.5mm (24)
8655	Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)
8651	Rebuild kit, driveshaft (cross pin (2)/ 16mm pin (2)) (metal parts for 2 driveshafts)
5145	Screw pin, 4x15mm (6)
8653	Stub axle
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	**Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
8654R	**Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G	**Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
7758R	**Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
8658	Yokes, transmission (2)/ 4x15mm screw pins (2)

Front Suspension

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	**Bulkhead tie bars, front & rear (red-anodized aluminum)**
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5134	Caster spacers (4)/ shims (4)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	**Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)**
8618	Push rod (steel) (assembled with rod ends) (2)
5354X	**Rocker arm post (aluminum) (4)**
5354	Rocker arm post (steel) (2)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
8632	Suspension arms, front (left), heavy duty (upper (1)/ lower (1))
8631	Suspension arms, front (right), heavy duty (upper (1)/ lower (1))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
8638	Toe link, 5.0mm steel (front or rear) (2)

www.modellmarkt24.ch www.modellmarkt24.de

Hardware

5150 E-clips, 1.5mm (24)
5477 Flat wrench, 5mm (blue-anodized aluminum)
5478 Flat wrench, 8mm (blue-anodized aluminum)
3980 Glow plug wrench (universal wrench)
2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475 Multi-tool (plastic)
5144 Screw pin, 2.5x18mm (6)
5145 Screw pin, 4x15mm (6)
3236 Screws, 2.5x12mm cap-head machine (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2551 Screws, 3x10mm countersunk machine (6) (hex drive)
5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2553 Screws, 3x15mm countersunk machine (6) (hex drive)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
3971 Screws, 3x35mm cap-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3936 Screws, 4x10mm button-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
3929 Screws, 4x18mm button-head machine (hex drive) (6)
3939 Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)

4897 Screws, set (grub) 4mm (6) (with threadlock)

Motors & Electronics

2072 Gear set (for 2070, 2075 servos)
8661 Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660 Motor mount, finned aluminum
3481 Motor, 2200Kv 75mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
8690 Plate, motor
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
3480 Velineon VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2200Kv, 75mm motor)
3485 Velineon VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6546 Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
5632 Chassis brace, rear (fits E-Revo / Summit)
6525 Communication link, telemetry expander
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072 Gear set (for 2070, 2075 servos)
6556 Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6522 Sensor, RPM (short)/ 3x4mm BCS (2)
6521 Sensor, temperature and voltage (long)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075 Servo, digital high-torque (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
6550 Telemetry expander, TQi radio system
6551 Telemetry GPS module, TQi radio system
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link Wireless Module

Ready-To-Race Model

86086-4 E-Revo VXL Brushless: 1/10 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link Enabled Radio System and Traxxas Stability Management (TSM)

Rear Suspension

8635 Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
8629 Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933 Pivot balls (4)/ pivot ball cap bushings (4)
4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
8618 Push rod (steel) (assembled with rod ends) (2)
5354X Rocker arm post (aluminum) (4)
5354 Rocker arm post (steel) (2)
5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
8647 Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
8634 Suspension arms, rear (left), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
8633 Suspension arms, rear (right), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
8638 Toe link, 5.0mm steel (front or rear) (2)

Shocks (GTR)

5466X Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475 Multi-tool (plastic)
5158 Nuts, 2.5mm nylon locking (12)
5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469 Rod ends (GTR shocks) (6)
5463 Shaft, GTR shock (2) (stainless)
5463T Shaft, GTR shock, TiN-coated (2)
5460 Shocks, GTR aluminum (assembled) (2) (without springs)
5460A Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
5460R Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
5460X Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
5461 Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Springs

5435 Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436 Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437 Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438 Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439 Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440 Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)

www.modellmarkt24.ch; www.modellmarkt24.de

5441 **Spring, shock (red) (GTR) (4.4 rate black) (1 pair)**
5442 **Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)**
5444 **Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)**
5445 **Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)**
5443 **Spring, shock red (GTR) (5.4 rate pink) (1 pair)**

Spur Gears & Pinion Gears

6484X **Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6485X **Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6486X **Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6488X **Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6489X **Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6490X **Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6491X **Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6494X **Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
6447 **Spur gear, 46-tooth (1.0 metric pitch)**
6447X **Spur gear, 46-tooth, steel (1.0 metric pitch)**
6448 **Spur gear, 50-tooth (1.0 metric pitch)**
6448X **Spur gear, 50-tooth, steel (1.0 metric pitch)**
6449 Spur gear, 54-tooth (1.0 metric pitch)
6449X **Spur gear, 54-tooth, steel (1.0 metric pitch)**

Steering Components

5355X **Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)**
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5343X Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469 Rod ends (GTR shocks) (6)
8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5349 Rod ends, small, with hollow balls (6) (for Revo steering linkage)
5345X **Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))**
5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X **Servo saver spring, heavy duty (for use with metal-gear servos)**
2075 Servo, digital high-torque (ball bearing), waterproof
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
8638 Toe link, 5.0mm steel (front or rear) (2)

Suspension Linkage

5355X Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8618 Push rod (steel) (assembled with rod ends) (2)
5469 Rod ends (GTR shocks) (6)
8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
8638 Toe link, 5.0mm steel (front or rear) (2)

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
6160X **DVD, Maxx Power! Full Throttle Action (sleeve)**
9950 **Official Team Traxxas racing decal set (flag logo/ 6-color)**
9909 **Traxxas racing banner, red & black (3x7 feet)**

Tires & Wheels

8674 **Tires & wheels, assembled, glued (black 3.8" wheels, paddle tires, foam inserts) (2) (TSM rated)**
8672 Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
8672G **Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)**
8672A **Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)**
4983A **Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated)**
5670 **Tires, Canyon AT 3.8" (2)/ foam inserts (2)**
4973 **Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series)**
5171 **Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series)**
8673 **Tires, paddle**
5375 **Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**
5471 **Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**
5470 **Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)**
8670 Tires, Talon EXT 3.8" (2)/ foam inserts (2)
8654 Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G **Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
8654R **Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G **Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
8671 Wheels, 3.8" (black) (2) (17mm splined)
8671G **Wheels, 3.8" (green) (2) (17mm splined)**
8671A **Wheels, 3.8" (orange) (2) (17mm splined)**

Transmission Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
8681X Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8677 Cover, gear/ 3x12mm CS (1)
6465 Cush drive key/ pin/ elastomer damper
8682 Gear set, differential (spider gears (4), spider gear shaft (2))
8691 Gearbox halves (front & rear)/ idler gear shaft
5041 Grease, premium high performance (20cc)
7793X Housing, cush drive (front & rear halves)
8692 Input shaft/ idler gear
8661 Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660 Motor mount, finned aluminum
8685 Output gear, 36-tooth, metal
8684 Output gear, center differential, hardened steel (2)
8690 Plate, motor
3965 Screws, 2.5x8mm cap-head machine (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
1647 Silicone grease

Turnbuckles & Threaded Rods

5477 Flat wrench, 5mm (blue-anodized aluminum)
5341 Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
8618 Push rod (steel) (assembled with rod ends) (2)
8647 Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8638 Toe link, 5.0mm steel (front or rear) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch; www.modellmarkt24.de