Bandit VXL (Model 24076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607	**Ball bearings (5x11x4mm) (8)**
2728	**Ball bearings (5x8x2.5mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	**Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675	**Bushings, self-lubricating (5x11x4mm) (14)**
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
1815	**Body washers (8)**
6716	**Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
2417	**Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet**
2418	**Body, Bandit VXL, ProGraphix (front and rear) (replacement for the painted body. Graphics are printed, requires paint & final color application) window, grille, lights decal sheet**
2514	**Decal sheet, racing sponsors**
2413R	Decal sheets, Bandit VXL
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974	**Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	Wheelie bar mount (1)/ hardware (black)
3677X	**Wheelie bar mount (1)/ hardware (blue)**
3678	**Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X	**Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A	**Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976	**Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2414	Wing wire

Chassis & Attachments

3727	**Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	**Bumper (front) (pink)**
3722X	**Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
3722R	Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
3723	**Upper chassis (black)**
3723A	Upper chassis (grey)
4974	**Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	Wheelie bar mount (1)/ hardware (black)
3677X	**Wheelie bar mount (1)/ hardware (blue)**
3678	**Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X	**Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A	**Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976	**Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
1647	Silicone grease

Driveline Components

4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	**Differential output yokes, hardened steel (w/ U-joints) (2)**
2751	**Half-shaft pro-pack (internal-splined (6)/external-splined (6)) (plastic shafts only)**
1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	**Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G	**Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P	**Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X	**Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754	Stub axle pins (4)
2753X	Stub axles, rear (2)

Front Suspension & Steering

2728	**Ball bearings (5x8x2.5mm) (2)**
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	**Bulkhead (front) (black)**
2530A	Bulkhead (front) (grey)
2432	Caster blocks (l&r) (30-degree)
2437	Front axles (2)
5525R	**Rod ends, heavy duty (Jato®/Slayer) (8)**
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	**Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3636G	**Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3636P	**Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3636X	**Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2531X	Suspension arms (front) (2)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532	Tie bar, fiberglass
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
2585	Cylinder head bolts, marine 3x20mm CS (6) (TRX 2.5)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)

www.modellmarkt24.ch

3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)
3685 White plastic washers (5x8x1.0mm) (6)
2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2260 BEC assembly (complete)
3342 Bullet connectors, male, 3.5mm (3)/ heat shrink
3340 Cooling fan, Velineon® VXL-3s ESC
3790 Gear adapter, fixed
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
3354R Motor cover, endbell (Velineon® 3500)
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3343 Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)

Radio System, Batteries & Chargers

2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery
2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943 Battery charge indicators (green (4), blue (4), grey (4))
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2260 BEC assembly (complete)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas Link™ Wireless Module
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554 Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550 Telemetry expander, TQi radio system
6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link™ Wireless Module
3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
6537 Wire retainers, gear cover/ 3x4mm BCS (2)

Ready-To-Race Model

24076-4 Bandit VXL: 1/10 Scale Off-Road Buggy with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

www.modellmarkt24.ch

Rear Suspension

3638 Shock tower (rear)
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X Stub axles, rear (2)
2750R Suspension arms, long (rear)
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)

Shocks (Pro-level Aluminum)

2664 Big Bore shock cylinder (long) (1)
2666 Big Bore shock cylinder (XX-long) (1)
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (Big Bore Shocks) (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458 Springs, front (black) (2)
2458P Springs, front (pink) (2)
2458A Springs, front (white) (2)
2457 Springs, rear (black) (2)
2457P Springs, rear (pink) (2)
2457A Springs, rear (white) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2423 Gear, 23-T pinion (48-pitch) / set screw
2426 Gear, 26-T pinion (48-pitch)/set screw
2431 Gear, 31-T pinion (48-pitch) / set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4728 Gear, pinion (28-tooth) (48-pitch)/ set screw
4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728 Ball bearings (5x8x2.5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 Servo saver w/adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Suspension Linkage

5525R Rod ends, heavy duty (Jato®/Slayer) (8)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 Servo saver w/adapters
2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
2640 Suspension pins, 44mm (2) w/ e-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514 Decal sheet, racing sponsors
6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
2470A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias 2.2" tires) (2) (Bandit rear, medium compound with foam inserts) (TSM rated)
2471A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
2479A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)

www.modellmarkt24.ch

2478A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
2470R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias 2.2" tires) (2) (Bandit rear, soft compound with foam inserts)
2471R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, soft compound w/ foam inserts)
2479R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
2478R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
4740 Tires, 2.1" Pro-Trax ribbed (front) (2)
1771 Tires, 2.1" spiked (front) (2)
1770 Tires, 2.15 spiked (rear) (2)
2470 Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2471 Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
2478 Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2479 Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)
3471 Tires, street slicks (front) (2)
3470 Tires, street slicks (rear) (2)
2475 Wheels, front (2)
2474 Wheels, rear (2)
2473A Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)
2472A Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)
2473 Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
2472 Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)

Transmission Components

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
4607 Ball bearings (5x11x4mm) (8)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Dust cover/rubber plug (w/ screws) (Stampede/Rustler/Bandit)
5478 Flat wrench, 8mm (blue-anodized aluminum)
3790 Gear adapter, fixed
3691 Gearbox halves (l&r) (black) w/ idler gear shaft
3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
5148 Grease, white lithium
3696 Idler gear, steel (30-tooth)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647 Silicone grease
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

5525R Rod ends, heavy duty (Jato®/Slayer) (8)
5347 Rod ends, Revo® (large) with hollow balls (12)
2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch