Chevrolet® Corvette® Stingray (Model 93054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

9311 Body, Chevrolet Corvette Stingray (clear, trimmed, requires painting)/ decal sheet (includes side mirrors, spoiler, grilles, vents, hardware, & clipless mounting)
9311A Body, Chevrolet Corvette Stingray, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311X Body, Chevrolet Corvette Stingray, complete (blue) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311R Body, Chevrolet Corvette Stingray, complete (red) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9311T Body, Chevrolet Corvette Stingray, complete (silver) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)
9318 Exhaust tips (2)/ exhaust tip mounts (2)/ 2.6X8 BCS (4)
9316 Grille, Chevrolet Corvette Stingray/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2)/ 2.6x6mm BCS (4)/ 2.6x8mm BCS (8)
9313 Latch, body mount, front (for clipless body mounting) (attaches to #9311 body)
9315 Latch, body mount, rear (with engine bay) (for clipless body mounting) (attaches to #9311 body)
9317 Mirrors, side (left & right)/ mounts (left & right)/ trim, side (left & right)/ trim mounts (left & right)/ 2.6x8mm BCS (2)/ 1.6x7mm BCS (8)
9321 Rear window/ rear window retainer/ engine cover/ 2.6x8mm BCS (8)
9319 Tail lights (2)/ tail light mounts (2)/ wing/ wing mount/ vent, rear (2)/ vent mount, rear (2)/ 2.6x8mm BCS (2)/ 1.6x5mm BCS (4)/ 1.6x7mm BCS (6)

Brake Components

8367 Brake calipers (red), front (2)/ rear (2)
8356 Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

8381 Housing, differential (front)
8380 Housing, differential (rear)

Chassis & Attachments

8326 Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin (for 288mm wheelbase)
9314 Body mount, rear (for clipless body mounting)
8324 Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
9320 Bumper, front/ bumper mount/ splitter/ bumper foam
8325 Chassis (for 288mm wheelbase)
8321 Chassis brace (front)
8323 Gear cover (rear chassis brace)/ wire retainer

Differential Components

5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X Differential oil kit (1 each: 10K, 30K, 50K weights)
8381 Housing, differential (front)
8380 Housing, differential (rear)
8379 Housing, spool / spool shaft/ bushing
6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879 Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

8353X Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)
8353 Drive cups, inner (2)/ screw pins (2)
9355 Driveshaft, center, steel (266mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
8350 Driveshaft, front (2)
8351 Driveshaft, rear (2)
8350X Driveshafts, steel constant-velocity (assembled), front (2)
8351X Driveshafts, steel constant-velocity (assembled), rear (2)
8382 O-rings (12)
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
8356 Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

8330 Bulkhead, front
8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347 Rod ends, Revo® (large) with hollow balls (12)
8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344 Servo saver/ servo saver spring/ servo horn, steering
8338 Shock towers, front & rear
8343 Steering bellcranks/ hardware
8337 Steering block (2)
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
8333 Suspension arms, front (left & right)
8340 Suspension pin set, complete (front & rear)
8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Hardware

8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347 Rod ends, Revo® (large) with hollow balls (12)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236 Screws, 2.5x12mm cap-head machine (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2551 Screws, 3x10mm countersunk machine (6) (hex drive)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2593 Screws, 3x14mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2553 Screws, 3x15mm countersunk machine (6) (hex drive)
8356 Wheel hubs, hex (disc brake rotors) (4)

LED Lights

9380 LED light harness/ power harness/ zip ties (9) (fits #9311 body)

Motors & Electronics

2260 BEC assembly (complete)
2072A Gear set (for 2070, 2075 servos)
3785 Motor, Titan® 12T (12-Turn, 550 size)
8390 Plate, motor
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344 Servo saver/ servo saver spring/ servo horn, steering

www.modellmarkt24.ch

2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
3350R **Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))**
3355R **Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
2943 **Battery charge indicators (green (4), blue (4), gray (4))**
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 **Battery, Power Cell AA Alkaline (4)**
2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
2983 **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))**
2992 **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
2260 **BEC assembly (complete)**
2969 **Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)**
2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2973 **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
2971 **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2970 **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525 **Communication link, telemetry expander**
6512 **Cover plate, Traxxas Link™ Wireless Module**
2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072A Gear set (for 2070, 2075 servos)
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6560 **Mount, telemetry expander (fits 4-Tec® 2.0)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6533 **Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)**
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526 **Sensor, auto-detectable, temperature**
6527 **Sensor, auto-detectable, voltage**
6521 **Sensor, temperature and voltage (long)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345 **Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
8345G **Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
8345R **Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
8344 Servo saver/ servo saver spring/ servo horn, steering
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
6553X **Telemetry expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas Link™ Wireless Module**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

93054-4 Chevrolet® Corvette® Stingray: 1/10 Scale AWD Supercar with TQ™ 2.4GHz Radio System

Rear Suspension

8329 Bulkhead, rear
8352 Carriers, stub axle (left & right)
8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X **Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
8334G **Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
8334R **Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347 Rod ends, Revo® (large) with hollow balls (12)
8338 Shock towers, front & rear
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
8331 Suspension arms, rear (left & right)
8340 Suspension pin set, complete (front & rear)
8398 **Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
8341X **Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
8341G **Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
8341R **Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
1667 **Silicone shock oil (30 wt), 60cc**
5038 **Spinning carousel rack**

Shocks (Pro-level Aluminum)

2658 **Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
8361 Shock caps (black) (4) (assembled with hollow balls)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
4261T **Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)**
4262T **Shock shafts, hardened steel, titanium nitride coated (32mm) (2)**
4261 **Shock shafts, steel, chrome finish (29mm) (front) (2)**
4262 **Shock shafts, steel, chrome finish (32mm) (2)**
1765 Silicone diaphragms (4)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**

Shocks (Ultra Shocks)

2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
8361 Shock caps (black) (4) (assembled with hollow balls)
8360 Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)

www.modellmarkt24.ch

Springs

8362X Spring, shock (blue) (3.7 rate) (2)
8362G Spring, shock (green) (3.7 rate) (2)
8362P Spring, shock (pink) (3.7 rate) (2)
8366 Spring, shock (red) (2.8 rate, white stripe) (2)
8365 Spring, shock (red) (3.325 rate, orange stripe) (2)
8362 Spring, shock (red) (3.7 rate) (2)
8363 Spring, shock (red) (4.075 rate, green stripe) (2)
8364 Spring, shock (red) (4.4 rate, black stripe) (2)

Spur Gears & Pinion Gears

2728 Ball bearings (5x8x2.5mm) (2)
8323 Gear cover (rear chassis brace)/ wire retainer
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2421 Gear, 21-T pinion (48-pitch) / set screw
2422 Gear, 22-T pinion (48-pitch) / set screw
2423 Gear, 23-T pinion (48-pitch) / set screw
2424 Gear, 24-T pinion (48-pitch) / set screw
2426 Gear, 26-T pinion (48-pitch)/set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4728 Gear, pinion (28-tooth) (48-pitch)/ set screw
8359 Spur gear, 62-tooth
8357 Spur gear, 70-tooth
8368 Spur gear, 72-tooth (48 pitch)

Steering Components

8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344 Servo saver/ servo saver spring/ servo horn, steering
8343 Steering bellcranks/ hardware
8342 Toe links, steel (34mm) (2)

Suspension Linkage

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347 Rod ends, Revo® (large) with hollow balls (12)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

9370 Tires and wheels, assembled, glued (split-spoke black chrome wheels, 2.1" Response tires) (front) (2)
9371 Tires and wheels, assembled, glued (split-spoke black chrome wheels, 2.1" Response tires) (extra wide, rear) (2)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342 Toe links, steel (34mm) (2)
8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch