Drag Slash (Model 94076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607 **Ball bearings (5x11x4mm) (8)**
2728 **Ball bearings (5x8x2.5mm) (2)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
9415 Body accessories, Chevrolet C10, black (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
9415X **Body accessories, Chevrolet C10, black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)**
9415R **Body accessories, Chevrolet C10, chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)**
9415A **Body accessories, Chevrolet C10, satin black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)**
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
1815 Body washers (8)
6716 **Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
9411A Body, Chevrolet C10 (black) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411X Body, Chevrolet C10 (blue) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411 **Body, Chevrolet C10 (clear, requires painting)/ window masks**
9411G Body, Chevrolet C10 (green) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411P Body, Chevrolet C10 (purple) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411R Body, Chevrolet C10 (red) (includes wing & decals) (requires #9415 series body accessories to complete body)
9411T Body, Chevrolet C10 (white) (includes wing & decals) (requires #9415 series body accessories to complete body)
9413 Decal sheet, Chevrolet C10
9413X **Decal sheet, flames**
2514 **Decal sheet, racing sponsors**
9413R **Decal sheet, scallops**
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9414 Wing, Chevrolet C10/ support/ side plates (left & right)/ 3x10 BCS (4)

Chassis & Attachments

5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
9463 **Axle, wheelie bar, charcoal gray (aluminum)**
9419 Body bumper, foam
3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
9420 Bumper, chassis, front (upper & lower)
5836X Bumper, rear/ bumper brace, rear (black)/ wheelie bar mount
9466 Center support, wheelie bar (double spacer (2), single spacer (2))/ rear axle (plastic) (1)
5830 **Chassis conversion kit, low CG (Slash)**
5832 **Chassis, low CG (black)**
5832A **Chassis, low CG (blue)**
5832G Chassis, low CG (gray)
5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
5831 Lower chassis, low CG (black)
5831A **Lower chassis, low CG (blue)**
5831G **Lower chassis, low CG (gray)**
5823 Nerf bars, chassis (black)
5833 **Nerf bars, low CG (black)**
5833A **Nerf bars, low CG (blue)**
5833G **Nerf bars, low CG (gray)**
5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9418 Shock tower, rear
9465 Side plates, wheelie bar (plastic) (2)
9462X **Side plates, wheelie bar, blue (aluminum) (2)**
9462 **Side plates, wheelie bar, charcoal gray (aluminum) (2)**
9462G **Side plates, wheelie bar, green (aluminum) (2)**
9462A **Side plates, wheelie bar, orange (aluminum) (2)**
9462P **Side plates, wheelie bar, pink (aluminum) (2)**
9462R **Side plates, wheelie bar, red (aluminum) (2)**
9464 **Wheelie bar mount (heavy duty)**
9460 Wheelie bar, black (assembled)/ wheelie bar mount
9460X **Wheelie bar, black chrome (assembled)/ wheelie bar mount**
9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))

Differential Components

9480 **Differential assembly (complete) (assembled with 500K oil)**
9482 Differential gasket/ x-rings (2)
9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783 Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
5169 Screws, 2.6x8mm countersunk machine (6)
1647 Silicone grease

Driveline Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9450 Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754 Stub axle pins (4)
6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

3637 Axles (front) (2)
2728 Ball bearings (5x8x2.5mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530 Bulkhead (front) (black)
2530A **Bulkhead (front) (gray)**
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3632 Caster blocks (l&r) (30-degree)
3632A **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632G **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632T **Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632P **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632X **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
9450 Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347 Rod ends, Revo® (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3744 **Servo saver w/adapters**
3639 Shock tower (front)
3743A **Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**

www.modellmarkt24.ch

3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3636G **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3636T **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
3636P **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3636X **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754 Stub axle pins (4)
2531A Suspension arms, black, front, heavy duty (2)
2531L **Suspension arms, blue, front, heavy duty (2)**
2531G **Suspension arms, green, front, heavy duty (2)**
2531T **Suspension arms, orange, front, heavy duty (2)**
2531R **Suspension arms, red, front, heavy duty (2)**
2640 Suspension pins, 44mm (2) w/ e-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2532 Tie bar, fiberglass
1935 Turnbuckles, 36mm (2)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
1633 E-clips/ C-rings
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
3159 Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967 Shoulder screws 3x10 (6) (without threadlock)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
2754 Stub axle pins (4)
2746 **Washers, 3x6mm metal (12)**

LED Lights

9496X **LED light set, front, complete (blue) (includes light harness, power harness, zip ties (9))**
9496G **LED light set, front, complete (green) (includes light harness, power harness, zip ties (9))**
9496R **LED light set, front, complete (red) (includes light harness, power harness, zip ties (9))**
9496 **LED light set, front, complete (white) (includes light harness, power harness, zip ties (9))**
9497X **LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black chrome)/ zip ties (3)**
9497 **LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black)/ zip ties (3)**
9497R **LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (chrome)/ zip ties (3)**
9497A **LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (satin black chrome)/ zip ties (3)**

Motors & Electronics

1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 **BEC assembly (complete)**
3340 **Cooling fan, Velineon® VXL-3s ESC**
9491 **Gear adapter set, fixed (48-pitch)**
9491X Gear adapter, fixed (32-pitch)
2072A Gear set (for 2070, 2075 servos)
2252 **Gear set, metal (for 2250, 2255 servos)**
3354R Motor cover, endbell (Velineon® 3500)
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
9490 Plate, motor, blue (3.2mm thick) (aluminum)
9490X **Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490G **Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490A **Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490P **Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490R **Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
3352R Rebuild kit, Velineon® 3500 and 540XL (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2849X **4000mAh 11.1v 3-Cell 25C LiPo Battery**
2872X **5000mAh 11.1v 3-Cell 25C LiPo Battery**
2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2857X **6400mAh 11.1v 3-Cell 25C LiPo Battery**
2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
2943 **Battery charge indicators (green (4), blue (4), gray (4))**

www.modellmarkt24.ch

6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2260 BEC assembly (complete)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas Link™ Wireless Module
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554 Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
2928 Temperature sensor, EZ-Peak Plus
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529A Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) (drag version)
6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link™ Wireless Module
3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

94076-4 Drag Slash: 1/10 Scale 2WD Drag Racing Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9450 Driveshaft assembly (1), left or right (fully assembled, ready to install/ screw pin (1)
9418 Shock tower, rear
3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
6853X Stub axles, rear, heavy duty (2)/pins (2)
2750A Suspension arms, black, rear, heavy duty (2)
2750X Suspension arms, blue, rear, heavy duty (2)
2750G Suspension arms, green, rear, heavy duty (2)
2750T Suspension arms, orange, rear, heavy duty (2)
2750L Suspension arms, red, rear, heavy duty (2)
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667 Silicone shock oil (30 wt), 60cc
5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

2664 Big Bore shock cylinder (long) (1)
2666 Big Bore shock cylinder (XX-long) (1)
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (Big Bore Shocks) (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

3765A Body, Ultra Shock(s) (long) (gray) (2)
3766A Body, Ultra Shock(s) (XXL) (gray) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
8361 Shock caps (black) (4) (assembled with hollow balls)

www.modellmarkt24.ch

3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T **Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
1765 Silicone diaphragms (4)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458 **Springs, front (black) (2)**
2458P **Springs, front (pink) (2)**
5857P **Springs, front (pink) (progressive rate) (2)**
2458A Springs, front (white) (2)
5857 **Springs, front (white) (progressive rate) (2)**
3757 **Springs, rear (black) (2)**
3757T **Springs, rear (blue) (2)**
3757A **Springs, rear (green) (2)**
3757P **Springs, rear (pink) (2)**
5858P **Springs, rear (pink) (progressive rate) (2)**
3757X **Springs, rear (white) (2)**
5858 **Springs, rear (white) (progressive rate) (2)**
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A **Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491 **Gear adapter set, fixed (48-pitch)**
9491X Gear adapter, fixed (32-pitch)
2416 **Gear, 16-T pinion (48-pitch) / set screw**
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
5646 **Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
2422 Gear, 22-T pinion (48-pitch) / set screw
2423 **Gear, 23-T pinion (48-pitch) / set screw**
2426 **Gear, 26-T pinion (48-pitch)/set screw**
2429 Gear, 29-T pinion (48-pitch)/ set screw
2431 **Gear, 31-T pinion (48-pitch) / set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4728 **Gear, pinion (28-tooth) (48-pitch)/ set screw**
4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4690 **Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

Steering Components

2728 Ball bearings (5x8x2.5mm) (2)
6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 **Servo saver w/adapters**
3967 Shoulder screws 3x10 (6) (without threadlock)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935 Turnbuckles, 36mm (2)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525R Rod ends, heavy duty (Jato®/Slayer) (8)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 Servo saver w/adapters
2637 **Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)**
2640 Suspension pins, 44mm (2) w/ e-clips
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
6160X **DVD, Maxx® Power! Full Throttle Action (sleeve)**
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 **Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
9469 Tire inserts, molded (2) (for #9475 rear tires)
9474X Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (front) (2)
9475X Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (rear) (2)
9474R **Tires & wheels, assembled, glued (Weld chrome wheels, tires, foam inserts) (front) (2)**
9475R **Tires & wheels, assembled, glued (Weld chrome with black wheels, tires, foam inserts) (rear) (2)**
9474 **Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (front) (2)**
9475 **Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (rear) (2)**
9474A **Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (front) (2)**
9475A **Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (rear) (2)**
9470 Tires, front (2)/ foam inserts (2)
9471 Tires, rear (2)/ molded inserts (2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654X **Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)**
3654 **Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)**
5853X **Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm**
5353 **Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X **Wheel wrench, splined, 17mm**
9472X Wheels, Weld black chrome (front) (2)
9473X Wheels, Weld black chrome (rear) (2)
9472R **Wheels, Weld chrome (front) (2)**
9473R **Wheels, Weld chrome with black (rear) (2)**
9472 **Wheels, Weld gloss black (front) (2)**

www.modellmarkt24.ch

9473 **Wheels, Weld gloss black (rear) (2)**
9472A **Wheels, Weld satin black chrome (front) (2)**
9473A **Wheels, Weld satin black chrome (rear) (2)**

Transmission Components

4607 **Ball bearings (5x11x4mm) (8)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9489 Cover, gear
3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
9480 **Differential assembly (complete) (assembled with 500K oil)**
9482 Differential gasket/ x-rings (2)
9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
3790 **Gear adapter, fixed**
6783 Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
9493 Gearbox halves, left & right/ differential cover (charcoal gray)
5148 Grease, white lithium
9492 Idler gear, 30-tooth/ idler gear shaft (steel)
9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit, Rustler®, Stampede®, Slash 2WD)
3793 Input shaft (slipper shaft) / spring pin
9483 Output gears, differential (2)
9490 Plate, motor, blue (3.2mm thick) (aluminum)
9490X **Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490G **Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490A **Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490P **Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
9490R **Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)**
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
1647 Silicone grease
5556 Slipper pressure plate & hub (aluminum alloy)
9484 Sun gears (2)
9495 **Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)**

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8721 **Speed bit handle, medium (one piece)**
8720 **Speed bit handle, premium, large (rubber overmold)**
8722 **Speed bit handle, premium, medium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

Turnbuckles & Threaded Rods

5525R Rod ends, heavy duty (Jato®/Slayer) (8)
5347 Rod ends, Revo® (large) with hollow balls (12)
2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch