

Fiesta ST Rally
1/10 SCALE FORD FIESTA AWD RALLY CAR


SPECS



RALLY (#74054-6) SPECS	
Length:	21.0 Inches (535mm)
Front Track:	11.0 Inches (281mm)
Rear Track:	11.0 Inches (281mm)
Center Ground Clearance:	0.82 Inches (21mm)
Weight:	97.6oz (2.77kg)
Height (overall):	8.1 Inches (206mm)
Wheelbase:	12.8 Inches (324mm)
Shock Length:	Long (front), XXLong (rear)
Tires:	Traxxas 2.2" Pre-Glued with Foam Inserts
Tire Diameter:	4.02 Inches (102mm) (front and rear)
Wheels (front/rear):	2.2" 12-Spoke Rally Replica
Wheel Diameter:	2.2 Inches (56mm) Outer 3.0 Inches (76mm) Inner
Speed Control Type:	XL-5™ Electronic Speed Control
Motor (electric):	Titan® 12T 550 (12-Turn)
Overall Drive Ratio:	19.69 (stock, out-of-box)
Differential Type:	Hardened Steel Bevel, Sealed, Limited Slip
Gear Pitch:	48
Chassis Structure/Material:	Molded Tub / Nylon Composite

www.modelmark24.ch

Drive System:	Shaft-Driven, Direct Drive 4WD
Steering:	Dual-Bellcrank with Integrated Servo Saver
Radio System:	TQ 2.4GHz Radio with #6519 3-Channel Micro
Body:	Licensed Ford Fiesta ST NOS Deegan 38 Rally Body
Skill Level:	1
Charger:	(sold separately)
Battery:	Traxxas 7-cell NiMH battery with iD™
Included Accessories:	Precision Tool Set
Required Items:	4 "AA" Batteries (for transmitter), charger



XL-5 (WATERPROOF) ESC SPECIFICATIONS

Input voltage:	4-7 Cells NiMH, 2-Cell (2S) LiPo
Case Size:	1.23"W x 2.18"D x 0.61" H
Weight:	2.44 Ounce
Motor Limit:	15-turns** (540 Size) 12-turns** (550 Size)
On Resistance Forward:	0.007 Ohms
On Resistance Reverse:	0.014 Ohms
Peak Current - Forward:	100A
Peak Current - Reverse:	60A
Braking Current:	60A
Continuous Current:	14A
BEC Voltage:	6.0 VDC
BEC Current:	1A
Power Wire:	14 Gauge / 5"
Input Harness Wire:	26 Gauge / 9"
Transistor Type:	MOSFET
PWM Frequency:	1600 Hz
Low Voltage Detection (LVD):	2-Stage indicators, switchable (on or off)
Thermal Protection:	Thermal shutdown

www.modelmarkt24.com

Profile selection:	**Sport Mode:** 100% FWD, 100% brakes, 100% REV **Race Mode:** 100% FWD, 100% brakes, no REV **Training Mode:*** 50% FWD, 100% brakes, 50% REV
Single-button setup:	Yes, Traxxas EZ-Set®

For full details, click here.

* Patented



MODEL 74054-6: NOS Deegan 38 Rally, 1/10 Scale, Fully-Assembled, Waterproof, Ready-To-Race®, with TQ™ 2.4GHz Radio System, XL-5 Electronic Speed Control, and ProGraphix® Licensed Painted Body.

Official Licensed Product

Ford Motor Company Trademarks and Trade Dress used under license to Traxxas.

www.modelmarket24.com