# Ford Fiesta® ST Rally (74054-6) Parts List

## Bearings & Bushings

**4607 Ball bearings (5x11x4mm) (8)**
**4612 Ball bearings (10x15x4mm) (2)**
**2728 Ball bearings (5x8x2.5mm) (2)**
5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3934 Body clips, heavy duty (12)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
**3935 Body clip (mounting clip), angled, 90-degrees (10)**
3934 Body clips, heavy duty (12)
6416 Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
7415X Body mounts, front & rear/ body post, rear (1)
1815 Body washers (8)
**6716 Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
**7412 Body, Ford Fiesta® ST Rally (clear, requires painting)**
**7412X Body, Ford Fiesta® ST Rally, Brian Deegan (painted, decals applied)**
**2514 Decal sheet, racing sponsors**
**9950 Official Team Traxxas racing decal set (flag logo/ 6-color)**
7413 Wing, Ford Fiesta® ST Rally (black)/ hardware

## Center Driveline

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
**6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
7477 Cover, gear/ wire retainer
**6814 Differential kit, center (complete)**
6888 Drive hub, center, rear (1)/ front (1)/screw pin
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
7455 Driveshaft, center, plastic (black)/ screw pin
6766 Gear clutch, complete (high stall)
**6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
5148 Grease, white lithium
**6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7490 Plate, motor
**5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
**5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
**5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
1647 Silicone grease
**6878 Slipper clutch, complete**
**5556 Slipper pressure plate & hub (aluminum alloy)**
**5351 Slipper pressure plate and hub (alloy)**

## Chassis & Attachments

7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
**7426X Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)**
7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
7422 Chassis
7423 Nerf bars, chassis (2)
7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
7435 Skidplate, front (angled for higher ground clearance) (use with #7434 foam body bumper)

## Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
**6814 Differential kit, center (complete)**
6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881 Housings, differential, front
6880 Housings, differential, rear
5379X Ring gear, differential/ pinion gear, differential
6879 Ring gear, differential/ pinion gear, differential (rear)
3965 Screws, 2.5x8mm cap-head machine (6)
1647 Silicone grease

## Driveline Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
6828X Differential output yokes, heavy duty (2)/ screw pin (2)
6760 Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6761 Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6759 Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6853X Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

2728 Ball bearings (5x8x2.5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
**6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7430 Bulkhead, front
6743 Camber link set (plastic/ non-adjustable) (front &rear)
**6832X Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue-anodized)**
**6832R Caster blocks (c-hubs), 6061-T6 aluminum, left & right (red-anodized)**
6832 Caster blocks (c-hubs), left & right
**6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
**6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
7438 Linkage, steering
2742 Rod ends, long (6)/ hollow ball connectors (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6839 Shock tower, front
**6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
**6837X Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)**
**6837R Steering blocks, 6061-T6 aluminum, left & right (red-anodized)**
6837 Steering blocks, left & right
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6731 Suspension arms, front/rear (left & right) (2)
6834 Suspension pin set, complete (front and rear)
**6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
3139 Turnbuckles (62mm) (front tie rods) (2)
**3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

www.modellmarkt24.ch

**3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
**6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)**

## Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
**3935 Body clip (mounting clip), angled, 90-degrees (10)**
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
2742X Rod ends, short (6)/ hollow balls (6)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2534 Screws, 3x6mm countersunk machine (6) (hex drive)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3936 Screws, 4x10mm button-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2748X Tool Set (1.5mm &2.5mm allens/ 4-way lug, 8mm &4mm wrench & U-joint wrenches)
2746 Washers, 3x6mm metal (12)

## Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
**3340 Cooling fan, Velineon VXL-3s ESC**
7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
3785 Motor, Titan 12T (12-Turn, 550 size)
**3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2056 Servo, high-torque, waterproof (blue case)
**3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))**
**3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

## Radio System, Batteries & Chargers

**2854X 10000mAh 7.4v 2-Cell 25C LiPo Battery**
**2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery**
**2857X 6400mAh 11.1v 3-Cell 25C LiPo Battery**
**2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery**
**2878X 8400mAh 11.1v 3-Cell 25C LiPo Battery**
**2976 AC to DC converter, 40W**
**2938 Adapter, Traxxas iD Lipo Battery (Connects Traxxas iD batteries to LiPo chargers with separate balance ports)**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
**2914 Battery, Power Cell AA Alkaline (4)**
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
**2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
**2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
**2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
**2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
**2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
**2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
**2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
**2927X Charger, A/C, 500 mAh (7 cell, NiMH) (includes plug inserts for US/Japan, European Union, United Kingdom, and Australia)**
**2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
**2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
**2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification**
**2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
**2929 Charging Bag, 30 watt hours rated**
**6525 Communication link, telemetry expander**
**6512 Cover plate, Traxxas Link Wireless Module**
**2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
**6555 Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato)**
**6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
**6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)**
**6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
**6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)**
**6526 Sensor, auto-detectable, temperature**
**6527 Sensor, auto-detectable, voltage**
**6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)**
**6521 Sensor, temperature and voltage (long)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2056 Servo, high-torque, waterproof (blue case)
**6550 Telemetry expander, TQi radio system**
**6551 Telemetry GPS module, TQi radio system**
**6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)**
**6540 Telemetry trigger magnet, 5X2mm (1)**
**2928 Temperature sensor, EZ-Peak Plus**
**6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
**6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
**6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
**6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
**6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
**6511 Traxxas Link Wireless Module**

## Ready-To-Race Model

74054-6 Ford Fiesta® ST Rally: 1/10 Scale Electric Rally Racer with Officially Licensed Painted Body and TQ 2.4GHz radio system

## Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
**6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)**
7429 Bulkhead, rear
6743 Camber link set (plastic/ non-adjustable) (front &rear)
**1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)**
1952 Carriers, stub axle (rear) (2)
**1952A Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)**
**6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
**6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)

www.modellmarkt24.ch

6838 Shock tower, rear
**6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)**
6853X Stub axles, rear, heavy duty (2)/pins (2)
6731 Suspension arms, front/rear (left & right) (2)
6834 Suspension pin set, complete (front and rear)
**6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
3139 Turnbuckles (62mm) (front tie rods) (2)
**3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
**3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
**6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)**

## Shocks (Aluminum)

**1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
**2760 Shock caps, aluminum (2)**
**1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)**
**2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
**2765 Shock shafts, steel, chrome finish (X-long) (2)**
**4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)**
**4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)**
1666 Silicone shock oil (30 wt)

## Shocks (Pro-level Aluminum)

**2664 Big Bore shock cylinder (long) (1)**
**2666 Big Bore shock cylinder (XX-long) (1)**
**5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
**2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
**2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
**2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
**2362 Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
**2667 Shock caps, aluminum (2)/ (Big Bore Shocks)**
**1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)**
**2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
**2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
**6863 Springs, front (progressive, +10% rate, pink) (2)**
**6864 Springs, front (progressive, +20% rate, blue) (2)**
**6862 Springs, front (progressive, -10% rate, green) (2)**
**6861 Springs, front (progressive, -20% rate, orange) (2)**
7458 Springs, front (white) (progressive rate) (2)
**6867 Springs, rear (progressive, +10% rate, pink) (2)**
**6868 Springs, rear (progressive, +20% rate, blue) (2)**
**6866 Springs, rear (progressive, -10% rate, green) (2)**
**6865 Springs, rear (progressive, -20% rate, orange) (2)**
7457 Springs, rear (white) (progressive rate) (2)

## Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
**3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
**3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
**3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
**3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
**1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)**
**2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
**6863 Springs, front (progressive, +10% rate, pink) (2)**
**6864 Springs, front (progressive, +20% rate, blue) (2)**
**6862 Springs, front (progressive, -10% rate, green) (2)**
**6861 Springs, front (progressive, -20% rate, orange) (2)**
7458 Springs, front (white) (progressive rate) (2)
**6867 Springs, rear (progressive, +10% rate, pink) (2)**
**6868 Springs, rear (progressive, +20% rate, blue) (2)**
**6866 Springs, rear (progressive, -10% rate, green) (2)**
**6865 Springs, rear (progressive, -20% rate, orange) (2)**
7457 Springs, rear (white) (progressive rate) (2)
**3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
**3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

## Slipper Clutch Components

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
**6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
**6814 Differential kit, center (complete)**
6888 Drive hub, center, rear (1)/ front (1)/screw pin
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6766 Gear clutch, complete (high stall)
**6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
**6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
**5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
**5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
**5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
**6878 Slipper clutch, complete**
**5556 Slipper pressure plate & hub (aluminum alloy)**
**5351 Slipper pressure plate and hub (alloy)**

## Spur Gears & Pinion Gears

7477 Cover, gear/ wire retainer
2428 Gear, 12-T pinion (48-pitch)/ set screw
**2416 Gear, 16-T pinion (48-pitch) / set screw**
**1918 Gear, 18-T pinion (48-pitch) / set screw**
**2419 Gear, 19-T pinion (48-pitch) / set screw**
**2423 Gear, 23-T pinion (48-pitch) / set screw**
**2426 Gear, 26-T pinion (48-pitch)/set screw**
**2431 Gear, 31-T pinion (48-pitch) / set screw**
**4725 Gear, pinion (25-tooth) (48-pitch) / set screw**
**4728 Gear, pinion (28-tooth) (48-pitch)/ set screw**
2676 Screws, 3x12mm roundhead self-tapping (6)
**4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)

www.modellmarkt24.ch

## Steering Components

1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench

**2728 Ball bearings (5x8x2.5mm) (2)**

2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)

7438 Linkage, steering

2742 Rod ends, long (6)/ hollow ball connectors (6)

6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering

2746 Washers, 3x6mm metal (12)

## Suspension Linkage

6743 Camber link set (plastic/ non-adjustable) (front &rear)

6834 Suspension pin set, complete (front and rear)

## Team Traxxas Items

**2514 Decal sheet, racing sponsors**

**9950 Official Team Traxxas racing decal set (flag logo/ 6-color)**

**9909 Traxxas racing banner, red & black (3x7 feet)**

## Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)

**5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**

3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)

1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

1647 Silicone grease

2754 Stub axle pins (4)

7473T Tires & wheels, assembled, glued (black wheels, gravel pattern tires, foam inserts) (2) (TSM rated)

**7473X Tires & wheels, assembled, glued (Green wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)**

**7473A Tires & wheels, assembled, glued (orange wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)**

**7473R Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, S1 compound tires, foam inserts) (2)**

**7473 Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, tires, foam inserts) (2) (TSM rated)**

**7471 Tires, BFGoodrich® Rally, gravel pattern (2)/ foam inserts (2)**

**7471R Tires, BFGoodrich® Rally, gravel pattern, S1 compound (2)/ foam inserts (2)**

1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)

6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm

**5353 Wheel nuts, splined, 17mm (blue-anodized) (4)**

**5480X Wheel wrench, splined, 17mm**

**7472X Wheels, green (2)**

**7472A Wheels, orange (2)**

**7472 Wheels, white (2)**

## Turnbuckles & Threaded Rods

6743 Camber link set (plastic/ non-adjustable) (front &rear)

2742 Rod ends, long (6)/ hollow ball connectors (6)

5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)

3139 Turnbuckles (62mm) (front tie rods) (2)

**3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

**3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

www.modellmarkt24.ch