Hoss™ 4X4 VXL (Model 90076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607	**Ball bearings (5x11x4mm) (8)**
4612	**Ball bearings (10x15x4mm) (2)**
2728	**Ball bearings (5x8x2.5mm) (2)**
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9015	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x12mm BCS (1)
9010	Body reinforcement set #9011
9013	Body support/ 3x12mm CS (4) / (fits #9011 body)
9011	**Body, Hoss™ 4X4 (clear, requires painting)/ window, grille, lights decal sheet**
9011G	Body, Hoss™ 4X4 VXL, green/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
9011A	Body, Hoss™ 4X4 VXL, orange/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
9011X	**Body, Hoss™ 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet**
2514	**Decal sheet, racing sponsors**
9950	**Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9017	Skid plate, roof (body) (black) (left & right)/ 3x8mm CS (4)
9012	Tailgate protector/ 3x10mm flat-head screw (3)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
9041	Cover, center driveshaft (clear)
6877	Cover, gear/ motor wire hold-down clip
7477	Cover, gear/ wire retainer
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
9090	Gear adapter, fixed
5148	Grease, white lithium
6890	Plate, motor
6890X	**Plate, motor, 6061-T6 aluminum (blue-anodized)**
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone grease

Chassis & Attachments

9026	Battery hold-down (2)/ battery clip/ hold-down post/ screw pin/ pivot post screw
6724	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
9035	Bumper, front/ bumper support
9036	Bumper, rear/ bumper mount, rear/ bumper support, rear
9022	Chassis
9023	Nerf bars, chassis (2)
9078	Wheelie bar (assembled)
6777	**Wheelie bar mounts/ rear skidplate (black)**
3678	**Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X	**Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A	**Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780	Differential kit, center (complete)
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
6788	**Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale 4X4 Slash, Stampede®, Rustler®, Rally)**
6783	Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6781	**Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x8 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
6782	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R	**Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone grease

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6758	**Differential output shaft (for steel constant-velocity driveshafts) (2)**
6828A	**Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	**Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)**
6765A	**Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)**
6765R	**Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)**
6767	**Driveshaft, center, plastic, (black)/ screw pin**
6851R	**Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
6852R	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6750	**Half shaft, external splined (steel-spline constant-velocity) (1)**
6751	**Half shaft, internal splined (steel-spline constant-velocity) (1)**
6757	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6854A	**Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
6853A	**Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
6754	**Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)**
6753	**Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	**Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)**

Front Suspension & Steering

2728	**Ball bearings (5x8x2.5mm) (2)**
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6735	Bumper, front/ skidplate, front (black)
3643X	**Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G	**Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R	**Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**

www.modellmarkt24.ch

6832X **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
6832 Caster blocks (c-hubs), left & right
6851A Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
7438 Linkage, steering
6739 Shock tower, front
6739X **Shock tower, front, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)**
6739G **Shock tower, front, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)**
6739R **Shock tower, front, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
6837 Steering blocks, left & right
6854A **Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
6754 **Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)**
3655P **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R Suspension arms, front/rear (left & right), heavy duty (2)
3655G **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655T **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L **Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655A **Suspension arms, white, front/rear (left & right), heavy duty (2)**
6834 Suspension pin set, complete (front and rear)
6898 **Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2534 Screws, 3x6mm countersunk machine (6) (hex drive)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3936 Screws, 4x10mm button-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2748X Tool Set (1.5mm &2.5mm allens/ 4-way lug, 8mm &4mm wrench & U-joint wrenches)
2746 Washers, 3x6mm metal (12)

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 **BEC assembly (complete)**
3456 **Cooling fan kit (with shroud) (fits #3351R and #3461 motors) (requires #3458 heat sink to mount)**
3340 Cooling fan, Velineon® VXL-3s ESC
9090 Gear adapter, fixed
2072A Gear set (for 2070, 2075 servos)
2072X **Gear set, metal (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
3458 **Heat sink (fits #3351R and #3461 motors)**
3461 Motor, Velineon® 540XL, 2400Kv 70mm, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) (for Maxx®)
3457 **Mount, motor cooling fan (fits #3351R and #3461 motors) (requires #3458 heat sink)**
6890 Plate, motor
6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**

Radio System, Batteries & Chargers

2849X **4000mAh 11.1v 3-Cell 25C LiPo Battery**
2872X **5000mAh 11.1v 3-Cell 25C LiPo Battery**
2889X **5000mAh 14.8v 4-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2857X **6400mAh 11.1v 3-Cell 25C LiPo Battery**
2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
2943 **Battery charge indicators (green (4), blue (4), grey (4))**
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 **Battery, Power Cell AA Alkaline (4)**
2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
2983 **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))**
2992 **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
2994 **Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))**
2260 **BEC assembly (complete)**
2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2973 **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
2971 **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2970 **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525 **Communication link, telemetry expander**
2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072A Gear set (for 2070, 2075 servos)

www.modellmarkt24.ch

2072X **Gear set, metal (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526 **Sensor, auto-detectable, temperature**
6527 **Sensor, auto-detectable, voltage**
6520 **Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)**
6521 **Sensor, temperature and voltage (long)**
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
6553X **Telemetry expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540 **Telemetry trigger magnet, 5X2mm (1)**
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas Link™ Wireless Module**

Ready-To-Race Model

90076-4 Hoss™ 4X4 VXL: 1/10 Scale Monster Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6829 Bulkhead, rear
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G **Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
1952X **Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)**
1952G **Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)**
1952T **Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)**
1952 Carriers, stub axle (rear) (2)
1952A **Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)**
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6738 Shock tower, rear
6738X **Shock tower, rear, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)**
6738G **Shock tower, rear, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)**
6738R **Shock tower, rear, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)**
6853A **Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
3655P **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R Suspension arms, front/rear (left & right), heavy duty (2)
3655G **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655T **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L **Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655A **Suspension arms, white, front/rear (left & right), heavy duty (2)**
6834 Suspension pin set, complete (front and rear)
6898 **Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

Shocks (GTR)

7466X **Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)**
7466 **Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7466G **Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7466A **Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467X **Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)**
7467 **Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7467G **Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7467A **Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7468 **Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7463 **Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)**
5469 **Rod ends (GTR shocks) (6)**
7464T **Shaft, GTR long, TiN-coated (2)**
7465T **Shaft, GTR xx-long, TiN-coated (2)**
7461 **Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G **Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X **Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462 **Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G **Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X **Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7440 **Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441 **Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444 **Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445 **Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448 **Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442 **Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443 **Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446 **Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447 **Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449 **Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)**

Shocks (Pro-level Aluminum)

2664 **Big Bore shock cylinder (long) (1)**
2666 **Big Bore shock cylinder (XX-long) (1)**
5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)

www.modellmarkt24.ch

1666 Silicone shock oil (30 wt)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
6857 Springs, front (white) (progressive rate) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
5475 Multi-tool (plastic)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758 Springs, front (black) (2)
3758T Springs, front (blue) (2)
3758A Springs, front (green) (2)
3758P Springs, front (pink) (2)
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
3758X Springs, front (white) (2)
6857 Springs, front (white) (progressive rate) (2)
3757 Springs, rear (black) (2)
3757T Springs, rear (blue) (2)
3757A Springs, rear (green) (2)
3757P Springs, rear (pink) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
3757X Springs, rear (white) (2)
6858 Springs, rear (white) (progressive rate) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Spur Gears & Pinion Gears

6877 Cover, gear/ motor wire hold-down clip
9090 Gear adapter, fixed
5641 Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5642 Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5640 Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5643 Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5644 Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5646 Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
6842X Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
2728 Ball bearings (5x8x2.5mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
7438 Linkage, steering
2742X Rod ends, short (6)/ hollow balls (6)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525 Rod ends (12)/ hollow balls (12)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
6834 Suspension pin set, complete (front and rear)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514 Decal sheet, racing sponsors
6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)

www.modellmarkt24.ch

6792 **Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer™ tires, foam inserts) (2) (TSM® rated)**
9072 Tires & wheels, assembled, glued (black chrome 2.8" wheels, Sledgehammer™ tires, foam inserts) (2) (TSM® rated)
3665X **Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)**
3665 **Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)**
6771 **Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)**
6769 **Tires, Talon EXT 2.8" (2)/ foam inserts (2)**
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654X **Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)**
6772 **Wheels, RXT 2.8" (black) (2)**

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8721 **Speed bit handle, medium (one piece)**
8720 **Speed bit handle, premium, large (rubber overmold)**
8722 **Speed bit handle, premium, medium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

Turnbuckles & Threaded Rods

3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G **Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
5525 Rod ends (12)/ hollow balls (12)
6742 **Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)**
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch