# Factory Five '35 Hot Rod Truck (Model 93034-4) Parts List

**Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.**

## Bearings & Bushings

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

## Body & Accessories

**9335 Body, Factory Five '35 Hot Rod Truck (clear, requires painting)/ foam pads (front)/ decal sheet (includes front grille, side mirrors, headlights, tail lights, mounting hardware)**
9335X Body, Factory Five '35 Hot Rod Truck, complete (graphite) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
9335R Body, Factory Five '35 Hot Rod Truck, complete (red) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
9337 Grille, Factory Five '35 Hot Rod Truck/ grille mount/ 2.6x8 BCS (5)
9334 Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/ 1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)
9339 Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/ 1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)

## Brake Components

8367 Brake calipers (red), front (2)/ rear (2)
8356 Wheel hubs, hex (disc brake rotors) (4)

## Center Driveline

8381 Housing, differential (front)
8380 Housing, differential (rear)

## Chassis & Attachments

9324 Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post screw/ foam spacer
8315 Body mounts, front & rear (2)
8317 Body washers, foam
8924 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x15 CCS (3)
9322 Chassis (247mm)
8321 Chassis brace (front)
8323 Gear cover (rear chassis brace)/ wire retainer
9338 Shock towers, front & rear
9323 Skidplate, front/ servo mounts, steering (2)

## Differential Components

5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
**5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
8381 Housing, differential (front)
8380 Housing, differential (rear)
**8379 Housing, spool / spool shaft/ bushing**
**6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879 Ring gear, differential/ pinion gear, differential (rear)

## Driveline Components

**8353X Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)**
8353 Drive cups, inner (2)/ screw pins (2)
9356 Driveshaft, center, steel (278mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
8350 Driveshaft, front (2)
8351 Driveshaft, rear (2)
**8350X Driveshafts, steel constant-velocity (assembled), front (2)**
**8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
8382 O-rings (12)
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
8356 Wheel hubs, hex (disc brake rotors) (4)

## Front Suspension & Steering

8330 Bulkhead, front
8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
**8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
**8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
**8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
5347 Rod ends, Revo® (large) with hollow balls (12)
**8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
**8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
**8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
8344 Servo saver/ servo saver spring/ servo horn, steering
8343 Steering bellcranks/ hardware
8337 Steering block (2)
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
9330 Suspension arms, front (2)
8340 Suspension pin set, complete (front & rear)
**8342 Toe links, steel (34mm) (2)**
**8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
**8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
**8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

## Hardware

1834A Body clips, black (12) (standard size)
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
5347 Rod ends, Revo® (large) with hollow balls (12)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236 Screws, 2.5x12mm cap-head machine (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2551 Screws, 3x10mm countersunk machine (6) (hex drive)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2593 Screws, 3x14mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2553 Screws, 3x15mm countersunk machine (6) (hex drive)
8356 Wheel hubs, hex (disc brake rotors) (4)

## LED Lights

9385 LED light harness/ power harness/ zip ties (9)/ mounts (2) (fits #9333 or 9335 body)

## Motors & Electronics

**2260 BEC assembly (complete)**
2072A Gear set (for 2070, 2075 servos)
3785 Motor, Titan® 12T (12-Turn, 550 size)
8390 Plate, motor
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
**8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
**8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
**8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
8344 Servo saver/ servo saver spring/ servo horn, steering
**2075R Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
**2075X Servo, digital high-torque, metal gear (ball bearing), waterproof**
**3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))**
**3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

## Radio System, Batteries & Chargers

**2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery**
**2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery**
**2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery**
**2976 AC to DC converter, 40W**

www.modellmarkt24.ch

**2938X** **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
**2943** **Battery charge indicators (green (4), blue (4), gray (4))**
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
**2914** **Battery, Power Cell AA Alkaline (4)**
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
**2940X** **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
**2950X** **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
**2960X** **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
**2983** **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))**
**2992** **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
**2260** **BEC assembly (complete)**
2969 Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
**2975** **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
**2972** **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
**2973** **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
**2971** **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
**2970** **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
**6525** **Communication link, telemetry expander**
**6512** **Cover plate, Traxxas Link™ Wireless Module**
**2978** **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072A Gear set (for 2070, 2075 servos)
**2968X** **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
**2968** **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
**6560** **Mount, telemetry expander (fits 4-Tec® 2.0)**
**6535** **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
**6533** **Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)**
**6552** **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
**6526** **Sensor, auto-detectable, temperature**
**6527** **Sensor, auto-detectable, voltage**
**6521** **Sensor, temperature and voltage (long)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
**8345** **Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
**8345G** **Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
**8345R** **Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
8344 Servo saver/ servo saver spring/ servo horn, steering
**2075R** **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
**2075X** **Servo, digital high-torque, metal gear (ball bearing), waterproof**
**6553X** **Telemetry expander 2.0 and GPS module 2.0, TQi radio system**
**6550X** **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
**6551X** **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
**6509R** **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
**6507R** **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
**6528** **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)**
**6529** **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)**
**6530** **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)**
**6511** **Traxxas Link™ Wireless Module**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

## Ready-To-Race Model

93034-4 Factory Five '35 Hot Rod Truck: 1/10 Scale AWD Electric Truck with TQ 2.4GHz radio system

## Rear Suspension

8329 Bulkhead, rear
8352 Carriers, stub axle (left & right)
8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
**8334X** **Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
**8334G** **Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
**8334R** **Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
5347 Rod ends, Revo® (large) with hollow balls (12)
2754 Stub axle pins (4)
8354 Stub axles (front or rear) (2)
9331 Suspension arms, rear (2)
8340 Suspension pin set, complete (front & rear)
**8341X** **Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
**8341G** **Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
**8341R** **Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

## Shock Oil

**5031** **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
**5032** **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
**5033** **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
**5035** **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
**5036** **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
**5037** **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
**5029** **Shock oil bottle (60cc) (for mixing shock oil)**
**5038X** **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
**1667** **Silicone shock oil (30 wt), 60cc**
**5038** **Spinning carousel rack**

## Shocks (GTR)

7065 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7028 Hollow balls (20)
**7028X** **Hollow balls, steel (machined)**
7067 Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
**7062** **Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)**
6961 Shaft, GTR shock, steel (2)
**6961T** **Shaft, GTR shock, TiN-coated (2)**
9360 Shocks, GTR composite, front or rear (assembled, without springs) (2)

## Springs

9361 Springs, shock (red) (1.029 rate) (2)

## Spur Gears & Pinion Gears

2728 Ball bearings (5x8x2.5mm) (2)
8323 Gear cover (rear chassis brace)/ wire retainer
1918 Gear, 18-T pinion (48-pitch) / set screw
**2419** **Gear, 19-T pinion (48-pitch) / set screw**
**2421** **Gear, 21-T pinion (48-pitch) / set screw**
**2422** **Gear, 22-T pinion (48-pitch) / set screw**
**2423** **Gear, 23-T pinion (48-pitch) / set screw**
**2424** **Gear, 24-T pinion (48-pitch) / set screw**
**2426** **Gear, 26-T pinion (48-pitch)/set screw**
**4725** **Gear, pinion (25-tooth) (48-pitch) / set screw**
**4728** **Gear, pinion (28-tooth) (48-pitch)/ set screw**
**8359** **Spur gear, 62-tooth**
**8357** **Spur gear, 70-tooth**
8368 Spur gear, 72-tooth (48 pitch)

## Steering Components

**8345** **Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
**8345G** **Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
**8345R** **Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
8344 Servo saver/ servo saver spring/ servo horn, steering
8343 Steering bellcranks/ hardware
**8342** **Toe links, steel (34mm) (2)**

## Suspension Linkage

8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347 Rod ends, Revo® (large) with hollow balls (12)
**8341X** **Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

www.modellmarkt24.ch

| | |
|---|---|
| **8341G** | **Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench** |
| **8341R** | **Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench** |

## Team Traxxas Items

| | |
|---|---|
| **2514** | **Decal sheet, racing sponsors** |
| **9950** | **Official Team Traxxas® racing decal set (flag logo/ 6-color)** |
| **9909** | **Traxxas® racing banner, red & black (3x7 feet)** |

## Tires & Wheels

| | |
|---|---|
| 9372 | Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (front) (2) |
| 9373 | Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (extra wide, rear) (2) |

## Traxxas Tools

| | |
|---|---|
| **3433X** | **Body reamer (aluminum handle)** |
| **3433** | **Body reamer (plastic handle)** |
| **3436** | **Cap, body reamer** |
| **3432** | **Scissors, curved tip** |
| **3431** | **Scissors, straight tip** |
| **8712** | **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive** |
| **8721** | **Speed bit handle, medium (one piece)** |
| **8720** | **Speed bit handle, premium, large (rubber overmold)** |
| **8722** | **Speed bit handle, premium, medium (rubber overmold)** |
| **8710** | **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),** |
| **8711** | **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive** |
| **8719** | **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive** |
| **8716** | **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive** |
| **8716X** | **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive** |
| **8715** | **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive** |
| **8715X** | **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive** |
| **3415** | **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle** |

## Turnbuckles & Threaded Rods

| | |
|---|---|
| 8341 | Camber link/toe link set (plastic/ non-adjustable) (front & rear) |
| **8342** | **Toe links, steel (34mm) (2)** |
| **8341X** | **Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench** |
| **8341G** | **Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench** |
| **8341R** | **Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench** |

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch