Rustler® (Model 37054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607 **Ball bearings (5x11x4mm) (8)**
4608 **Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)**
2728 **Ball bearings (5x8x2.5mm) (2)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675 Bushings, self-lubricating (5x11x4mm) (14)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834 Body clips (12) (standard size)
3934 **Body clips, heavy duty (12)**
1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
3614 **Body mounts (front & rear)**
1815 Body washers (8)
6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
3714 **Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
3749 **Body, Rustler®, Hawaiian graphics (painted, decals applied)**
3748 **Body, Rustler®, Rock n' Roll (painted, decals applied)**
3617 **Body, Stampede® (clear, requires painting) (requires #3614 to mount)**
2514 **Decal sheet, racing sponsors**
3716 Decal sheets, Rustler®
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A **Wheelie bar mount (1) / hardware (green)**
3677P **Wheelie bar mount (1) / hardware (pink)**
3677 **Wheelie bar mount (1)/ hardware (black)**
3677X **Wheelie bar mount (1)/ hardware (blue)**
3678 **Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A **Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

3725X **Battery expansion kit (allows for installation of taller multi-cell battery packs)**
3727 **Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
3727A Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735 Bumper (front)
2735P **Bumper (front) (pink)**
3722X **Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
3722R Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)
3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
3723 **Upper chassis (black)**
3723A Upper chassis (grey)
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A **Wheelie bar mount (1) / hardware (green)**
3677P **Wheelie bar mount (1) / hardware (pink)**
3677 **Wheelie bar mount (1)/ hardware (black)**
3677X **Wheelie bar mount (1)/ hardware (blue)**
3678 **Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A **Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

2380 **Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)**
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169 Screws, 2.6x8mm countersunk machine (6)
1647 Silicone grease

Driveline Components

5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
1675 Bushings, self-lubricating (5x11x4mm) (14)
4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
6752 **Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754 Stub axle pins (4)
6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
2753X Stub axles, rear (2)
6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

3637 Axles (front) (2)
2728 **Ball bearings (5x8x2.5mm) (2)**
5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530 **Bulkhead (front) (black)**
2530A Bulkhead (front) (grey)
1675 Bushings, self-lubricating (5x11x4mm) (14)
3632 Caster blocks (l&r) (30-degree)
3632A **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632G **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632P **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632X **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**

www.modellmarkt24.ch

1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R Rod ends, heavy duty (Jato®/Slayer) (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3744 Servo saver w/adapters
3639 Shock tower (front)
3736 Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
3636A Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636P Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631 Suspension arms (front) (2)
3631X Suspension arms, black, front, heavy duty (2)
3631A Suspension arms, blue, front, heavy duty (2)
3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R Suspension arms, front/rear (left & right), heavy duty (2)
3631G Suspension arms, green, front, heavy duty (2)
3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
3631T Suspension arms, orange, front, heavy duty (2)
3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
3631R Suspension arms, red, front, heavy duty (2)
3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
3631L Suspension arms, white, front, heavy duty (2)
3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
3740 Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532 Tie bar, fiberglass (requires suspension pins, part# 2640)
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3139 Turnbuckles (62mm) (front tie rods) (2)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642 Shoulder screws, Ultra Shocks (3x12) (6)
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1834 Body clips (12) (standard size)
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R Rod ends, heavy duty (Jato®/Slayer) (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2676 Screws, 3x12mm roundhead self-tapping (6)
3186 Screws, 3x12mm washerhead machine (6)
2649 Screws, 3x15mm countersunk self-tapping (6)
3187 Screws, 3x15mm washerhead machine (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290 Screws, 3x8mm washerhead self-tapping (6)
2548 Screws, 4x12mm countersunk machine (100-degree) (6)
3167 Screws, 4x15mm countersunk machine (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
2754 Stub axle pins (4)
3740 Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2746 Washers, 3x6mm metal (12)

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2260 BEC assembly (complete)
3790 Gear adapter, fixed
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
1275 Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)
3785 Motor, Titan® 12T (12-Turn, 550 size)
3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2056 Servo, high-torque, waterproof (blue case)
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 Battery charge indicators (green (4), blue (4), grey (4))
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)

www.modellmarkt24.ch

2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
2984 **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))**
2992 **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
2260 **BEC assembly (complete)**
2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2973 **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
2971 **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2970 **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
6525 **Communication link, telemetry expander**
6541 **Connector, power tap (with cable) (long)/ wire tie**
2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072A **Gear set (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6554 **Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6518 **Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526 **Sensor, auto-detectable, temperature**
6527 **Sensor, auto-detectable, voltage**
6520 **Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)**
6521 **Sensor, temperature and voltage (long)**
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
6553X **Telemetry expander 2.0 and GPS module 2.0, TQi radio system**
6550X **Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X **Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540 **Telemetry trigger magnet, 5X2mm (1)**
6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas Link™ Wireless Module**
6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

37054-4 Rustler®: 1/10 Scale Stadium Truck with TQ 2.4 GHz radio system

Rear Suspension

5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
1675 Bushings, self-lubricating (5x11x4mm) (14)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
3638 Shock tower (rear)
3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2753X Stub axles, rear (2)
3655P **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R **Suspension arms, front/rear (left & right), heavy duty (2)**
3655G **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655X Suspension arms, left & right
3655T **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L **Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655A **Suspension arms, white, front/rear (left & right), heavy duty (2)**
3640 **Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)**

Shocks (Pro-level Aluminum)

2664 **Big Bore shock cylinder (long) (1)**
2666 **Big Bore shock cylinder (XX-long) (1)**
5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

Shocks (Ultra Shocks)

3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 **Shock shafts, steel, chrome finish (long) (2)**
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)

www.modellmarkt24.ch

3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458 Springs, front (black) (2)
3758 Springs, front (black) (2)
3758T Springs, front (blue) (2)
3758A Springs, front (green) (2)
2458P Springs, front (pink) (2)
3758R Springs, front (red) (2)
2458A Springs, front (white) (2)
3758X Springs, front (white) (2)
3757 Springs, rear (black) (2)
3757T Springs, rear (blue) (2)
3757A Springs, rear (green) (2)
3757P Springs, rear (pink) (2)
3757X Springs, rear (white) (2)
4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2423 Gear, 23-T pinion (48-pitch) / set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4728 Gear, pinion (28-tooth) (48-pitch)/ set screw
4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728 Ball bearings (5x8x2.5mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3744 Servo saver w/adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3139 Turnbuckles (62mm) (front tie rods) (2)
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Suspension Linkage

3642 Shoulder screws, Ultra Shocks (3x12) (6)
3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R Rod ends, heavy duty (Jato®/Slayer) (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
3740 Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) (requires #2742 rod ends)
3139 Turnbuckles (62mm) (front tie rods) (2)
2336 Turnbuckles, 78mm (optional rear camber rods) (2)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514 Decal sheet, racing sponsors
6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

4608 Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
1675 Bushings, self-lubricating (5x11x4mm) (14)
5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
3770A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated)
3776 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3771A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)

www.modellmarkt24.ch

3770 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2)
3771 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2)
6773G Tires & wheels, assembled, glued (2.8") (RXT 4X4 green wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6774X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
6773X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6774 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
6773 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6774G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
6774A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
6773A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6774R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
6773R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3773A Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
3773 Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5569 Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
5578 Tires, Anaconda® 2.8" (2)/ foam inserts (2)
4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
5563 Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
3772A Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
3772 Wheels, All-Star 2.8" (chrome) (2WD electric rear)
5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
3673 Wheels, chrome (2.2") (front) (2)
3672 Wheels, chrome (2.2") (rear) (2)
3675 Wheels, dyeable nylon 2.2 (front) (2)
3674 Wheels, dyeable nylon 2.2 (rear) (2)
3774 Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

Transmission Components

1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607 Ball bearings (5x11x4mm) (8)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478 Flat wrench, 8mm (blue-anodized aluminum)
3790 Gear adapter, fixed
3691 Gearbox halves (l&r) (black) w/ idler gear shaft
3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
5148 Grease, white lithium
3696 Idler gear, steel (30-tooth)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647 Silicone grease
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)
3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R Rod ends, heavy duty (Jato®/Slayer) (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3139 Turnbuckles (62mm) (front tie rods) (2)
2336 Turnbuckles, 78mm (optional rear camber rods) (2)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench

www.modellmarkt24.ch

3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643	**Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3745	**Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch