Stampede® (Model 36054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607 **Ball bearings (5x11x4mm) (8)**
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675 Bushings, self-lubricating (5x11x4mm) (14)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834 Body clips (12) (standard size)
3934 **Body clips, heavy duty (12)**
1914R **Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware**
3614 Body mounts (front & rear)
3619 **Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)**
1815 Body washers (8)
6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
3714 **Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
3717 **Body, Rustler®, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/window, lights, decal sheet/wing & aluminum hardware**
3617 **Body, Stampede® (clear, requires painting) (requires #3614 to mount)**
3617R **Body, Stampede® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet**
3649 **Body, Stampede®, Hawaiian graphics (painted, decals applied)**
3617X **Body, Stampede®, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet**
3648 **Body, Stampede®, Rock n' Roll (painted, decals applied)**
2514 **Decal sheet, racing sponsors**
3616 Decal sheets, Stampede®
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A **Wheelie bar mount (1) / hardware (green)**
3677P **Wheelie bar mount (1) / hardware (pink)**
3677 **Wheelie bar mount (1)/ hardware (black)**
3677X **Wheelie bar mount (1)/ hardware (blue)**
3678 **Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A **Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

3725X **Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)**
3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735 Bumper (front)
2735P **Bumper (front) (pink)**
3622X **Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs)**
3622R Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs)
3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3623 Skid plates, front & rear (black)
3623X **Skid plates, front & rear (blue)**
3623A **Skid plates, front & rear (green)**
3623P **Skid plates, front & rear (pink)**
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677A **Wheelie bar mount (1) / hardware (green)**
3677P **Wheelie bar mount (1) / hardware (pink)**
3677 **Wheelie bar mount (1)/ hardware (black)**
3677X **Wheelie bar mount (1)/ hardware (blue)**
3678 **Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678A **Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169 Screws, 2.6x8mm countersunk machine (6)
1647 Silicone grease

Driveline Components

5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
6752 **Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2754 Stub axle pins (4)
6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
2753X Stub axles, rear (2)
6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

3637 Axles (front) (2)
2728 **Ball bearings (5x8x2.5mm) (2)**
5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530 **Bulkhead (front) (black)**
2530A Bulkhead (front) (grey)
1675 Bushings, self-lubricating (5x11x4mm) (14)
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**

www.modellmarkt24.ch

3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3632 Caster blocks (l&r) (30-degree)
3632A **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632G **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632P **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
3632X **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
1844 Servo saver
3639 Shock tower (front)
3736 Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
3636A **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3636G **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3636P **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3636X **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
3631 Suspension arms (front) (2)
3631X **Suspension arms, black, front, heavy duty (2)**
3631A **Suspension arms, blue, front, heavy duty (2)**
3631G **Suspension arms, green, front, heavy duty (2)**
3631T **Suspension arms, orange, front, heavy duty (2)**
3631R **Suspension arms, red, front, heavy duty (2)**
3631L **Suspension arms, white, front, heavy duty (2)**
3740 **Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)**
2640 **Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)**
3640 **Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)**
2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532 **Tie bar, fiberglass (requires suspension pins, part# 2640)**
3737A **Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)**
3737 **Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)**
3139 Turnbuckles (62mm) (front tie rods) (2)
3741A **Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
2336A **Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3741X **Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
2336X **Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3644 **Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3745 **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**
3645 **Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
1834 Body clips (12) (standard size)
3934 **Body clips, heavy duty (12)**
1589 Double-sided adhesive tape (25mm x 25mm) (2)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**
5347 **Rod ends, Revo® (large) with hollow balls (12)**
2742X Rod ends, short (6)/ hollow balls (6)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
2675 Screws, 3x10mm roundhead self-tapping (6)
2648 Screws, 3x12mm countersunk self-tapping (6)
3186 Screws, 3x12mm washerhead machine (6)
3286 Screws, 3x12mm washerhead self-tapping (6)
2563 Screws, 3x15mm roundhead machine (6)
3187 Screws, 3x15mm washerhead machine (6)
3288 Screws, 3x15mm washerhead self-tapping (6)
2566 Screws, 3x20mm roundhead machine (6)
2567 Screws, 3x23mm roundhead machine (6)
2572 Screws, 3x30mm roundhead machine (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
2558 Screws, 3x6mm roundhead machine (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290 Screws, 3x8mm washerhead self-tapping (6)
2548 Screws, 4x12mm countersunk machine (100-degree) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2573 Screws, 4x15mm roundhead machine (6)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754 Stub axle pins (4)
3740 Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2746 **Washers, 3x6mm metal (12)**

Motors & Electronics

1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
2260 **BEC assembly (complete)**
3790 Gear adapter, fixed
2072A **Gear set (for 2070, 2075 servos)**
1275 **Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)**
3785 Motor, Titan® 12T (12-Turn, 550 size)
3351R **Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
3350R **Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))**
3355R **Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2854X **10000mAh 7.4v 2-Cell 25C LiPo Battery**
2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 **Battery charge indicators (green (4), blue (4), grey (4))**
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 **Battery, Power Cell AA Alkaline (4)**
2922X **Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)**
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**

www.modellmarkt24.ch

2942X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)**
2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
2952X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)**
2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
2984 **Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))**
2992 **Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
2260 **BEC assembly (complete)**
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2973 **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
2971 **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
2970 **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
2072A **Gear set (for 2070, 2075 servos)**
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6557 **Mount, telemetry expander (fits Stampede® 2WD)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6518 **Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
6522 **Sensor, RPM (short)/ 3x4mm BCS (2)**
6521 **Sensor, temperature and voltage (long)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540 **Telemetry trigger magnet, 5X2mm (1)**
6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530 **Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)**
6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

36054-1 Stampede®: 1/10 Scale Monster Truck with TQ 2.4GHz radio system

Rear Suspension

5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
1675 Bushings, self-lubricating (5x11x4mm) (14)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
3638 Shock tower (rear)
3752 Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
2753X Stub axles, rear (2)
3655P **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R **Suspension arms, front/rear (left & right), heavy duty (2)**
3655G **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655X Suspension arms, left & right
3655T **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L **Suspension arms, red, front/rear (left & right), heavy duty (2)**
3655A **Suspension arms, white, front/rear (left & right), heavy duty (2)**
3640 **Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)**

Shocks (Pro-level Aluminum)

2664 **Big Bore shock cylinder (long) (1)**
2666 **Big Bore shock cylinder (XX-long) (1)**
5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

Shocks (Ultra Shocks)

3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 **Shock caps (2)/ shock bottoms (2)**
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758 **Springs, front (black) (2)**
3758T **Springs, front (blue) (2)**
3758A **Springs, front (green) (2)**
3758P **Springs, front (pink) (2)**
3758X Springs, front (white) (2)
3757 **Springs, rear (black) (2)**
3757T **Springs, rear (blue) (2)**
3757A **Springs, rear (green) (2)**
3757P **Springs, rear (pink) (2)**
3757X Springs, rear (white) (2)
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

www.modellmarkt24.ch

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	**Gear, 18-T pinion (48-pitch) / set screw**
2419	**Gear, 19-T pinion (48-pitch) / set screw**
2421	Gear, 21-T pinion (48-pitch) / set screw
2423	**Gear, 23-T pinion (48-pitch) / set screw**
4725	**Gear, pinion (25-tooth) (48-pitch) / set screw**
4676	**Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4683	**Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4686	**Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728	**Ball bearings (5x8x2.5mm) (2)**
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1844	Servo saver
2336	Turnbuckles, 78mm (2)
2336A	**Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
2336X	**Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3645	**Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**

Suspension Linkage

3642	**Shoulder screws, Ultra Shocks (3x12) (6)**
3641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)
3641	**Camber link set (plastic/ non-adjustable) (front & rear) (black)**
3643X	**Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3643G	**Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3643R	**Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3644X	**Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3644G	**Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
3644R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3740	**Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)**
2637	**Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)**
2640	**Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)**
3640	**Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)**
3737A	**Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)**
3738A	**Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)**
3737	**Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)**
3738	**Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
1937	**Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)**
2336	**Turnbuckles, 78mm (optional rear camber rods) (2)**
3741A	**Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
2336A	**Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3741X	**Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
2336X	**Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643	**Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3645	**Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**

Team Traxxas Items

2514	**Decal sheet, racing sponsors**
6160X	**DVD, Maxx® Power! Full Throttle Action (sleeve)**
9950	**Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9909	**Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
5854	**Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P	**Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1747P	**Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
3689	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)**
3668A	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)**
3669A	**Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)**
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
3773A	**Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)**
3773	**Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)**
3776A	**Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
5576R	**Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
5578	**Tires, Anaconda® 2.8" (2)/ foam inserts (2)**
1970	**Tires, low-profile spiked 2.2" (2)**
4791	**Tires, Pro-Trax mini-spiked 2.2" (rear) (2)**
4790R	**Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)**
1870	**Tires, Sledgehammer terra-spiked (2)**
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
5853X	**Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm**
5353	**Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X	**Wheel wrench, splined, 17mm**
3772A	**Wheels, All-Star 2.8" (black chrome) (2WD electric rear)**
5576A	**Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)**
3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)

www.modellmarkt24.ch

5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
3673 Wheels, chrome (2.2") (front) (2)
3672 Wheels, chrome (2.2") (rear) (2)
3675 Wheels, dyeable nylon 2.2 (front) (2)
3674 Wheels, dyeable nylon 2.2 (rear) (2)
3774 Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

Transmission Components

1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607 Ball bearings (5x11x4mm) (8)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2519 Differential gear (60-tooth) (for optional ball differential only)
3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
5478 Flat wrench, 8mm (blue-anodized aluminum)
3790 Gear adapter, fixed
3691 Gearbox halves (l&r) (black) w/ idler gear shaft
3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
5148 Grease, white lithium
3696 Idler gear, steel (30-tooth)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647 Silicone grease
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721 Speed bit handle, medium (one piece)
8720 Speed bit handle, premium, large (rubber overmold)
8722 Speed bit handle, premium, medium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R Rod ends, heavy duty (Jato®/Slayer) (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336 Turnbuckles, 78mm (optional rear camber rods) (2)
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com

www.modellmarkt24.ch