Stampede 4X4 Unassembled Kit (Model 67014-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607 **Ball bearings (5x11x4mm) (8)**
4612 **Ball bearings (10x15x4mm) (2)**
2728 **Ball bearings (5x8x2.5mm) (2)**
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
1815 Body washers (8)
6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
3617 Body, Stampede® (clear, requires painting) (requires #3614 to mount)
6711X **Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
6714 **Body, Stampede® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
3617R **Body, Stampede® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet**
2514 **Decal sheet, racing sponsors**
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
6777 Wheelie bar mounts/ rear skidplate (black)
4976 **Wheels (4)/ axles (2), for Maxx® wheelie bar**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Center Driveline

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
6741 Cover, center driveshaft (clear)
6877A **Cover, gear (clear)**
6877 Cover, gear/ motor wire hold-down clip
6814 **Differential kit, center (complete)**
6888 Drive hub, center, rear (1)/ 4x3 GS (1)
6888X **Drive hub, front, hardened steel (1)/ screw pin (1)**
6755 **Driveshaft, center, 6061-T6 aluminum (blue-anodized)**
6755G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
6755R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
6756 Driveshaft, center, plastic (blue)/ screw pin
6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
5148 Grease, white lithium
6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
6890 Plate, motor
6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
1647 Silicone grease
6878 Slipper clutch, complete
5556 Slipper pressure plate & hub (aluminum alloy)
5351 **Slipper pressure plate and hub (alloy)**

Chassis & Attachments

6715 Body mount (1)/ body mount post (2) (front)
6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
6735 Bumper, front/ skidplate, front (black)
6722 Chassis
6727 Hold down, battery (2)/ hold down retainer/ battery post/ angled body clip
6727X **Hold down, battery/ hold down retainer/ battery post/ angled body clip (allows for installation of taller, multi-cell batteries)**
3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
6777 Wheelie bar mounts/ rear skidplate (black)
4976 **Wheels (4)/ axles (2), for Maxx® wheelie bar**
5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6814 **Differential kit, center (complete)**
6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881 Housings, differential, front
6880 Housings, differential, rear
5379X **Ring gear, differential/ pinion gear, differential**
6778 Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)
6779 Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)
5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879 **Ring gear, differential/ pinion gear, differential (rear)**
3965 Screws, 2.5x8mm cap-head machine (6)
1647 Silicone grease

Driveline Components

6455 **Axle carriers, rear, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)**
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 **Ball bearings, blue rubber sealed (6x12x4mm) (2) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)**
6828X Differential output yokes, heavy duty (2)/ screw pin (2)
6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6750 **Half shaft, external splined (steel-spline constant-velocity) (1)**
6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6439 **Steering blocks, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)**
6754 **Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)**

www.modellmarkt24.ch

6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6853X Stub axles, rear, heavy duty (2)/pins (2)
6869 **Wheel adaptors, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pins (4)/ drill bit, 0.25 inch (for 6mm shafts) (requires #6451 (x2), #6452 (x2), #6439, #6455, #5117 (x3))**
1654X **Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)**

Front Suspension & Steering

5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
3641 **Camber link set (plastic/ non-adjustable) (front & rear) (black)**
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
6832X **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
6832G **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
6832A **Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
6832R **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
6832 Caster blocks (c-hubs), left & right
6895 **Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
6897 **Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
6846 **Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)**
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2742 Rod ends, long (6)/ hollow ball connectors (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6839 Shock tower, front
6839X **Shock tower, front, 7075-T6 aluminum (blue-anodized)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X **Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
6837G **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
6837A **Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
6837R **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
6837 Steering blocks, left & right
6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6732 Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
3655X Suspension arms, left & right
6834 Suspension pin set, complete (front and rear)
6898 **Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
3643 **Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
5539 **Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)**
6896 **Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)**

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642 Attachment screws, shock (3x12mm shoulder screws) (6)
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm) (2)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 **Nuts, 4mm nylon locking (10)**
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18mm button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
2534 Screws, 3x6mm countersunk machine (6) (hex drive)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)

LED Lights

6784 **LED light bar (chrome, 4 clear lights)**

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 **BEC assembly (complete)**
2072A **Gear set (for 2070, 2075 servos)**
2072X **Gear set, metal (for 2070, 2075 servos)**
2252 **Gear set, metal (for 2250, 2255 servos)**
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
6860A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R **Motor mount, 6061-T6 aluminum (blue-anodized)**
3785 Motor, Titan® 12T (12-Turn, 550 size)
3351R **Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2074 **Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2053 **Servo gears (for 2055, 2056 servos)**
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
3350R **Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))**
3355R **Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2854X **10000mAh 7.4v 2-Cell 25C LiPo Battery**
2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**

www.modellmarkt24.ch

6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2260 BEC assembly (complete)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2072R Gear set, metal, high speed (for 2070, 2075 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6555 Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2056 Servo, high-torque, waterproof (blue case)
6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550 Telemetry expander, TQi radio system
6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)

Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829 Bulkhead, rear
3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
1952G Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
1952T Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
1952 Carriers, stub axle (rear) (2)
1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6838 Shock tower, rear
6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
6853X Stub axles, rear, heavy duty (2)/pins (2)
6732 Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
3655X Suspension arms, left & right
6834 Suspension pin set, complete (front and rear)
6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shocks (Aluminum)

1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2760 Shock caps, aluminum (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666 Silicone shock oil (30 wt)

Shocks (GTR)

7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7468X Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475 Multi-tool (plastic)
5158 Nuts, 2.5mm nylon locking (12)
7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469 Rod ends (GTR shocks) (6)

www.modellmarkt24.ch

7464T **Shaft, GTR long, TiN-coated (2)**
7461 **Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G **Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X **Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462 **Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G **Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X **Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
8459 **Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
7440 **Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441 **Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444 **Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445 **Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448 **Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442 **Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443 **Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446 **Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447 **Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449 **Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)**

Shocks (Pro-level Aluminum)

2664 **Big Bore shock cylinder (long) (1)**
2666 **Big Bore shock cylinder (XX-long) (1)**
5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
6863 **Springs, front (progressive, +10% rate, pink) (2)**
6864 **Springs, front (progressive, +20% rate, blue) (2)**
6862 **Springs, front (progressive, -10% rate, green) (2)**
6861 **Springs, front (progressive, -20% rate, orange) (2)**
6857 **Springs, front (white) (progressive rate) (2)**
5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
6867 **Springs, rear (progressive, +10% rate, pink) (2)**
6868 **Springs, rear (progressive, +20% rate, blue) (2)**
6866 **Springs, rear (progressive, -10% rate, green) (2)**
6865 **Springs, rear (progressive, -20% rate, orange) (2)**
6858 **Springs, rear (white) (progressive rate) (2)**
5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
3765A Body, Ultra Shock(s) (long) (grey) (2)
3766A Body, Ultra Shock(s) (XXL) (grey) (2)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 Shock shafts, steel, chrome finish (long) (2)
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
1666 Silicone shock oil (30 wt)
3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758 **Springs, front (black) (2)**
3758T **Springs, front (blue) (2)**
3758A **Springs, front (green) (2)**
6863 **Springs, front (progressive, +10% rate, pink) (2)**
6864 **Springs, front (progressive, +20% rate, blue) (2)**
6862 **Springs, front (progressive, -10% rate, green) (2)**
6861 **Springs, front (progressive, -20% rate, orange) (2)**
3758X Springs, front (white) (2)
6857 **Springs, front (white) (progressive rate) (2)**
3757 **Springs, rear (black) (2)**
3757T **Springs, rear (blue) (2)**
3757A **Springs, rear (green) (2)**
3757P **Springs, rear (pink) (2)**
6867 **Springs, rear (progressive, +10% rate, pink) (2)**
6868 **Springs, rear (progressive, +20% rate, blue) (2)**
6866 **Springs, rear (progressive, -10% rate, green) (2)**
6865 **Springs, rear (progressive, -20% rate, orange) (2)**
3757X Springs, rear (white) (2)
6858 **Springs, rear (white) (progressive rate) (2)**
4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
6814 **Differential kit, center (complete)**
6888 Drive hub, center, rear (1)/ 4x3 GS (1)
6888X **Drive hub, front, hardened steel (1)/ screw pin (1)**
6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
6878 Slipper clutch, complete
5556 Slipper pressure plate & hub (aluminum alloy)
5351 **Slipper pressure plate and hub (alloy)**

Spur Gears & Pinion Gears

6747 **Gear, 11-T pinion (32-p) (steel)/ set screw**
3942X **Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3943X **Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3944X **Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3945X **Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3946X **Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3947X **Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3948X **Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3949X **Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3950X **Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**

www.modellmarkt24.ch

3951X **Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
3952X **Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw**
6745 Gear, 9-T pinion (32-p) (steel)/ set screw
6842 **Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)**
6842R **Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
6843 **Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)**
6843R **Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R **Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)**
3956X **Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)**

Steering Components

1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2072A **Gear set (for 2070, 2075 servos)**
2072X **Gear set, metal (for 2070, 2075 servos)**
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742 Rod ends, long (6)/ hollow ball connectors (6)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053 Servo gears (for 2055, 2056 servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 **Servo, digital high-torque (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2056 Servo, high-torque, waterproof (blue case)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746 Washers, 3x6mm metal (12)

Suspension Linkage

3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
3641 **Camber link set (plastic/ non-adjustable) (front & rear) (black)**
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
5525 **Rod ends (12)/ hollow balls (12)**
6834 Suspension pin set, complete (front and rear)
2537 **Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw**
3644 **Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643 **Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
5539 **Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)**

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
6160X **DVD, Maxx® Power! Full Throttle Action (sleeve)**
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 **Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone grease
2754 Stub axle pins (4)
4175 **Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)**
3669A **Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)**
3669 **Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)**
6771 Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
6770 Tires, Maxx® 2.8" (2)/ foam inserts (2)
3671 **Tires, Talon 2.8" (2)/ foam inserts (2)**
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654X **Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)**
6856X **Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm**
5353 **Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X **Wheel wrench, splined, 17mm**
5576A **Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)**
5576 Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
5572 **Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)**

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8721 **Speed bit handle, medium (one piece)**
8720 **Speed bit handle, premium, large (rubber overmold)**
8722 **Speed bit handle, premium, medium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

Turnbuckles & Threaded Rods

3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
5525 **Rod ends (12)/ hollow balls (12)**

www.modellmarkt24.ch

3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
3643	**Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
5539	**Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch