Bearings & Bushings

5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5182 Ball bearings, blue rubber sealed (20x27x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180 Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834 Body clips (12) (standard size)
3934 Body clips, heavy duty (12)
5616 Body mount posts, front & rear (tall, for Summit)
5314 Body mounts, front & rear/ standard Revo body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
4915 Body washers, foam adhesive (10)
6716 Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
5612 Body, Summit (clear, requires painting)/window, grill, lights decal sheet (use #5616 body mount posts)
5612X Body, Summit ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet
2514 Decal sheet, racing sponsors
5615 Decal sheets, Summit
5618 ExoCage, cross braces/ 3x6mm BCS (12)
5619 ExoCage, side rails/ hardware
5620 ExoCage, Summit (includes all parts and hardware for 1 complete roll cage)
5617 Fender flairs, front & rear (4)/ fender flair retainers, front & rear (4)/ 2.5x6mm CS (22)
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)

Bumpers & Skidplates

5335A Bumper, front (chrome)/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5635 Bumper, front/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5336A Bumper, rear (chrome)/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5636 Bumper, rear/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5315 Guards, steering servo (2)
5634 Lightbar, front bumper (chrome) (1), roof lightbar (chrome) (1)
5337 Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5637 Skidplate, transmission, nylon (black)/ cover

Chassis & Attachments

5616 Body mount posts, front & rear (tall, for Summit)
5314 Body mounts, front & rear/ standard Revo body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
5630 Bulkhead, front (left & right halves)
5631 Bulkhead, rear (left & right halves)
5632 Chassis brace, rear (fits E-Revo / Summit)
5622X Chassis, E-Revo & Summit/ foam pad
5157 Cover plates and seals, forward only conversion (Revo) (Optidrive blank-out plate, Optidrive sensor cover, shift fork cover)
5627 Door, battery compartment (2) (fits right or left side)
5315 Guards, steering servo (2)
5634 Lightbar, front bumper (chrome) (1), roof lightbar (chrome) (1)
5629 Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5317 Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
5337 Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5637 Skidplate, transmission, nylon (black)/ cover
5628 Vent, battery compartment (includes latch) (1 pair, fits left or right side)

Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5182 Ball bearings, blue rubber sealed (20x27x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5681 Carrier, differential (heavy duty)/ differential fork/ linkage arms (front & rear)/x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 6.5x10x0.5 TW
5653 Differential CV output drive (machined steel) (1)/ screw pin (with threadlock) (1)/ cross pin (1)/ drive pin (1)
5136X Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
5678 Gear, locking differential output/ differential slider/ 3x12mm screwpin
5680 Housing, differential (front & rear)
5679 Linkage, locking differential (includes ball cup, linkage wires)/ bellcrank/ bellcrank mount/ 3x10mm SS
5130 Oil, differential (100K weight) (.7 oz (20cc))
5135 Oil, differential (10K weight)
5136 Oil, differential (30K weight)
5137 Oil, differential (50K weight)
5379X Ring gear, differential/ pinion gear, differential

Driveline Components

5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5657 Cross pin (4)/ drive pin (4)/ set screw (4) (to rebuild 2 driveshafts)
5650R Driveshafts, center E-Revo (steel constant-velocity) front (1)/ rear (1) (assembled with inner and outer dust boots, for E-Revo & Summit)
5150 E-clips, 1.5mm (24)
5656 Half shaft set, long (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
5655 Half shaft set, short (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
5650 Half shafts, center (internal splined (3)/ external splined (2)) (plastic parts only)
4955 Pins, axle (2.5x12mm) (4)
5145 Screw pin, 4x15mm (6)
5654 Stub axle, CV style (machined steel) (1)/ cross pin (1)/ drive pin (1)
4954X Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353A Wheel nuts, splined, 17mm (green-anodized) (4)

Front Suspension

5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
5630 Bulkhead, front (left & right halves)
5134 Caster spacers (4)/ shims (4)
5339 Insert, threaded steel (replacement inserts for Tubes) (includes (1) left and (1) right threaded insert)
5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933 Pivot balls (4)/ pivot ball cap bushings (4)
4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)

www.modellmarkt24.ch; www.modellmarkt24.de

5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5354 Rocker arm post (steel) (2)
5356 Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357 Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359 Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
5347 Rod ends, Revo (large) with hollow balls (12)
5133A Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133 Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5332 Suspension arm upper (1)/ suspension arm lower (1) (left front)
5331 Suspension arms upper (1)/ suspension arm lower (1) (right front)
5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338 Toe link, 5.0mm steel (front or rear) (2)
5338A Toe links, Revo (Tubes 7075-T6 aluminum, black)(128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Hardware

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834 Body clips (12) (standard size)
3934 Body clips, heavy duty (12)
3182 Collars, screw (2)/ set screws, 3mm (2)
5150 E-clips, 1.5mm (24)
5477 Flat wrench, 5mm (blue-anodized aluminum)
5478 Flat wrench, 8mm (blue-anodized aluminum)
3980 Glow plug wrench (universal wrench)
2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
5475 Multi-tool (plastic)
5158 Nuts, 2.5mm nylon locking (12)
2745 Nuts, 3mm nylon locking (12)
3982 PTFE-coated 6x8x0.5 (10)
5145 Screw pin, 4x15mm (6)
3236 Screws, 2.5x12mm cap-head machine (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
5169 Screws, 2.6x8mm countersunk machine (6)
2674 Screws, 2x6mm roundhead self-tapping (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
3159 Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
2551 Screws, 3x10mm countersunk machine (6) (hex drive)
5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
5142 Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2553 Screws, 3x15mm countersunk machine (6) (hex drive)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
4978 Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
3963 Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
3964 Screws, 3x32mm cap-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3936 Screws, 4x10mm button-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
3933 Screws, 4x16mm button-head machine (hex drive) (6)
3940 Screws, 4x4mm button-head machine, aluminum (blue) (hex drive) (6)
3939 Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
4897 Screws, set (grub) 4mm (6) (with threadlock)
2743 Set (grub) screws, 3mm hardened (12)
3966 Shoulder screws, 3x10mm (6) (with threadlock)
5133A Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133 Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)

LED Lights

5684 LED Lightbar, (chrome, fits Summit roll cage)/ light harness (4 clear lights)/ harness adapter
5687 LED lights, center harness, Summit (1)/ wire clip (1)
5689 LED lights, front harness (4 clear lights), Summit
5688 LED lights, rear harness (6 red lights), Summit (1)/ wire clip (1)

Motors & Electronics

3019R EVX-2 Electronic Speed Control (land version, low-voltage detection, fwd/rev)
5661 Motor mount hinge post/ 4x12mm BCS (1)/ 4x10mm CS with split and flat washer (1)
5660 Motor mount, finned aluminum
5675 Motor, Titan 775 (10-turn/16.8 volts) (1)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
2075 Servo, digital high-torque (ball bearing), waterproof
2065 Servo, sub-micro, waterproof
5696 Y-harness, servo and LED lights (for Summit with TQ 2.4GHz radio system)

Radio System, Batteries & Chargers

2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938 Adapter, Traxxas iD Lipo Battery (Connects Traxxas iD batteries to LiPo chargers with separate balance ports)
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2734 Cable ties (small) (10)
2927X Charger, A/C, 500 mAh (7 cell, NiMH) (includes plug inserts for US/Japan, European Union, United Kingdom, and Australia)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
5632 Chassis brace, rear (fits E-Revo / Summit)
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas Link Wireless Module
3019R EVX-2 Electronic Speed Control (land version, low-voltage detection, fwd/rev)
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2064 Gear set (for 2065 waterproof sub-micro servo)
6556 Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6522 Sensor, RPM (short)/ 3x4mm BCS (2)
6521 Sensor, temperature and voltage (long)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
2075 Servo, digital high-torque (ball bearing), waterproof
2065 Servo, sub-micro, waterproof
6550 Telemetry expander, TQi radio system
6551 Telemetry GPS module, TQi radio system
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)

www.modellmarkt24.ch; www.modellmarkt24.de

6540 Telemetry trigger magnet, 5X2mm (1)
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link Wireless Module

Ready-To-Race Model

56076-4 Summit: 1/10 Scale 4WD Electric Extreme Terrain Monster Truck with TQi Traxxas Link Enabled 2.4GHz Radio System

Rear Suspension

5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
5631 Bulkhead, rear (left & right halves)
5134 Caster spacers (4)/ shims (4)
5339 Insert, threaded steel (replacement inserts for Tubes) (includes (1) left and (1) right threaded insert)
5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933 Pivot balls (4)/ pivot ball cap bushings (4)
4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5354 Rocker arm post (steel) (2)
5356 Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357 Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359 Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
5348 Rod ends, Revo (large, for rear toe link only) (4)
5133A Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133 Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5333R Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))
5328 Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1))
5327 Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1))
5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338A Toe links, Revo (Tubes 7075-T6 aluminum, black)(128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Shocks (GTR)

5466X Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475 Multi-tool (plastic)
5158 Nuts, 2.5mm nylon locking (12)
5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469 Rod ends (GTR shocks) (6)
5463T Shaft, GTR shock, TiN-coated (2)
5460X Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
1666 Silicone shock oil (30 wt)
5461 Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Slipper Clutch Components

5478 Flat wrench, 8mm (blue-anodized aluminum)
3992 Input shaft/ drive gear assembly (18-tooth steel top gear)
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
5351 Slipper pressure plate and hub (alloy)

Springs

5435 Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436 Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437 Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438 Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439 Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440 Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
5441 Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
5444 Spring, shock (red) (GTR) (5.9 rate blue) (1 pair)
5445 Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
5648 Spring, shock (red) (long) (GTR) (4.9 rate double yellow stripe) (1 pair)
5649 Spring, shock (red) (long) (GTR) (5.4 rate double orange stripe) (1 pair)

Spur Gears & Pinion Gears

5640 Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5643 Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5644 Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5646 Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
2554 Screws, 3x6mm cap-head machine (hex drive) (6)
4897 Screws, set (grub) 4mm (6) (with threadlock)
3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3957 Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)
3958 Spur gear, 58-tooth (0.8 metric pitch, compatible with 32-pitch)
3959 Spur gear, 62-tooth (0.8 metric pitch, compatible with 32-pitch)
3960 Spur gear, 65-tooth (0.8 metric pitch, compatible with 32-pitch)
3961 Spur gear, 68-tooth (0.8 metric pitch, compatible with 32-pitch)

Steering Components

5355X Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5343X Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469 Rod ends (GTR shocks) (6)
5347 Rod ends, Revo (large) with hollow balls (12)
5345X Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))
5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X Servo saver spring, heavy duty (for use with metal-gear servos)
2075 Servo, digital high-torque (ball bearing), waterproof
5344 Steering arm (upper & lower)/ servo saver/ servo saver spring/ steering arm shaft
5338 Toe link, 5.0mm steel (front or rear) (2)

Suspension Linkage

5355X Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5339 Insert, threaded steel (replacement inserts for Tubes) (includes (1) left and (1) right threaded insert)
5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5469 Rod ends (GTR shocks) (6)
5347 Rod ends, Revo (large) with hollow balls (12)
5348 Rod ends, Revo (large, for rear toe link only) (4)
5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

www.modellmarkt24.ch; www.modellmarkt24.de

5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338 Toe link, 5.0mm steel (front or rear) (2)
5338A Toe links, Revo (Tubes 7075-T6 aluminum, black)(128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

4147X Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955 Pins, axle (2.5x12mm) (4)
5666 Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664 Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667 Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665 Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5374A Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
5374X Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374 Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series)
5673 Tires & wheels, assembled, glued (Geode chrome wheels, Canyon AT tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5674 Tires & wheels, assembled, glued (Geode chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
4973R Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Revo/Maxx series)
5174A Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx w/sealed pivot ball suspension & Revo)
4983A Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated)
5174 Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)
5174R Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5375R Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5670 Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973 Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series)
5171 Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series)
5375 Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471 Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470 Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
5370 Tires, Talon 3.8" (2)/ foam inserts (2)
4954R Wheel hubs, hex (steel)
4954X Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A Wheel nuts, splined, 17mm (green-anodized) (4)
5371 Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5372A Wheels, Gemini 3.8" (black chrome) (2)
5372X Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372 Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series)
5671 Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373 Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series)
5172A Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series)
5172X Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo/Maxx series)
5172R Wheels, SS (split spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series)
5172 Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo/Maxx series)

Transmission Components

4614 Ball bearings (6x12x4mm) (2)
5157 Cover plates and seals, forward only conversion (Revo) (Optidrive blank-out plate, Optidrive sensor cover, shift fork cover)
5677A Cover, gear/ 3x8mm CS (1)
5677R Cover, gear/ 3x8mm CS (1) (for single motor installation, use with motor plate #5690X)
3973 Gear set, close ratio (1st speed gear 21T, 18T input gear)
3974 Gear set, wide ratio (1st speed gear 26T, 13T input gear)
3991X Gearbox halves (front & rear)/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued/ 2.5x8mm CS (2)
3976 Idler gear, 13T (1st speed gear)
3996X Idler gear, 20-tooth/ idler gear shaft
3992 Input shaft/ drive gear assembly (18-tooth steel top gear)
5668 Linkage, shift (includes: ball collar, spring, ball cup, servo horn, linkage wire)/ shift servo mount/ 3x8mm BCS (2)
3984X Output gear, 33-tooth (1)/ spacers (2)
3985X Output gears, 33T (2)/ drive dog carrier/ output shaft spacer
3969 Output shaft, transmission
5690 Plate, motor
5690X Plate, motor (for single motor installation, use with gear cover #5677X)
3965 Screws, 2.5x8mm cap-head machine (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
3989X Shift fork/ shaft
1647 Silicone grease
5692 Two speed conversion kit (E-Revo) (includes wide and close ratio first gear sets, sub-micro servo, and linkage) (Requires 3 channel transmitter)

Turnbuckles & Threaded Rods

5477 Flat wrench, 5mm (blue-anodized aluminum)
5339 Insert, threaded steel (replacement inserts for Tubes) (includes (1) left and (1) right threaded insert)
5341 Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5338 Toe link, 5.0mm steel (front or rear) (2)
5338A Toe links, Revo (Tubes 7075-T6 aluminum, black)(128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

www.modellmarkt24.ch; www.modellmarkt24.de