TRX-6™ Mercedes-Benz® G 63® AMG 6X6 (Model 88096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

8241 Axle housing, front
8242 Axle housing, intermediate (TRX-6™) or rear (TRX-4®)
8837 Axle housing, rear (TRX-6™)
8227 Axle mount set (complete) (front & rear) (for suspension links)
8836 Axle mount set (rear) (for suspension links)
8228 Axle shaft, front (left)/ drive pin/ cross pin
8229 Axle shaft, front (right)/ drive pin/ cross pin
8060 Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)
8062 Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled)
8230 Axle shaft, rear (left)
8231 Axle shaft, rear (right)
8061 Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined)
8063 Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)
8233 Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
8256 Portal drive axle mount, rear (left & right)
8256X Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)
8256A Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)
8256G Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)
8256R Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)
8252 Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
8253 Portal drive housing, inner, rear (left or right) (2)
8251 Portal drive housing, outer (front or rear) (2)
8064 Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)
8257 Portal drive input gear, front/ drive pin/ cross pin
8259 Portal drive input gear, rear
8065 Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)
8258 Portal drive output gear, front or rear
8252X Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)
8252A Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)
8252G Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)
8252R Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)
8253X Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)
8253A Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)
8253G Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)
8253R Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)
8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)
8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)
8251G Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)
8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)
8255A Stub axle, extended (portal drive) (2)
8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)

Bearings & Bushings

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A Ball bearings, black rubber sealed (12x18x4mm) (2)
5104A Ball bearings, black rubber sealed (4x10x4mm) (2)
5115A Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5117A Ball bearings, black rubber sealed (6x12x4mm) (2)
5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A Ball bearings, black rubber sealed (7x14x5mm) (2)

Body (Mercedes-Benz® G 63®)

8825 Body, Mercedes-Benz® G 63® (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, & windshield wipers)
8825R Body, Mercedes-Benz® G 63®, complete (gloss black metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8825X Body, Mercedes-Benz® G 63®, complete (matte graphite metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8825A Body, Mercedes-Benz® G 63®, complete (pearl white) (includes grille, side mirrors, door handles, & windshield wipers)
8826 Decals, Mercedes-Benz® G 63®
8813X Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal len
8827 Grille, Mercedes-Benz® G 63®/ roll bar/ mounts, left & right/ 2.6x8 BCS (self-tapping) (2)/ 2.5x10 CS (4) (fits #8825 body)
8817 Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
8822 Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8816X Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8815X Side trim, left & right (black)/ side trim retainers (8)/ door handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
8814X Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

Body Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834 Body clips (12) (standard size)
1834A Body clips, black (12) (standard size)
3934 Body clips, heavy duty (12)
3934A Body clips, heavy duty (black) (12)
8215 Body mounts & posts, front & rear (complete set)
8115 Body posts, front & rear
4915 Body washers, foam adhesive (10)
2514 Decal sheet, racing sponsors
8081 Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8828 Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)

Bumpers & Skidplates

8234 Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
8067 Bumper mounts, front & rear
8067X Bumper mounts, front & rear/ bumper mount, rear (offset)
8237 Bumper mounts, front & rear/ screw pins (4)
8124 Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8137 Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8235 Bumper, front/ winch
8236 Bumper, rear
8125 Bumper, rear (176mm wide)
8136 Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)
8834 Bumper, rear (without trailer hitch receiver)
8820 Bumpers, front & rear
8835 Skid plates, Mercedes-Benz® G 63®, front & rear (satin-plated finish)/ 3x10 CCS (4)/ 3x10 BCS (4)
8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)

Chassis & Attachments

8223 Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)
8215 Body mounts & posts, front & rear (complete set)
8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8829 Chassis rails, 590mm (steel) (left & right)
8818 Exhaust pipes (left & right)

www.modellmarkt24.ch

8081 **Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)**
8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8828 Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
8218 Floor pans, left & right
8224X **Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease**
8819 Rock sliders/ rock slider caps (left & right)
8225 **Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
8240X Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239 Servo mount, steering/ chassis crossmember
8216 Shock towers, front & rear (left & right)
8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)
8226 Tray, battery

Differential Components

8840 Cable, T-lock (4XL)
8281 Carrier, differential/ differential slider/ T-Lock fork
8280A Differential cover, front or rear (black)
8280X **Differential cover, front or rear (chrome-plated)**
8280 **Differential cover, front or rear (grey)**
8280R **Differential cover, front or rear (red)**
8846 Differential cover, TRX-6™ intermediate (black)
8847 Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)
8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8849 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)
8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279 Ring gear, differential/ pinion gear, differential
8279R **Ring gear, differential/ pinion gear, differential (machined)**
8287 **Ring gear, differential/ pinion gear, differential (overdrive, machined)**
8288 **Ring gear, differential/ pinion gear, differential (underdrive, machined)**
8297 **Spool/ differential housing plug/ e-clip**

Driveline Components

8850 Half shafts, center (internal splined, extra short (1)/ external splined, extra short (1)) (plastic parts only)
8250 Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A Stub axle, extended (portal drive) (2)
8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X **Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)**
8269A **Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)**
8269G **Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)**
8269R **Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)**

Hardware

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834 **Body clips (12) (standard size)**
1834A Body clips, black (12) (standard size)
3934 **Body clips, heavy duty (12)**
3934A **Body clips, heavy duty (black) (12)**
8167X **Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)**
5476X **Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball**
3647 **Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747P **Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8221 Screw pin, 3x10mm (6)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
3236 Screws, 2.5x12mm cap-head machine (6)
2618 Screws, 2.5x16mm cap-head machine (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
2617 Screws, 2.5x8mm button-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2524 Screws, 2.5x8mm countersunk machine (hex drive) (6)
8299 Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167 Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564 Screws, 2x8mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2616 Screws, 3x27mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3933 Screws, 4x16mm button-head machine (hex drive) (6)

LED Light Accessories

8031 **3-in-1 wire harness, LED light kit**
8089 **4-in-2 wire harness, LED light kit**
8897 **LED light harness, rock lights, TRX-6™ (requires #8026X for complete rock light set)**
8899 LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028 power supply)
8898 LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825 body)
8028 **LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness**
8026X **LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)**

Motors & Electronics

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262 **BEC, complete (includes receiver box cover and seals)**
2064 Gear set (for 2065 waterproof sub-micro servo)
2064X **Gear set, metal (for 2065X waterproof sub-micro servo)**
2072X Gear set, metal (for 2070, 2075 servos)
2252 **Gear set, metal (for 2250, 2255 servos)**
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
8290X **Motor mount plate, 6061-T6 aluminum (blue-anodized)**
8290A **Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)**
8290G **Motor mount plate, 6061-T6 aluminum (green-anodized)**
8290R **Motor mount plate, 6061-T6 aluminum (red-anodized)**
3975R Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8290 Plate, motor/ upper spur gear cover
2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X **Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)**
5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
8843 Servo horn (with built-in spring and hardware) (for TRX-6™ locking differential)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)**
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2065 Servo, sub-micro, waterproof
2065X **Servo, sub-micro, waterproof, metal gear**
3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261 **Y-harness, BEC**

Radio System, Batteries & Chargers

2849X **4000mAh 11.1v 3-Cell 25C LiPo Battery**
2872X **5000mAh 11.1v 3-Cell 25C LiPo Battery**
2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
2976 **AC to DC converter, 40W**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**

www.modellmarkt24.ch

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 Battery charge indicators (green (4), blue (4), grey (4))
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
8222 Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)
2914 Battery, Power Cell AA Alkaline (4)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2991 Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2262 BEC, complete (includes receiver box cover and seals)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas Link™ Wireless Module
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2064 Gear set (for 2065 waterproof sub-micro servo)
2064X Gear set, metal (for 2065X waterproof sub-micro servo)
2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2072R Gear set, metal, high speed (for 2070, 2075 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6561 Mount, telemetry expander (fits TRX-4®)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2065 Servo, sub-micro, waterproof
2065X Servo, sub-micro, waterproof, metal gear
6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link™ Wireless Module
2261 Y-harness, BEC

Ready-To-Race Model

88096-4 TRX-6™ Scale and Trail™ Crawler with Mercedes-Benz® G 63® AMG Body: 6X6 Electric Trail Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667 Silicone shock oil (30 wt), 60cc
5038 Spinning carousel rack

Shocks (GTS)

8266 Body, GTS shock (aluminum, silver-anodized) (1)
8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
8266A Body, GTS shock, aluminum (blue-anodized) (1)
8266G Body, GTS shock, aluminum (green-anodized) (1)
8266R Body, GTS shock, aluminum (red-anodized) (1)
8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5475 Multi-tool (plastic)
8261 Piston, damper (red) (4)/ e-clips (8)
8262 Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
8263 Shock shaft, 3x47mm (GTS) (2)
8263T Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
8260X Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
8260A Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
8260G Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
8260R Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)

Slipper Clutch Components

8292 Input shaft/ output shaft (transmission)
8286 Output shafts (transfer case), front & rear
8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
8249 Slipper eliminator plate

Springs

8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
8041 Springs, shock (natural finish) (GTS) (0.45 rate) (2)
8040 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

Spur Gears & Pinion Gears

6746 Gear, 10-T pinion (32-p) (steel)/ set screw
6747 Gear, 11-T pinion (32-p) (steel)/ set screw
3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw

www.modellmarkt24.ch

6745 **Gear, 9-T pinion (32-p) (steel)/ set screw**
8052 **Spur gear, 39-tooth (32-pitch)**
8053 Spur gear, 45-tooth (32-pitch)

Steering Components

8232 Caster blocks (portal drive), left & right/ kingpin bushings (4)
8232X **Caster blocks, 6061-T6 aluminum (blue-anodized), left and right**
8232A **Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right**
8232G **Caster blocks, 6061-T6 aluminum (green-anodized), left and right**
8232R **Caster blocks, 6061-T6 aluminum (red-anodized), left and right**
2072X Gear set, metal (for 2070, 2075 servos)
2072R **Gear set, metal, high speed (for 2070, 2075 servos)**
8274 **Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)**
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276 Rod ends (10)
8277 Rod ends, angled 10-degrees (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
8278 Rod ends, offset (4)
8247X Servo horn, steering, metal/ 3x14 BCS (1)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8246 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8243 Suspension link, front, 5x100mm (lower) (steel) (2)
8244 Suspension link, front, 5x63mm (upper) (steel) (2)
8245 **Suspension link, rear, 5x121mm (upper or lower) (steel) (2)**

Suspension Linkage

8274 **Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)**
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276 Rod ends (10)
8277 Rod ends, angled 10-degrees (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
8278 Rod ends, offset (4)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8243 Suspension link, front, 5x100mm (lower) (steel) (2)
8244 Suspension link, front, 5x63mm (upper) (steel) (2)
8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8831 Suspension links, rear lower, 5x95mm (2) (steel)
8832 Suspension links, rear upper, 5x76mm (2) (steel)
8833 Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)

Team Traxxas Items

2514 **Decal sheet, racing sponsors**
6160X **DVD, Maxx® Power! Full Throttle Action (sleeve)**
9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

8169T **Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)**
8169X **Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)**
8169G **Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)**
8169A **Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)**
8169R **Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)**
8875 Center caps (2)/ beadlock rings (2) (requires #8255A extended stub axle)
8164 **Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)**
8176 **Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)**
8174 **Tires and wheels, assembled (Method 105 1.9” black chrome beadlock wheels, Canyon Trail 4.6x1.9” tires, foam inserts) (1 left, 1 right)**
8166X **Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended stub axle)**
8166 **Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9” tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)**
8177 **Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9” tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)**
8183X **Tires and wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A extended stub axle)**
8874 Tires and wheels, assembled, glued (2.2" black Mercedes-Benz® G 63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/ beadlock rings (2) (requires #8255A extended stub axle)
8273 **Tires and wheels, assembled, glued (Tactical 1.9” wheels, Canyon Trail 4.6x1.9” tires) (2)**
8272X **Tires and wheels, assembled, glued (TRX-4® 1.9” satin beadlock wheels, Canyon Trail 4.6x1.9” tires) (2)**
8272 **Tires and wheels, assembled, glued (TRX-4® 1.9” wheels, Canyon Trail 4.6x1.9” tires) (2)**
8179 **Tires and wheels, assembled, glued (TRX-4® Sport 1.9” wheels, Canyon Trail 4.6x1.9” tires) (2)**
8871 Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2" diameter wheel)
8270 **Tires, Canyon Trail 4.6x1.9” (S1 compound)/ foam inserts (2)**
8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X **Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)**
8269A **Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)**
8269G **Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)**
8269R **Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)**
8165 **Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)**
8175 **Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)**
8173 **Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)**
8173A **Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)**
8268 **Wheels, Tactical 1.9 (2)**
8271 **Wheels, TRX-4® 1.9 (2)**
8271X **Wheels, TRX-4® 1.9 (satin beadlock) (2)**
8178 **Wheels, TRX-4® Sport 1.9 (2)**

Transmission Components

8283 Cable, T-lock (front)
8284 Cable, T-lock (rear)
8841 Cable, T-lock (rear) (TRX-6™)
8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291 Gearbox housing (includes main housing, front housing, & cover)
8285 Gears, transfer case (3)
5041 Grease, premium high performance (20cc)
8292 Input shaft/ output shaft (transmission)
8290X **Motor mount plate, 6061-T6 aluminum (blue-anodized)**
8290A **Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)**
8290G **Motor mount plate, 6061-T6 aluminum (green-anodized)**
8290R **Motor mount plate, 6061-T6 aluminum (red-anodized)**
8849 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)
8294 Output gear, high range, 24T (metal)
8286 Output shafts (transfer case), front & rear
8290 Plate, motor/ upper spur gear cover
8249 **Slipper eliminator plate**
8296 **Transmission gears, single speed, metal**
8196 Two speed conversion kit

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4” drive**
8721 **Speed bit handle, medium (one piece)**
8720 **Speed bit handle, premium, large (rubber overmold)**
8722 **Speed bit handle, premium, medium (rubber overmold)**

www.modellmarkt24.ch

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com

www.modellmarkt24.ch