Bearings & Bushings

5106A Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A Ball bearing, black rubber sealed (15x26x5mm) (2)
5107A Ball bearing, black rubber sealed (17x26x5mm) (2)
5182A Ball bearing, black rubber sealed (20x27x4mm) (2)
5106 Ball bearing, blue rubber sealed (15x24x5mm) (2)
4611 Ball bearings (5x11x4mm) (2)
5120A Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7715 Body mounts, front & rear/3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x8mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)
7713 Body support, rear/ 3x15mm CS (2) / 3x15mm flat-head machine (2) (fits X-Maxx)
7711 Body, X-Maxx (clear, trimmed, requires painting)/ window masks/ decal sheet
7711A Body, X-Maxx, blue (painted, decals applied) (assembled with tailgate protector)
7711X Body, X-Maxx, ProGraphix (graphics are printed, requires paint & final color application)/ decal sheet
7711R Body, X-Maxx, red (painted, decals applied) (assembled with tailgate protector)
7712 Tailgate protector/ 3x8mm flathead screw (4)

Bumpers & Skidplates

7733 Bumper mount, front/ bumper support
7734 Bumper mount, rear/ bumper support
7735 Bumper, front
7736 Bumper, rear
7745 Skidplate, center
7744 Skidplate, front (1), rear (1)/ rubber impact cushion (2)

Chassis & Attachments

7719 Battery hold-down (2)/ foam pad (2)
7718 Battery hold-down mounts, left (2)/ right (2)/ 3x18mm CS (4)
7715 Body mounts, front & rear/3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x8mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)
7724 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7733 Bumper mount, front/ bumper support
7734 Bumper mount, rear/ bumper support
7735 Bumper, front
7736 Bumper, rear
7722 Chassis
7714X Chassis top brace
7723 Nerf bars, chassis (2)
7725 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
7745 Skidplate, center
7744 Skidplate, front (1), rear (1)/ rubber impact cushion (2)
7717X Spacer, battery compartment (2)/ foam blocks (4)/ foam pad (2)
7776 Wheelie bar, black (assembled)
7775 Wheels (2) (for #7776 wheelie bar)

Cush Drive Components

7794 Cush drive key/ pin/ elastomer damper
7793 Housing, cush drive (front & rear halves)
6447X Spur gear, 46-tooth, steel (1.0 metric pitch)
6448X Spur gear, 50-tooth, steel (1.0 metric pitch)

Differential Components

7781X Carrier, differential (aluminum) (requires #7783X spider gear shaft)
7781 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
7782 Gear set, differential (output gears (2)/ spider gears (4)/ 16x23.5x.5mm TW (2))
5041 Grease, premium high performance (20cc)
7780 Housing, differential (front/rear)
5040 Oil, differential (20M weight) (standard)
7790 Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791 Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792 Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783 Spider gear shaft (2)/ spacers (4)/ 16x23.5x.5mm TW (2)
7783X Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)

Driveline Components

7752 Carriers, stub axle (left & right)
7794 Cush drive key/ pin/ elastomer damper
7754X Drive cup (1)/ 3x8mm CS (use only with #7750X driveshaft)
7755 Driveshaft assembly, center, aluminum
7750X Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
7793 Housing, cush drive (front & rear halves)
5040 Oil, differential (20M weight) (standard)
7751X Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (use only with #7750X driveshaft)
7768 Stub axle, aluminum, (blue-anodized) (1) (use only with #7750X driveshaft)
7768R Stub axle, aluminum, (red-anodized) (1) (use only with #7750X driveshaft)
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Front Suspension & Steering

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7721 Bulkhead, front (lower)
7720 Bulkhead, front (upper)
7752 Carriers, stub axle (left & right)
7732 Caster blocks (c-hubs), left & right
7716 Mount, tie bar, front (1)/ rear (1)
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7739 Shock tower, front (left & right halves)
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7737 Steering blocks, left & right
7731 Suspension arms, lower (left, front or rear) (1)
7730 Suspension arms, lower (right, front or rear) (1)
7729 Suspension arms, upper (left or right, front or rear) (2)
7743 Suspension pin retainer (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Hardware

2585 Cylinder head bolts, marine 3x20mm CS (6) (TRX 2.5)
2584 Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX 2.5, 2.5R, 3.3)
2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
3234 Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2587 Screws, 3x10mm cap-head machine (6) (no washer)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2593 Screws, 3x14mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
4857 Screws, 3x20mm countersunk machine (hex drive) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
2535 Screws, 4x10mm countersunk machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2594 Screws, 4x15mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
3933 Screws, 4x16mm button-head machine (hex drive) (6)
2597 Screws, 4x22mm button-head machine (hex drive) (6)
2596 Screws, 4x25mm button-head machine (hex drive) (6)
2598X Screws, 4x30mm button-head machine (hex drive) (6)
2595 Screws, 4x35mm button-head machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4) (for motor mount)

www.modellmarkt24.ch

Motors & Electronics

7749 Adapter, standard servo (adapts standard servo to fit in X-Maxx)
3475 Cooling fan, Velineon VXL-8s ESC
7787 Covers, gear (3)
3474 Dual cooling fan kit (with shroud), Velineon 1200XL motor
2087 Gear set (for 2085 servo)
3362 Heat sink, Velineon 1600XL
7760 Motor mounts (front and rear)/ pins (2)
3491 Motor, Velineon 1200XL, brushless
2086 Servo case/gaskets (for 2085 servo)
2085 Servo, digital high-torque (ball bearing), waterproof (X-Maxx mount)
2085X Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
3496 Velineon VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759 Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759R Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)

Radio System, Batteries & Chargers

2854X 10000mAh 7.4v 2-Cell 25C LiPo Battery
2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery
2857X 6400mAh 11.1v 3-Cell 25C LiPo Battery
2890X 6700mAh 14.8v 4-Cell 25C LiPo Battery
2878X 8400mAh 11.1v 3-Cell 25C LiPo Battery
2938 Adapter, Traxxas iD Lipo Battery (Connects Traxxas iD batteries to LiPo chargers with separate balance ports)
6546 Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
6525 Communication link, telemetry expander
2087 Gear set (for 2085 servo)
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6531 Sensor, temperature & voltage (fits X-Maxx)
6521 Sensor, temperature and voltage (long)
2086 Servo case/gaskets (for 2085 servo)
2085 Servo, digital high-torque (ball bearing), waterproof (X-Maxx mount)
6550 Telemetry expander, TQi radio system
6551 Telemetry GPS module, TQi radio system
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link Wireless Module

Ready-To-Race Model

77086-4 X-Maxx: Brushless Electric Monster Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7727X Bulkhead, rear (upper & lower), center differential (replacing #7727 & #7728 requires #5108 ball bearings (2))
7752 Carriers, stub axle (left & right)
7716 Mount, tie bar, front (1)/ rear (1)
7738 Shock tower, rear (left & right halves)
7731 Suspension arms, lower (left, front or rear) (1)
7730 Suspension arms, lower (right, front or rear) (1)
7729 Suspension arms, upper (left or right, front or rear) (2)
7743 Suspension pin retainer (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)

Shocks (GTX)

7765 Body, GTX shock (aluminum, blue-anodized) (1)
7765R Body, GTX shock (aluminum, red-anodized) (1)
7765X Body, GTX shock (hard-anodized, PTFE-coated aluminum) (1)
7762 Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7763 Shaft, GTX shock, 110mm (assembled with rod ends & hollow balls) (steel, chrome finish) (2)
7763T Shaft, GTX shock, TiN-coated (2) (assembled with rod ends and steel hollow balls)
7764A Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764X Shock caps, aluminum (hard-anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764R Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)
7764 Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14mm CS (2) (for 2 shocks)
7761 Shocks, GTX, aluminum, blue-anodized (fully assembled w/o springs) (2)
7761R Shocks, GTX, aluminum, red-anodized (fully assembled w/o springs) (2)
1667 Silicone shock oil (30 wt), 60cc
7767 Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7853 Springs, shock (natural finish) (GTX) (0.824 rate) (2)
7854 Springs, shock (natural finish) (GTX) (0.929 rate) (2)
7766 Springs, shock (natural finish) (GTX) (1.055 rate) (2)
7855 Springs, shock (natural finish) (GTX) (1.199 rate) (2)
7856 Springs, shock (natural finish) (GTX) (1.346 rate) (2)
7857 Springs, shock (natural finish) (GTX) (1.450 rate) (2)
7858 Springs, shock (natural finish) (GTX) (1.538 rate) (2)

Spur Gears & Pinion Gears

6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6486X Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6488X Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6489X Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6491X Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6495X Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6496X Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6447X Spur gear, 46-tooth, steel (1.0 metric pitch)
6448X Spur gear, 50-tooth, steel (1.0 metric pitch)
6449X Spur gear, 54-tooth, steel (1.0 metric pitch)

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)

www.modellmarkt24.ch

Suspension Linkage

7743 Suspension pin retainer (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

7772X Tires & wheels, assembled, glued (X-Maxx black wheels, Maxx AT tires, foam inserts) (left & right) (2)
7770X Tires, Maxx AT (left & right) (2)/ foam inserts (2)
7757 Wheel hex clips (6)
7756 Wheel hubs, hex (2)/ hex clips (2)
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756R Wheel hubs, hex, aluminum (red-anodized) (4)
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
7771 Wheels, X-Maxx, black (left & right)

Transmission Components

7796 Center drive, torque-biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727X bulkheads)
7787 Covers, gear (3)
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Turnbuckles & Threaded Rods

7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)

www.modellmarkt24.ch