BIGFOOT® 4X4 50th Anniversary Commemorative Edition (Model 77136-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	**Ball bearing kit, X-Maxx®/XRT® (complete)**
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	**Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)**
5106	Ball Bearing, blue rubber sealed (15x24x5) (2)
4611	Ball bearings (5x11x4mm) (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	**Ball bearings, blue rubber sealed (10x15x4mm) (2)**
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7715X	**Body mounts, front & rear/ 3x15mm BCS (1)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x15mm flat-head machine screw (2)**
7690	Body reinforcement set (fits #7691 body)
7698	**Body reinforcement set (fits #7697 body)**
7692	Body support (fits #7691 body)
7713X	**Body support, rear/ 3x15mm CS (2) / 3x15mm flat-head machine (2) (fits X-Maxx®)**
7691-BLUE	**Body, Bigfoot® No. 8, Officially Licensed replica, complete (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697	**Body, Chevrolet GMT400 CK Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7697-BLUE	**Body, Chevrolet GMT400 CK Truck, complete, blue (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ chassis)**
7697-GRN	**Body, Chevrolet GMT400 CK Truck, complete, green (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7697-RED	**Body, Chevrolet GMT400 CK Truck, complete, red (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ chassis)**
7697R	**Body, Chevrolet GMT400 CK Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ chassis)**
7691	**Body, Ford F-150 Truck (clear, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7691-BLK	**Body, Ford F-150 Truck, complete, black (painted, decals applied) (assembled with body support for clipless mounting) (fits X-Monster™ Chassis)**
7691R	**Body, Ford F-150 Truck, heavy duty (clear, 2.0mm, requires painting)/ window masks/ decal sheet (for clipless mounting) (fits X-Monster™ Chassis)**
7694	**Mount, whip light (universal) (requires #10992 series whip light)**
7688	Tailgate protector/ mount

Bumpers & Skidplates

7734X	Bumper mount, rear/ bumper support
7733X	Bumper mount, front/ bumper support
7686	**Bumper, front/ bumper cover, front**
7687	**Bumper, rear/ bumper adapter, rear**
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7719	Battery hold-down (2)/ foam pad (2)
7718	Battery hold-down mounts, left (2)/ right (2)/ 3x18mm CS (4)
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7733X	Bumper mount, front/ bumper support
7734X	Bumper mount, rear/ bumper support
7722	Chassis
7714X	Chassis top brace
7723	Nerf bars, chassis (2)
7745	Skidplate, center
7744	Skidplate, front (1), rear (1)/ rubber impact cushion (2)
7717X	Spacer, battery compartment (2)/ foam blocks (4)/ foam pad (2)
7799	**Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)**
7776	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775A	**Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775T	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**
7775R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)**

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	**Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	**Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6448R	**Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444	**Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449R	**Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)**

Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X	**Differential oil kit (1 each: 10K, 30K, 50K weights)**
7880	**Differential, front, complete (fits X-Maxx® 8s or XRT®)**
7881	**Differential, rear, complete (fits X-Maxx® 8s or XRT®)**
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
7780-BLUE	**Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)**
7780-GRAY	**Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)**
7780-GRN	**Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)**
7780-ORNG	**Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)**
7780-RED	**Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)**
5040	Oil, differential (20M wt) (standard)
7790	Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783	Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7794	Cush drive key/ pin/ elastomer damper
7754X	Drive cup (1)/ 3x8mm CS (for use only with #7750X driveshaft)
7754R	**Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X or 7896 driveshaft) (machined, heat treated)**
7755	Driveshaft assembly, center, aluminum

7750X	Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
5040	Oil, differential (20M wt) (standard)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE	**Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN	**Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED	**Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836	**Steering blocks, left & right**
7737X	Steering blocks, left & right (requires 20x32x7 ball bearings)
7836X	**Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7768A	**Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)**
7768	Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G	Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768T	Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768R	Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7758A	**Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
7758	**Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)**
7758-GRAY	**Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)**
7758G	**Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
7758T	**Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
7758R	**Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**

Front Suspension & Steering

7868	Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)
7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
7721	Bulkhead, front (lower)
7720X	Bulkhead, front (upper)
7832-BLUE	**Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
7832-GRAY	**Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right**
7832-GRN	**Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
7832-ORNG	**Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right**
7832-RED	**Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
7732	Caster blocks (c-hubs), left & right
7832	**Caster blocks (c-hubs), left & right**
7879-BLUE	**Drag link, 6061-T6 aluminum (blue-anodized)**
7879-GRAY	**Drag link, 6061-T6 aluminum (gray-anodized)**
7879-GRN	**Drag link, 6061-T6 aluminum (green-anodized)**
7879-ORNG	**Drag link, 6061-T6 aluminum (orange-anodized)**
7879-RED	**Drag link, 6061-T6 aluminum (red-anodized)**
7716	Mount, tie bar, front (1)/ rear (1)
7747-BLUE	**Servo horn, steering, 6061-T6 aluminum (blue-anodized)**
7747-GRAY	**Servo horn, steering, 6061-T6 aluminum (gray-anodized)**
7747-GRN	**Servo horn, steering, 6061-T6 aluminum (green-anodized)**
7747-ORNG	**Servo horn, steering, 6061-T6 aluminum (orange-anodized)**
7747-RED	**Servo horn, steering, 6061-T6 aluminum (red-anodized)**
7747	Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7739	Shock tower, front (left & right halves)
7746-BLUE	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)**
7746-GRAY	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)**
7746-GRN	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)**
7746-ORNG	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)**
7746-RED	**Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)**
7746	Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7836-BLUE	**Steering blocks, 6061-T6 aluminum (blue-anodized), left & right**
7836-GRAY	**Steering blocks, 6061-T6 aluminum (gray-anodized), left & right**
7836-GRN	**Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
7836-ORNG	**Steering blocks, 6061-T6 aluminum (orange-anodized), left & right**
7836-RED	**Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
7836	**Steering blocks, left & right**
7737X	Steering blocks, left & right (requires 20x32x7 ball bearings)
7836X	**Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7746X	**Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)**
7831	**Suspension arm, black, lower (left, front or rear), heavy duty (1)**
7830	**Suspension arm, black, lower (right, front or rear), heavy duty (1)**
7831X	**Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X	**Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831G	**Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G	**Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7731	Suspension arm, lower (left, front or rear) (1)
7730	Suspension arm, lower (right, front or rear) (1)
7831T	**Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T	**Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R	**Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R	**Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7729	Suspension arm, upper (left or right, front or rear) (2)
7829	**Suspension arms, black, upper (left or right, front or rear), heavy duty (2)**
7829X	**Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)**
7829G	**Suspension arms, green, upper (left or right, front or rear), heavy duty (2)**
7829T	**Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)**
7829R	**Suspension arms, red, upper (left or right, front or rear), heavy duty (2)**
7743	Suspension pin retainer (4)
7743-BLUE	**Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY	**Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN	**Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG	**Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED	**Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)
7685	Suspension pins, outer, lower, 4x47mm (threaded) (2)/ M4x0.7mm NL (2)

Hardware

4859	CS 3x10 flathead (hex drive)
7889X	**Hardware kit, stainless steel, X-Maxx® (contains all stainless steel hardware used on X-Maxx®)**
7889	**Hardware kit, X-Maxx® (contains all hardware used on X-Maxx®)**
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955	Pins, axle (2.5x12mm) (4)
4857	Screw, 3x20 countersunk machine (hex drive) (6)
3234	Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2585	Screws, 3x20mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)

2595 Screws, 4x35mm button-head machine (hex drive) (6)
4897X Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X Wheel wrench, splined, 17mm

LED Lights

6588X Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
7693 Adapter kit, LED light bar (includes cutting template and bumper cover) (required for installation of #7885 light kit)
7882 Extension harness, LED lights (high-voltage)
6590 High-Voltage Power Amplifier
7884 LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)
7883X LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)
10998-BLUE LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
7885 LED light kit, complete (includes #6590 high-voltage power amplifier)
10998-GRN LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10998-ORNG LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10998-RED LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
7694 Mount, whip light (universal) (requires #10992 series whip light)
10992-BLUE Whip light, LED, blue (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-GRN Whip light, LED, green (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-ORNG Whip light, LED, orange (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-RED Whip light, LED, red (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)

Motors & Electronics

7749 Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Funco® Pro Scale® Replica)
3475 Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED Cover, gear (red-anodized 6061-T6 aluminum)
3474 Dual cooling fan kit (with shroud), Velineon® 1200XL motor
2087X Gear set, metal (for 2085, 2085X, 2085XL servos)
3362 Heat sink, Velineon® 1200XL
7760 Motor mounts (front and rear)/ pins (2)
7760-BLUE Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
7760-GRAY Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)
7760-GRN Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
7760-ORNG Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)
7760-RED Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)
3491 Motor, Velineon® 1200XL, brushless
3492 Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086 Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
7878X Spacer, motor shaft (steel)/ e-clip (1)
3496T Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759 Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759-GRAY Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)
7759G Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
7759-ORNG Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)
7759R Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)

Radio System, Batteries & Chargers

2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
2889X 5000mah 14.8v 4-Cell 25C LiPo Battery (long)
2857X 6400mah 11.1v 3-Cell 25C LiPo Battery
2890X 6700mah 14.8v 4-Cell 25C LiPo Battery
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2996X Battery/charger completer pack (includes #2971 iD® charger (1), #2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))
2990 Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
2997 Battery/charger completer pack (includes #2973 Dual iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))
2972 Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6565 Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)
6566 Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2087X Gear set, metal (for 2085, 2085X, 2085XL servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6533X Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6531 Sensor, temperature & voltage (fits X-Maxx®, XRT® or Funco® Pro Scale® Replica)
6521 Sensor, temperature and voltage (long)
2086 Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6528X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module

Ready-To-Race Model

77136-4 Bigfoot® 4X4 50th Anniversary Commemorative Edition: Brushless Electric Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
7727A Bulkhead, rear (upper & lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4)
7727R Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)

7852-GRN **Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)**
7752X Carriers, stub axle (left & right) (requires 20x32x7 ball bearings)
7852-ORNG **Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)**
7852 **Carriers, stub axle (rear) (left & right)**
7852X **Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)**
7852-RED **Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)**
7716 Mount, tie bar, front (1)/ rear (1)
7738 Shock tower, rear (left & right halves)
7831 **Suspension arm, black, lower (left, front or rear), heavy duty (1)**
7830 **Suspension arm, black, lower (right, front or rear), heavy duty (1)**
7831X **Suspension arm, blue, lower (left, front or rear), heavy duty (1)**
7830X **Suspension arm, blue, lower (right, front or rear), heavy duty (1)**
7831G **Suspension arm, green, lower (left, front or rear), heavy duty (1)**
7830G **Suspension arm, green, lower (right, front or rear), heavy duty (1)**
7731 Suspension arm, lower (left, front or rear) (1)
7730 Suspension arm, lower (right, front or rear) (1)
7831T **Suspension arm, orange, lower (left, front or rear), heavy duty (1)**
7830T **Suspension arm, orange, lower (right, front or rear), heavy duty (1)**
7831R **Suspension arm, red, lower (left, front or rear), heavy duty (1)**
7830R **Suspension arm, red, lower (right, front or rear), heavy duty (1)**
7729 Suspension arm, upper (left or right, front or rear) (2)
7829 **Suspension arms, black, upper (left or right, front or rear), heavy duty (2)**
7829X **Suspension arms, blue, upper (left or right, front or rear), heavy duty (2)**
7829G **Suspension arms, green, upper (left or right, front or rear), heavy duty (2)**
7829T **Suspension arms, orange, upper (left or right, front or rear), heavy duty (2)**
7829R **Suspension arms, red, upper (left or right, front or rear), heavy duty (2)**
7743 Suspension pin retainer (4)
7743-BLUE **Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)**
7743-GRAY **Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)**
7743-GRN **Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)**
7743-ORNG **Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)**
7743-RED **Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)**
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7685 Suspension pins, outer, lower, 4x47mm (threaded) (2)/ M4x0.7mm NL (2)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 **Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTX)

7765 **Body, GTX shock (aluminum, blue-anodized) (1)**
7765G **Body, GTX shock (aluminum, green-anodized) (1)**
7765X **Body, GTX shock (aluminum, hard-anodized, PTFE-coated) (1)**
7765T **Body, GTX shock (aluminum, orange-anodized) (1)**
7765R **Body, GTX shock (aluminum, red-anodized) (1)**
7762X Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7763T Shaft, GTX shock TiN-coated (2) (assembled with rod ends and steel hollow balls)
7764A **Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)**
7764-GRAY **Shock caps, aluminum (gray-anodized), GTX shocks (4)/ spacers (8)**
7764G **Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)**
7764X Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764-ORNG **Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (8)**
7764R **Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)**
7764 **Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)**
7763 **Shock shafts, GTX, 110mm (assembled with rod ends & hollow balls) (steel, chrome finish) (2)**
7761A **Shocks, GTX, aluminum (black-anodized) (fully assembled w/o springs) (2)**
7761 **Shocks, GTX, aluminum, blue-anodized (fully assembled w/o springs) (2)**
7761G **Shocks, GTX, aluminum, green-anodized (fully assembled w/o springs) (2)**
7761T **Shocks, GTX, aluminum, orange-anodized (fully assembled w/o springs) (2)**
7761R **Shocks, GTX, aluminum, red-anodized (fully assembled w/o springs) (2)**
7888 **Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)**
7767 **Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7767G **Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7767X Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R **Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)**
7853 **Springs, shock (natural finish) (GTX) (0.824 rate, white stripe) (2)**
7854 **Springs, shock (natural finish) (GTX) (0.929 rate, orange stripe) (2)**
7766 **Springs, shock (natural finish) (GTX) (1.055 rate) (2)**
7855 **Springs, shock (natural finish) (GTX) (1.199 rate, green stripe) (2)**
7856 **Springs, shock (natural finish) (GTX) (1.346 rate, blue stripe) (2)**
7857 **Springs, shock (natural finish) (GTX) (1.450 rate, black stripe) (2)**
7858 **Springs, shock (natural finish) (GTX) (1.538 rate, red stripe) (2)**

Spur Gears & Pinion Gears

6484X **Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6485X **Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6486X **Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6488X **Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X **Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491X **Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6494X **Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6494R **Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw**
6495X **Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6496X **Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)**
6442 **Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6447R **Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)**
6443 **Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6448R **Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)**
6444 **Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)**
6449R Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Steering Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)

7868 Bellcrank bushing, steering (1) (for use with #7746 aluminum steering bellcranks)
7879-BLUE Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED Servo horn, steering, 6061-T6 aluminum (red-anodized)
7747 Servo horn, steering/ linkage, steering (46mm, assembled with pivot balls)
7746-BLUE Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits X-Maxx®)
7746-GRAY Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits X-Maxx®)
7746-GRN Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits X-Maxx®)
7746-ORNG Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits X-Maxx®)
7746-RED Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits X-Maxx®)
7746 Steering bellcranks/ bellcrank support/servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

Suspension Linkage

7798 Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797 Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740 Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741 Suspension pins, 4x85mm (hardened steel) (2)
7748 Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748X Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

10947 Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)
7689 Tires & wheels, assembled, glued (white wheels, center caps, Terra Groove dual profile tires) (left & right)
7774A Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7871X Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7877 Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)
7772X Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7773 Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)
7871 Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7772G Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774G Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772T Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774T Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772R Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7862X Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)
7862 Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7872 Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)
7875 Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)
7876 Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)
7860 Tires, Gravix® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7873 Tires, Gravix® (left & right)/ foam inserts (2)
7870 Tires, Sledgehammer® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7757 Wheel hex clips (6)
7756X Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY Wheel hubs, hex, aluminum (gray-anodized) (4)
7756G Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG Wheel hubs, hex, aluminum (orange-anodized) (4)
7756R Wheel hubs, hex, aluminum (red-anodized) (4)
7758A Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5480X Wheel wrench, splined, 17mm
7771 Wheels, X-Maxx®, black (left and right)
7874 Wheels, XRT® Race, black (left and right)

Transmission Components

7796 Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED Cover, gear (red-anodized 6061-T6 aluminum)
7886 Gear set, overdrive (includes 47T ouput gear, 24T input gear, 3x10mm FCS (with threadlock) (4))
7785X Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X Input shaft, transmission (cush drive)
5040 Oil, differential (20M wt) (standard)
7784X Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**
5480X	Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798	**Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)**
7797	**Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)**
7748	Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK	**Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748X	**Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-GRAY	**Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748G	**Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748-ORNG	**Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**
7748R	**Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)**

WideMaxx® Suspension Kit

7896	**Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894	**Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893	**Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894X	**Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893X	**Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894G	**Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893G	**Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894T	**Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893T	**Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7894R	**Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7893R	**Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892	**Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892X	**Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892G	**Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892T	**Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7892R	**Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7895	**Suspension kit, X-Maxx® WideMaxx®, black (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895X	**Suspension kit, X-Maxx® WideMaxx®, blue (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895G	**Suspension kit, X-Maxx® WideMaxx®, green (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895T	**Suspension kit, X-Maxx® WideMaxx®, orange (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7895R	**Suspension kit, X-Maxx® WideMaxx®, red (includes front & rear suspension arms, front toe links, driveshafts, shock springs)**
7897	**Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897A	**Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)**
7897X	**Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)**
7897G	**Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)**
7897R	**Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM