Rustler® 4X4 Brushless (Model 67164-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6720 Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
6710 Body reinforcement set (fits #6717 body)
6719 Body support/ 3x12mm CS (4)
6717 Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet
6717A Body, Rustler® 4X4 VXL, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717G Body, Rustler® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717T Body, Rustler® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717P Body, Rustler® 4X4 VXL, pink (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717R Body, Rustler® 4X4 VXL, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717X Body, Rustler® 4X4 VXL, silver (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6718R Body, Rustler® 4X4 VXL, Solar Flare (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6718X Body, Rustler® 4X4, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6740-BLUE Body, Rustler® 4X4, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6734G Body, Rustler® 4X4, green & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6734T Body, Rustler® 4X4, orange & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6734P Body, Rustler® 4X4, pink & purple/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6740L Body, Rustler® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ body mounts (front & rear)/ rear body support/ decal sheet
6734R Body, Rustler® 4X4, red & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
6718 Body, Rustler® 4x4, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6740-RED Body, Rustler® 4X4, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
6728X Skid plate, roof (body) (blue)/ 3x12mm CS (4)
6728G Skid plate, roof (body) (green)/ 3x12 CS (4)
6728T Skid plate, roof (body) (orange)/ 3x12 CS (4)
6728R Skid plate, roof (body) (red)/ 3x12mm CS (4)
6728A Skid plate, roof (body) (white)/ 3x12 CS (4)
6728 Skid plate, roof (body)/ 3x12mm CS (4)
6721 Wing, Rustler® 4X4 (black)/ 3x8 FCS (3)
6721X Wing, Rustler® 4x4 (blue)/ 3x8 FCS (3)
6721G Wing, Rustler® 4x4 (green)/ 3x8 FCS (3)
6721T Wing, Rustler® 4x4 (orange)/ 3x8 FCS (3)
6721R Wing, Rustler® 4x4 (red)/ 3x8 FCS (3)
6721A Wing, Rustler® 4x4 (white)/ 3x8 FCS (3)

Center Driveline

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
7477 Cover, gear/ wire retainer
6814 Differential kit, center (complete)
6888 Drive hub, center, rear (1)/ 4x3 GS (1)
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6765 Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
6767 Driveshaft, center, plastic, (black)/ screw pin
6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
5148 Grease, white lithium
6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R Motor mount, 6061-T6 aluminum (blue-anodized)
7490 Plate, motor
7490G Plate, motor, green
7490A Plate, motor, orange
7490R Plate, motor, red
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2575 Screws, 3x6mm button-head machine (hex drive) (6)
2554 Screws, 3x6mm caphead machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
1647 Silicone Grease
6878 Slipper clutch, complete (for Slash 4x4)
5556 Slipper pressure plate & hub (aluminum alloy)
5351 Slipper pressure plate and hub (alloy)

Chassis & Attachments

6726X Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
6724 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
6791 Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)
6736X Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)
6736 Bumper, front/ bumper support
6737X Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)
6737 Bumper, rear/ bumper mount, rear
6723R Chassis (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down)
6730X Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730G Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)

www.modellmarkt24.ch

6730A **Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6730R **Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
6776 Wheelie bar

Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780 **Differential kit, center (complete)**
5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
6788 **Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6789 **Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)**
6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783 **Gear set, differential (spider gears (4)/ spider gear shaft (2))**
6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)**
6881 Housings, differential, front
6880 Housings, differential, rear
6782 **Output gears, center differential, hardened steel (2)**
5379X Ring gear, differential/ pinion gear, differential
5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
6879 Ring gear, differential/ pinion gear, differential (rear)
3965 Screws, 2.5x8mm cap-head machine (6)
1647 Silicone Grease

Driveline Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X **Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
6758 **Differential output shafts, steel-splined constant-velocity (2)**
9057X **Differential output shafts, steel-splined constant-velocity (2)**
6828A Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6851A Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6765 Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G **Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)**
6765A **Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)**
6765R **Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)**
6767 **Driveshaft, center, plastic, (black)/ screw pin**
9051X **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9052X **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9055X **Half shaft, external splined (steel-spline constant velocity) (1)**
6750 **Half shaft, external splined (steel-spline constant velocity) (1)**
9056X **Half shaft, internal splined (steel-spline constant velocity) (1)**
6751 **Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
9054X **Stub axle, front, steel-splined constant velocity (1)**
6754 **Stub axle, front, steel-splined constant velocity (1)**
6753 **Stub axle, rear, steel-splined constant velocity (1)**
9053X **Stub axle, rear, steel-splined constant velocity (1)**

Extreme HD Upgrade Kit

9050 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050X Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY **Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032X Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY **Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052 Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R **Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9052R **Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9080 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black**
9080X Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
9080-GRAY **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray**
9080G **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green**
9080T **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange**
9080R **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red**
9043 Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9038 **Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY **Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G **Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**
9038T **Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R **Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
9039 **Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY **Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**

www.modellmarkt24.ch

9039G **Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T **Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R **Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
9037 **Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037X Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037-GRAY **Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054 **Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)**
9053 **Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)**
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X **Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
1654R **Wheel hubs, hex (steel) (2)/ axle pins (2)**

Front Suspension & Steering

5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
7430R Bulkhead, front (for use only with #6723R chassis)
6748-BLK Camber link set (plastic/ non-adjustable) (front &rear) (black)
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9032 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032X Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY **Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032G **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032T **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9032R **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9051R **Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
7438 Linkage, steering
9038 **Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)**
9038X Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY **Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9038G **Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)**
9038T **Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9038R **Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9037 **Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037X Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037-GRAY **Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037G **Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037T **Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9037R **Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
6754 **Stub axle, front, steel-splined constant velocity (1)**
3655P **Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R Suspension arms, front/rear (left & right), heavy duty (2)
3655G **Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655T **Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L **Suspension arms, red, front/rear (left & right), heavy duty (2)**
6834 Suspension pin set, complete (front and rear)
9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X **Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
6898 **Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
3643 **Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**

Hardware

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
1589 Double-sided adhesive tape (25mm x 25mm)
2745 Nuts, 3mm nylon locking (12)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18 button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)

www.modellmarkt24.ch

2575 Screws, 3x6mm button-head machine (hex drive) (6)
2534 Screws, 3x6mm countersunk machine (6) (hex drive)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3936 Screws, 4x10mm button-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
3938 Screws, 4x14mm button-head machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)

LED Lights

6588 Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
6797 Bumper, front (with LED lights) (replacement for #6736 front bumper)
6541X Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)
5893 LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
6795 LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)
6793 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)
6796 Skid plate, roof (body) (with LED lights) (fits #6717 body)
2263 Y-harness, BEC to LED light set

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3382 BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383 BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340 Cooling fan, Velineon® VXL-3s ESC
6790 Gear adapters, fixed, Rustler® 4x4
2053 Gear set (for 2055, 2056 servos)
2072A Gear set (for 2070, 2075 servos)
2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2072R Gear set, metal, high-speed (for 2070, 2075 servos)
3458 Heat sink (fits #3351R and #3461 motors)
3354R Motor cover, endbell (Velineon® 3500)
7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R Motor mount, 6061-T6 aluminum (blue-anodized)
3384 Motor, BL-2s™ 3300, brushless
7490 Plate, motor
7490G Plate, motor, green
7490A Plate, motor, orange
7490R Plate, motor, red
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2056 Servo, high-torque, waterproof (blue case)
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC adapter
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2914 Battery, Power Cell AA Alkaline (4)
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053 Gear set (for 2055, 2056 servos)
2072A Gear set (for 2070, 2075 servos)
2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2072R Gear set, metal, high-speed (for 2070, 2075 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6562 Mount, telemetry expander (requires #6730 chassis brace kit)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2056 Servo, high-torque, waterproof (blue case)
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)

www.modellmarkt24.ch

6529	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**
3355R	**VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)**

Ready-To-Race Model

67164-4	Rustler® 4X4 Brushless: 1/10-scale 4WD Stadium Truck with TQ™ 2.4GHz radio system

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
7429	Bulkhead, rear
6748-BLK	Camber link set (plastic/ non-adjustable) (front &rear) (black)
3644X	**Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G	**Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R	**Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
9050	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050G	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050T	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9050R	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)**
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	**Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)**
9039	**Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)**
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	**Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)**
9039G	**Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)**
9039T	**Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)**
9039R	**Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)**
6853A	**Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
3655P	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655T	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	**Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)**
6898	**Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
3644	**Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)**

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	**Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	**Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GTR)

7466X	**Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)**
7466	**Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7466G	**Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7466A	**Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7466R	**Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7467X	**Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)**
7467	**Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7467G	**Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7467A	**Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R	**Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7468	**Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7463	**Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)**
5469	**Rod ends (GTR shocks)**
7464T	**Shaft, GTR long, TiN-coated (2)**
7465T	**Shaft, GTR xx-long, TiN-coated (2)**
7461	**Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G	**Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X	**Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462	**Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G	**Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X	**Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7440	**Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441	**Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444	**Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445	**Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448	**Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442	**Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)**
7443	**Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446	**Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447	**Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449	**Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)**

Shocks (Pro-level Aluminum)

5862	**Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660	**Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662	**Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	**Shock caps, aluminum (2) (Big Bore Shocks)**
2362	**Shock rebuild kit (for 2 shocks)**
1664T	**Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T	**Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	**Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
3759	Springs, front (2)
6863	**Springs, front (progressive, +10% rate, pink) (2)**

www.modellmarkt24.ch

6864 **Springs, front (progressive, +20% rate, blue) (2)**
6862 **Springs, front (progressive, -10% rate, green) (2)**
6861 **Springs, front (progressive, -20% rate, orange) (2)**
6857 **Springs, front (white) (progressive rate) (2)**
6867 **Springs, rear (progressive, +10% rate, pink) (2)**
6868 **Springs, rear (progressive, +20% rate, blue) (2)**
6866 **Springs, rear (progressive, -10% rate, green) (2)**
6865 **Springs, rear (progressive, -20% rate, orange) (2)**
6858 **Springs, rear (white) (progressive rate) (2)**

Shocks (Ultra Shocks)

3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
3765A Body, Ultra Shock (long) (grey) (2)
3766A Body, Ultra Shock (XXL) (grey) (2)
5475 Multi-tool (plastic)
1942 **Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
2742X Rod ends, short (6)/ hollow balls (6)
3767 Shock caps (2)/ shock bottoms (2)
8361 Shock caps (black) (4) (assembled with hollow balls)
3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T **Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 **Shock shafts, steel, chrome finish (long) (2)**
2656 Shock shafts, steel, chrome finish (xx-long) (2)
1765 Silicone diaphragms (4)
3769 **Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)**
3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3759 Springs, front (2)
6863 **Springs, front (progressive, +10% rate, pink) (2)**
6864 **Springs, front (progressive, +20% rate, blue) (2)**
6862 **Springs, front (progressive, -10% rate, green) (2)**
6861 **Springs, front (progressive, -20% rate, orange) (2)**
6857 **Springs, front (white) (progressive rate) (2)**
6867 **Springs, rear (progressive, +10% rate, pink) (2)**
6868 **Springs, rear (progressive, +20% rate, blue) (2)**
6866 **Springs, rear (progressive, -10% rate, green) (2)**
6865 **Springs, rear (progressive, -20% rate, orange) (2)**
6858 **Springs, rear (white) (progressive rate) (2)**
3757X Springs, white (rear) (2)
3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X **Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
6888 Drive hub, center, rear (1)/ 4x3 GS (1)
6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
2554 Screws, 3x6mm caphead machine (hex drive) (6)
6878 **Slipper clutch, complete (for Slash 4x4)**
5556 Slipper pressure plate & hub (aluminum alloy)
5351 Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

7477 Cover, gear/ wire retainer
6790 Gear adapters, fixed, Rustler® 4x4
6747 **Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw**
3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X **Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3944X **Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3945X **Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3946X **Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3947X **Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3948X **Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3949X **Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3950X **Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3951X **Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
3952X **Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw**
6745 **Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw**
6842 **Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)**
6842R **Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
6843 **Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)**
6843R **Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)**
3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R **Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**
3956X **Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)**

Steering Components

5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
7438 Linkage, steering
2742X Rod ends, short (6)/ hollow balls (6)
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742 **Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)**
6742X **Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742G **Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
6742R **Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)**
2746 Washers, 3x6mm metal (12)

Suspension Linkage

2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
6748-BLK Camber link set (plastic/ non-adjustable) (front &rear) (black)
3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**
3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)**

www.modellmarkt24.ch

5525 Rod ends (12)/ hollow balls (12)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
6834 Suspension pin set, complete (front and rear)
6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514 Decal sheet, racing sponsors
9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone Grease
2754 Stub axle pins (4)
4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
6775X Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
6769 Tires, Talon EXT 2.8" (2)/ foam inserts (2)
1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6772 Wheels, RXT 2.8" (black) (2)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525 Rod ends (12)/ hollow balls (12)
6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch