TRX-6® Mercedes-Benz® G 63® AMG 6X6 (Model 88296-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

8241 Axle housing, front
8242 Axle housing, intermediate (TRX-6™) or rear (TRX-4®)
8837 Axle housing, rear (6X6)
8227 Axle mount set (complete) (front & rear) (for suspension links)
8836 Axle mount set (rear) (for suspension links)
8228 Axle shaft, front (left)/ drive pin/ cross pin
8229 Axle shaft, front (right)/ drive pin/ cross pin
8060 Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)
8062 Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)
8230 Axle shaft, rear (left)
8231 Axle shaft, rear (right)
8063 Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)
8061 Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)
8233 Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
8256 Portal drive axle mount, rear (left & right)
8256X Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)
8256A Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)
8256G Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)
8256R Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)
8252 Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
8253 Portal drive housing, inner, rear (left or right) (2)
8251 Portal drive housing, outer (front or rear) (2)
8064 Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)
8257 Portal drive input gear, front/ drive pin/ cross pin
8259 Portal drive input gear, rear
8065 Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)
8258 Portal drive output gear, front or rear
8252X Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)
8252A Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)
8252G Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)
8252R Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)
8253X Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)
8253A Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)
8253G Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)
8253R Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)
8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)
8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)
8251G Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)
8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)
8255A Stub axle, extended thread (portal drive) (2)
8267 Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)

Bearings & Bushings

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A Ball bearings, black rubber sealed (12x18x4mm) (2)
5102A Ball bearings, black rubber sealed (15x21x4mm) (2)
5104A Ball bearings, black rubber sealed (4x10x4mm) (2)
5115A Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5117A Ball bearings, black rubber sealed (6x12x4mm) (2)
5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A Ball bearings, black rubber sealed (7x14x5mm) (2)

Body (Mercedes-Benz® G 63®)

9134 Body mounts (front & rear) (left & right)/ 2.6x10mm BCS (4)/ 1.6x7mm BCS (self-tapping) (8)/ 2.5x12mm CS (2) (fits #9129 body)
9129 Body, Mercedes-Benz® G 63® (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, & clipless mounting) (requires #8080X & 8828X inner fenders)
9129-BLK Body, Mercedes-Benz® G 63®, complete (gloss black metallic) (includes grille, side mirrors, door handles, windshield wipers, & clipless mounting) (requires #8080X & 8828X inner fenders)
9129-WHT Body, Mercedes-Benz® G 63®, complete (gloss white metallic) (includes grille, side mirrors, door handles, windshield wipers, & clipless mounting) (requires #8080X & 8828X inner fenders)
9129-SLVR Body, Mercedes-Benz® G 63®, complete (matte graphite metallic) (includes grille, side mirrors, door handles, windshield wipers, & clipless mounting) (requires #8080X & 8828X inner fenders)
8826 Decals, Mercedes-Benz® G 63®
6593 Distribution block, Pro Scale® Advanced Lighting Control System
8813X Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)
8827 Grille, Mercedes-Benz® G 63®/ roll bar/ roll bar mounts, left & right/ 2.6x8 BCS (self-tapping) (2)/ 2.5x10 CS (4) (fits #8825 body)
8893 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)
9216 Latch, body mount (2)/ 3x8 BCS (8)
8899 LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)
8898 LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
8817 Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8898X Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)
6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
8822 Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8816X Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8815X Side trim, left & right (black)/ side trim retainers (8)/ door handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
8814X Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

Body Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
2514 Decal sheet, racing sponsors
8080X Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
8828X Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8) (for clipless body mounting)
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)

Bumpers & Skidplates

8868 Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)
8834X Bumper, rear (with trailer hitch receiver)
8834 Bumper, rear (without trailer hitch receiver)
8820 Bumpers, front & rear
8835 Skid plates, Mercedes-Benz® G 63®, front & rear (satin-plated finish)/ 3x10 CCS (4)/ 3x10 BCS (4)
8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)

www.modellmarkt24.ch

Chassis & Attachments

8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
8223	Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072 inner fenders)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8829	Chassis rails, 590mm (steel) (left & right)
8818	Exhaust pipes, (left & right)
8081	**Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)**
8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
8828X	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8) (for clipless body mounting)
8218	Floor pans, left & right
8224X	**Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease**
8819	Rock sliders/ rock slider caps (left & right)
8225	**Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8830	Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)
8226	Tray, battery

Differential Components

8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8841	Cable, T-lock, rear (TRX-6®) (274mm)
8281	Carrier, differential/ differential slider/ T-Lock fork
8280A	Differential cover, front or rear (black)
8280X	**Differential cover, front or rear (chrome plated)**
8280-GRN	**Differential cover, front or rear (green)**
8280	**Differential cover, front or rear (grey)**
8280R	**Differential cover, front or rear (red)**
8846	Differential cover, TRX-6™ intermediate (black)
8847	Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R	**Ring gear, differential/ pinion gear, differential (machined)**
8287	**Ring gear, differential/ pinion gear, differential (overdrive, machined)**
8288	**Ring gear, differential/ pinion gear, differential (underdrive, machined)**
8297	**Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)**

Driveline Components

8139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts only)
8850	Half shafts, center (internal splined, extra short (1)/ external splined, extra short (1)) (plastic parts only)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8250X	Half shafts, center (internal splined, short (3) & internal splined, long (2))
8255A	Stub axle, extended thread (portal drive) (2)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X	**Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)**
8269A	**Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)**
8269G	**Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)**
8269R	**Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)**

Hardware

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1834	**Body Clips (12) (standard size)**
1834A	Body clips, black (12) (standard size)
3934	**Body clips, heavy duty (12)**
3934A	**Body clips, heavy duty (black) (12)**
4859	CS 3x10 flathead (hex drive)
8167X	**Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)**
5476X	**Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball**
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	**Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8221	Screw pin, 3x10mm (6)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
2618	Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)

LED Light Accessories

8031	**3-in-1 wire harness, LED light kit**
8089	**4-in-2 wire harness, LED light kit**
6589	**Distribution block, LED light set**
6593	**Distribution block, Pro Scale® Advanced Lighting Control System**
8893	**Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)**
8897	**LED light harness, rock lights, TRX-6™ (requires #8026X for complete rock light set)**
8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)
8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
8028	**LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness**
8026X	**LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)**
6592	**Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)**
6591	**Pro Scale® Advanced Lighting Control System (includes power module & distribution block)**
8898X	**Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)**
6594	**Receiver communication cable, Pro Scale® Advanced Lighting Control System**

Motors & Electronics

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262	**BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)**
2064A	Gear set (for 2065A waterproof sub-micro servo)
2064R	**Gear set, metal (for 2065R waterproof sub-micro servo)**

www.modellmarkt24.ch

2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2072R Gear set, metal, high-speed (for 2070, 2075 servos)
8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
3975R Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8290 Plate, motor/ upper spur gear cover
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8843 Servo horn (with built-in spring and hardware) (for 6X6 locking differential)
5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2280 Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A Servo, sub-micro, waterproof
2065R Servo, sub-micro, waterproof, metal gear
3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261 Y-harness, BEC

Pro Scale® Winch & Accessories

8868 Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)
8859 Fairlead, winch
8862 Gearmotor, winch
8863 Hook, winch (steel)/ line retainer/ washer
8858 Housings (front & rear), winch/ decal
8864X Line, winch (blue)
8864 Line, winch (gray)
8864R Line, winch (red)
8860 Spool shaft assembly, winch
8861 Spool, winch
8855 Winch kit with wireless controller, TRX-4® and TRX-6®
8856 Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
8857 Wireless remote, winch, TRX-4® and TRX-6®

Radio System, Batteries & Chargers

2823X 1400mah 11.1v 3-Cell 25C LiPo Battery
2820X 2200mah 7.4v 2-Cell 25C LiPo Battery
2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
2914 AA 4PK
2976 AC to DC adapter
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
8222 Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2985-2S Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525 Communication link, telemetry expander
6512 Cover plate, Traxxas® Link Bluetooth® module
6565 Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2064A Gear set (for 2065A waterproof sub-micro servo)
2064R Gear set, metal (for 2065R waterproof sub-micro servo)
2072X Gear set, metal (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2072R Gear set, metal, high-speed (for 2070, 2075 servos)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6561 Mount, telemetry expander
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271 Servo case/ gaskets (for 2270 waterproof servo)
2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A Servo, sub-micro, waterproof
2065R Servo, sub-micro, waterproof, metal gear
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module
2261 Y-harness, BEC
2970-3S

www.modellmarkt24.ch

Ready-To-Race Model

88296-4 TRX-6® Scale and Trail® Crawler with Mercedes-Benz® G 63® AMG Body: 6X6 Electric Trail Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (GTS)

8266A Body, GTS shock (aluminum, blue-anodized) (1)
8266G Body, GTS shock (aluminum, green-anodized) (1)
8266R Body, GTS shock (aluminum, red-anodized) (1)
8266 Body, GTS shock (aluminum, silver-anodized) (1)
8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5475 Multi-tool (plastic)
8261 Piston, damper (red) (4)/ e-clips (8)
8262 Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)
8263 Shock shaft, 3x47mm (GTS) (2)
8263T Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
8260X Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
8260A Shocks, GTS, blue-anodized (assembled with spring retainers) (2)
8260G Shocks, GTS, green-anodized (assembled with spring retainers) (2)
8260R Shocks, GTS, red-anodized (assembled with spring retainers) (2)
8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)

Slipper Clutch Components

8292 Input shaft/ output shaft (transmission)
8286 Output shafts (transfer case), front & rear
8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))
8249 Slipper eliminator plate

Springs

8041 Springs, shock (GTS) (front) (0.45 rate) (2)
8040 Springs, shock (GTS) (rear) (0.54 rate) (2)
8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

Spur Gears & Pinion Gears

6746 Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6747 Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6745 Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
8052 Spur gear, 39-tooth (32-pitch)
8053 Spur gear, 45-tooth (32-pitch)

Steering Components

8232 Caster blocks (portal drive), left & right
8232X Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
8232A Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
8232G Caster blocks, 6061-T6 aluminum (green-anodized), left and right
8232R Caster blocks, 6061-T6 aluminum (red-anodized), left and right
2072X Gear set, metal (for 2070, 2075 servos)
2072R Gear set, metal, high-speed (for 2070, 2075 servos)
8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276 Rod ends (10)
8277 Rod ends, angled 10-degrees (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
8278 Rod ends, offset (4)
8247X Servo horn, steering, metal/ 3x14 BCS (1)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8246 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8243 Suspension link, front, 5x100mm (lower) (steel) (2)
8244 Suspension link, front, 5x63mm (upper) (steel) (2)
8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

Suspension Linkage

8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276 Rod ends (10)
8277 Rod ends, angled 10-degrees (8)
2742 Rod ends, long (6)/ hollow ball connectors (6)
8278 Rod ends, offset (4)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8243 Suspension link, front, 5x100mm (lower) (steel) (2)
8244 Suspension link, front, 5x63mm (upper) (steel) (2)
8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8831 Suspension links, rear lower, 5x95mm (2) (steel)
8832 Suspension links, rear upper, 5x76mm (2) (steel)
8833 Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)

Team Traxxas Items

2514 Decal sheet, racing sponsors
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

8169T Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
8169X Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
8169R Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
8875 Center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)
8164 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
8176 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
8164X Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A extended stub axle)
1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
8174 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
8182 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)

www.modellmarkt24.ch

8177 **Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)**
8166 **Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)**
8166X **Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)**
8183X **Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)**
8874 Tires & wheels, assembled, glued (2.2" black Mercedes-Benz® G 63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)
8273 **Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)**
8272X **Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)**
8272 **Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)**
8179 **Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)**
8871 Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2" diameter wheel)
8270 **Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)**
8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X **Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)**
8269A **Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)**
8269G **Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)**
8269R **Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)**
8165 **Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)**
8175 **Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)**
8173 **Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)**
8173A **Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)**
8271 **Wheels, TRX-4® 1.9 (2)**
8271X **Wheels, TRX-4® 1.9 (satin beadlock) (2)**
8178 **Wheels, TRX-4® Sport 1.9 (2)**
8268 **Wheels, TRX-4® Tactical 1.9 (2)**

Transmission Components

8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291 Gearbox housing (includes main housing, front housing, & cover)
8285 Gears, transfer case (3)
5041 Grease, premium high performance (20cc)
8292 Input shaft/ output shaft (transmission)
8290X **Motor mount plate, 6061-T6 aluminum (blue-anodized)**
8290A **Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)**
8290G **Motor mount plate, 6061-T6 aluminum (green-anodized)**
8290R **Motor mount plate, 6061-T6 aluminum (red-anodized)**
8849 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
8294 Output gear, high range, 24T (metal)
8286 Output shafts (transfer case), front & rear
8290 Plate, motor/ upper spur gear cover
8249 **Slipper eliminator plate**
8296 **Transmission gears, single speed, metal**
8196 Two speed conversion kit

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

www.modellmarkt24.ch